Urn & Brewer Cleaner

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758.

Issue date: 2/4/2022 Revision date: 2/4/2022 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : Urn & Brewer Cleaner

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use

Use of the substance/mixture : Cleaner

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer
Urnex Brands, LLC
700 Executive Blvd.
Elmsford, NY 10523 - USA
T +1-914-963-2042 - F +1-914-963-2145
info@urnex.com

Distributor

1.4. Emergency telephone number

Emergency number : International (Infotrac): +1 (352) 323-3500

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Irrit. 2 H319

Full text of hazard classes, H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :

GHS07

Signal word (CLP) : Warning

Hazard statements (CLP) : H319 - Causes serious eye irritation.

Precautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Disodium carbonate	(CAS-No.) 497-19-8 (EC-No.) 207-838-8 (EC Index-No.) 011-005-00-2 (REACH-no) 01-2119485498-19	70 - 90	Eye Irrit. 2, H319
Sodium silicate	(CAS-No.) 1344-09-8 (EC-No.) 215-687-4	1 - 5	Acute Tox. 4 (Oral), H302 (ATE=1960 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Dam. 1, H318
Sodium percarbonate	(CAS-No.) 15630-89-4 (EC-No.) 239-707-6 (REACH-no) 01-2119457268-30	< 3	Ox. Sol. 2, H272 Acute Tox. 4 (Oral), H302 (ATE=1034 mg/kg bodyweight) Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact : If skin irritation occurs: Wash skin with plenty of water. Obtain medical attention if irritation persists.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention

First-aid measures after ingestion : Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.

Symptoms/effects after skin contact : May cause skin irritation. Repeated exposure may cause skin dryness or cracking.

Symptoms/effects after eye contact : Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

Symptoms/effects after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide (CO_2). Dry powder. Water spray. For large fire: Alcohol-resistant foam.

Unsuitable extinguishing media : Do not use water jet.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon.

5.3. Advice for firefighters

Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain spill, then place in a suitable container. Minimize dust generation. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for cleaning up : Sweep or shovel spills into appropriate container for disposal. Provide ventilation.

6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Do not swallow. Avoid generating and breathing dust. Good housekeeping is important to prevent accumulation of dust. The use of compressed air for cleaning clothing, equipment, etc, is not recommended. Handle and open container with care. When using do not eat, drink or smoke.

Hygiene measures : Wash contaminated clothing before reuse. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep out of the reach of children. Keep container tightly closed. Store in original container. Keep away from oxidizing agents. Protect from moisture.

7.3. Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Provide readily accessible eye wash stations and safety showers.

Hand protection:

Wear suitable gloves

Eye protection:

Safety eyewear complying with an approved standard such as the European Standard EN166 should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Environmental exposure controls:

Avoid release to the environment.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	:	Solid
Appearance	:	Granules
Colour	:	Light blue
Odour	:	None
Odour threshold	:	No data available
pH	:	10.99 – 11.49
Relative evaporation rate (butylacetate=1)	:	No data available
Melting point	:	No data available
Freezing point	:	Not applicable
Boiling point	:	No data available
Flash point	:	Not applicable

Auto-ignition temperature	:	Not applicable
Decomposition temperature	:	No data available
Flammability (solid, gas)	:	Not flammable
Vapour pressure	:	No data available
Relative vapour density at 20 °C	:	No data available
Relative density	:	1.2
Solubility	:	No data available
Partition coefficient n-octanol/water	:	No data available
Viscosity, kinematic	:	Not applicable
Viscosity, dynamic	:	No data available
Explosive properties	:	No data available
Oxidising properties	:	No data available
Explosive limits	:	Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Water, humidity. Heat. Incompatible materials.

10.5. Incompatible materials

Strong oxidizing agents. Strong acids.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	:	Not classified.
Acute toxicity (dermal)	:	Not classified.
Acute toxicity (inhalation)	:	Not classified.

ATE CLP (oral)	25063.257 mg/kg

Disodium carbonate (497-19-8)	
LD50 oral rat	2800 mg/kg bodyweight Animal: rat
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:EPA 16 CFR 1500.40

Sodium silicate (1344-09-8)	
LD50 oral rat	1960 mg/kg
LD50 dermal rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity)
LC50 inhalation rat	> 2.06 mg/l air Animal: rat, Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity)

Sodium percarbonate (15630-89-4)	
LD50 oral rat	1034 mg/kg
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:EPA Guideline

Skin corrosion/irritation	:	Not classified. (On basis of test data) pH: 10.99 – 11.49
Serious eye damage/irritation	:	Causes serious eye irritation. (On basis of test data) pH: 10.99 – 11.49
Respiratory or skin sensitisation	:	Not classified.
Additional information	:	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	:	Not classified.
Additional information	:	Based on available data, the classification criteria are not met.

Carcinogenicity : Not classified.
Additional information : Based on available data, the classification criteria are not met.

Reproductive toxicity : Not classified.
Additional information : Based on available data, the classification criteria are not met.

STOT-single exposure : Not classified.
Additional information : Based on available data, the classification criteria are not met.

STOT-repeated exposure : Not classified.
Additional information : Based on available data, the classification criteria are not met.

Aspiration hazard : Not classified.
Additional information : Based on available data, the classification criteria are not met.

Urn & Brewer Cleaner	
Viscosity, kinematic	Not applicable

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.
Hazardous to the aquatic environment, short-term (acute) : Not classified.
Hazardous to the aquatic environment, long-term (chronic) : Not classified.

Disodium carbonate (497-19-8)	
LC50 - Fish [1]	300 mg/l Test organisms (species): Lepomis macrochirus
LC50 - Fish [2]	310 – 1220 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.
EC50 - Crustacea [2]	200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.

Sodium silicate (1344-09-8)	
LC50 - Fish [1]	301 – 478 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)
LC50 - Fish [2]	3185 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])
EC50 - Crustacea [1]	1700 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	207 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	> 345.4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

Sodium percarbonate (15630-89-4)	
LC50 - Fish [1]	70.7 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	4.9 mg/l Test organisms (species): Daphnia pulex

12.2. Persistence and degradability

Urn & Brewer Cleaner	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

Urn & Brewer Cleaner	
Bioaccumulative potential	Not established.

Disodium carbonate (497-19-8)	
BCF - Fish [1]	(no bioaccumulation)

Sodium silicate (1344-09-8)	
BCF - Fish [1]	(no bioaccumulation expected)

Sodium percarbonate (15630-89-4)	
BCF - Fish [1]	(no bioaccumulation)

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : No other effects known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. Recycle empty containers where allowed.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
14.1. UN number		
Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name		
Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)		
Not regulated	Not regulated	Not regulated
14.4. Packing group		
Not regulated	Not regulated	Not regulated
14.5. Environmental hazards		
Not regulated	Not regulated	Not regulated
No supplementary information available.		

14.6. Special precautions for user

Special transport precautions : Do not handle until all safety precautions have been read and understood.

- Overland transport

Not regulated

- Transport by sea

Not regulated

- Air transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No additional information available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions
Contains no REACH candidate substance.
Contains no REACH Annex XIV substances
Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.
Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

United Kingdom

British National Regulations : Not determined.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:
None.

Abbreviations and acronyms:

	°C – Degrees Celsius °F – Degrees Fahrenheit ADR – European Agreement concerning the International Carriage of Dangerous Goods by Road. ACGIH – American Conference of Governmental Industrial Hygienists ATE – Acute Toxicity Estimate BCF – Bioconcentration Factor BEI – Biological Exposure Index CAS – Chemical Abstracts Service CLP – Regulation (EC) No 1272/2008 on the Classification, Labeling and Packaging of substances and mixtures. CMR – Carcinogen, Mutagen, Reproductive toxin cP – centipoise (unit of dynamic viscosity) cSt – centistokes (unit of kinematic viscosity) DNEL – Derived No-effect Level DMEL – Derived Minimal Effect Level EC50 – Half maximal effective concentration ECHA – European Chemicals Agency EC-No. – European Community number EU – European Union GHS – Globally Harmonized System of Classification and Labelling of Chemicals h – Hours IATA – International Air Transport Association IC50 – Inhibition concentration IDLH – Immediately Dangerous to Life or Health IMDG – International Maritime Dangerous Goods IOELV – Indicative Occupational Exposure Limit Value KIFS – Swedish Chemicals Agency's (Keml's) Code of Statutes kPa – kilopascal Koc – Adsorption Coefficient Kow – Octanol-Water Partition Coefficient LC50 – Median Lethal Concentration LD50 – Median Lethal Dose LOAEL – Lowest Observed Adverse Effect level mg/l – Milligram per liter mg/kg – Milligram per kilogram mg/m3 – Milligram per cubic meter Min – Minutes NIOSH – National Institute for Occupational Safety and Health NOEC – No Observed Effect Concentration NO(A)EL – No Observed (Adverse) Effect Level N.O.S. – Not Otherwise Specified OEL – Occupational Exposure Limit PBT - Persistent, Bioaccumulative and Toxic PCN – Poison Centre Notification PNEC – Predicted No Effect Concentration ppm – Parts per million PVC – Polyvinyl chloride REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 RID – European Agreement concerning the International Carriage of Dangerous Goods by Rail SDS – Safety Data Sheet STEL – Short Term Exposure Limit STOT – Specific Target Organ Toxicity SVHC – Substance of Very High Concern (CMR, vPvB, PBT) TDI – Tolerable Daily Intake TLV – Threshold Limit Value TWA – Time Weighted Average UFI – Unique Formulation Identifier UN – United Nations vPvB - Very Persistent and Very Bioaccumulative WEL – Workplace Exposure Limit WGK – Wassergefahrdungklasse – German water quality classification

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.

H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
Ox. Sol. 2	Oxidising Solids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Eye Irrit. 2	H319	On basis of test data

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.