


Prepared for:

EVG.G4.S.3936



Batch ID or Lot Number: **EVG.G4.S.3936** Test: **Potency** Reported: **7/12/23**

Matrix: **Unit** Test ID: **T000248310** Started: **7/11/23** USDA License: **N/A**

Status: **Active** Method: **TM14 (HPLC-DAD): Potency – Standard Cannabinoid Analysis** Received: **07/07/2023 @ 08:38 AM** Sampler ID: **N/A**

CANNABINOID PROFILE

Compound	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Delta 9-Tetrahydrocannabinolic acid (THCA-A)	0.617	1.972	ND	ND	# of Servings = 1 Sample Weight=3.286g
Delta 9-Tetrahydrocannabinol (Delta 9THC)	0.696	2.226	5.386	1.64	
Cannabidiolic acid (CBDA)	0.839	2.263	ND	ND	
Cannabidiol (CBD)	0.818	2.207	28.180	8.58	
Delta 8-Tetrahydrocannabinol (Delta 8THC)	0.767	2.451	ND	ND	
Cannabinolic Acid (CBNA)	0.439	1.404	ND	ND	
Cannabinol (CBN)	0.201	0.642	ND	ND	
Cannabigerolic acid (CBGA)	0.643	2.057	ND	ND	
Cannabigerol (CBG)	0.154	0.492	1.361	0.41	
Tetrahydrocannabivarinic Acid (THCVA)	0.544	1.740	ND	ND	
Tetrahydrocannabivarin (THCV)	0.140	0.448	0.630	0.19	
Cannabidivarinic Acid (CBDVA)	0.350	0.944	ND	ND	
Cannabidivarin (CBDV)	0.193	0.522	0.697	0.21	
Cannabichromenic Acid (CBCA)	0.248	0.793	ND	ND	
Cannabichromene (CBC)	0.271	0.867	1.913	0.58	
Total Cannabinoids			38.167	11.61	
Total Potential THC**			5.386	1.64	
Total Potential CBD**			28.180	8.58	

Samantha Smith Sam Smith
12-Jul-23
10:27 AM

K Winterheimer Karen Winterheimer
12-Jul-23
10:35 AM


PREPARED BY / DATE

APPROVED BY / DATE

Definitions

% = % (w/w) = Percent (Weight of Analyte / Weight of Product)
 ** Total Potential THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step.
 Total THC = THC + (THCA * (0.877)) and
 Total CBD = CBD + (CBDA * (0.877))
 Total Cannabinoids result reflects the absolute sum of all cannabinoids detected.
 ND = None Detected (Defined by Dynamic Range of the method).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc. SC Laboratories, Inc warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. All decision rulings are in accordance with the MED and results uploaded to METRC. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4329.01



Certificate #4329.02