

Softgel Test

 Sample ID: SA-240208-34659
 Batch: ND200806
 Type: Finished Product - Ingestible
 Matrix: Edible - Softgel
 Unit Mass (g): 0.640

 Received: 02/09/2024
 Completed: 02/15/2024

Client
 Straight Hemp
 4927 SW 41st Blvd, Ste 40
 Gainesville, FL 32608
 USA
 Lic. #: 403940


Summary

Test	Date Tested	Status
Cannabinoids	02/15/2024	Tested
Microbials	02/15/2024	Tested

ND Total Δ9-THC	2.50 % CBD	2.50 % Total Cannabinoids	Not Tested Moisture Content	Not Tested Foreign Matter	Yes Internal Standard Normalization
---------------------------	----------------------	-------------------------------------	---------------------------------------	-------------------------------------	---

Cannabinoids by HPLC-PDA and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Result (mg/unit)
CBC	0.00095	0.00284	ND	ND	ND
CBCA	0.00181	0.00543	ND	ND	ND
CBCV	0.0006	0.0018	ND	ND	ND
CBD	0.00081	0.00242	2.50	25.0	16.0
CBDA	0.00043	0.0013	ND	ND	ND
CBDV	0.00061	0.00182	ND	ND	ND
CBDVA	0.00021	0.00063	ND	ND	ND
CBG	0.00057	0.00172	ND	ND	ND
CBGA	0.00049	0.00147	ND	ND	ND
CBL	0.00112	0.00335	ND	ND	ND
CBLA	0.00124	0.00371	ND	ND	ND
CBN	0.00056	0.00169	ND	ND	ND
CBNA	0.0006	0.00181	ND	ND	ND
CBT	0.0018	0.0054	ND	ND	ND
Δ8-THC	0.00104	0.00312	ND	ND	ND
Δ9-THC	0.00076	0.00227	ND	ND	ND
Δ9-THCA	0.00084	0.00251	ND	ND	ND
Δ9-THCV	0.00069	0.00206	ND	ND	ND
Δ9-THCVA	0.00062	0.00186	ND	ND	ND
Total Δ9-THC			ND	ND	ND
Total			2.50	25.0	16.0

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;



 Generated By: Ryan Bellone
 CCO
 Date: 02/15/2024



 Tested By: Nicholas Howard
 Scientist
 Date: 02/15/2024

 ISO/IEC 17025:2017 Accredited
 Accreditation #108651


Softgel Test

Sample ID: SA-240208-34659
 Batch: ND200806
 Type: Finished Product - Ingestible
 Matrix: Edible - Softgel
 Unit Mass (g): 0.640

Received: 02/09/2024
 Completed: 02/15/2024

Client
 Straight Hemp
 4927 SW 41st Blvd, Ste 40
 Gainesville, FL 32608
 USA
 Lic. #: 403940

Microbials by PCR and Plating

Analyte	LOD (CFU/g)	Result (CFU/g)
Total yeast and mold count (TYMC)	10	ND

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; CFU = Colony Forming Units; P = Pass; F = Fail; RL = Reporting Limit




Generated By: Ryan Bellone
 CCO
 Date: 02/15/2024



Tested By: Mario Aguirre
 Lab Technician
 Date: 02/15/2024

