













DESIGN N° S6809 B


MEASUREMENTS

Follow the pattern instructions for your size


Age		0-3 months	3-6 months	6-9 months	9-12 months
Chest		48 cm 19"	52 cm 20½"	55 cm 21¾"	57 cm 22½"
Width		48 cm 19"	53 cm 21"	56 cm 22"	57 cm 22½"
Full Length		25 cm 9¾"	27 cm 10¾"	30 cm 11¾"	32 cm 12½"
Sleeve Length		16 cm 6¼"	17 cm 6½"	18 cm 7"	20 cm 8"
Design A Yarn* No Balls		2	2	3	3
Buttons		4	4	4	4
Design B Yarn* No Balls		2	2	3	3
Buttons		4	4	4	4
Yarn	F074, Snuggly, 4 Ply, 50g, shade 251				
Button Ref	Sirdar Elegant Button Code B5600-0096				
You also need	1 Pair of 3¼mm (UK10 – USA3) Knitting Needles, 1 Pair of 2¾mm (UK12 – USA2) Knitting Needles and Stitch Holders.				

*Average number of balls required when you use the specified Sirdar yarn and tension shown below

TENSION



PIECE MEASUREMENTS



ABBREVIATIONS

alt - alternate
 beg - beginning
 cm - centimetres
 cont - continue
 dec - decrease(ing)
 foll - following
 g - grammes
 in - inch(es)
 inc - increase(ing)
 k - knit
 mm - millimetres
 0 - no stitches
 p - purl
 patt - pattern
 rem - remain(ing)
 rep - repeat
 rs - right side
 st(s) - stitch(es)
 tog - together
 ws - wrong side

Circle the size you wish to make

DESIGN A: PATTERNED SWEATER

BACK

Using 2¾mm needles and thumb method cast on 68 [74:78:80] sts.

1st Row. Knit.

This row will now be referred to as **g-st** (garter stitch).

Work 3 rows more in g-st.

Change to 3¼mm needles and proceed as follows:-

1st Row. Knit.

2nd Row. P2 [5:0:1], k1, * p6, k1, rep from * to last 2 [5:0:1] sts, p2 [5:0:1].

1st and 2nd rows set patt. **

Working in patt as set (throughout) cont until back measures 25 [27:30:32]cm, (9¾ [10¾:11¾:12½]in), ending with a ws row. Place a marker at each end of last row for shoulder positions.

SHAPE NECK AND SHOULDER

Next Row. Patt 20 [21:23:23], patt2tog (neck edge), turn, leave rem 46 [51:53:55] sts on a stitch holder.

21 [22:24:24] sts.

Working on these 21 [22:24:24] sts only proceed as follows:-

Next Row. Patt.

Work 4 [8:8:8] rows dec 1 st at neck edge in every row. 17 [14:16:16] sts.

Next Row. Patt.

Next Row. Cast off 5 [4:5:5] sts in patt, patt to end. 12 [10:11:11] sts.

Next Row. Patt.

Next Row. Cast off 6 [5:5:5] sts in patt, patt to end. 6 [5:6:6] sts.

Cast off rem 6 [5:6:6] sts in patt.

With rs facing, working on rem 46 [51:53:55] sts, slip 24 [28:28:30] sts onto a stitch holder for back of neck, rejoin yarn to rem 22 [23:25:25] sts, patt2tog (neck edge), patt to end.

21 [22:24:24] sts.

Next Row. Patt.

Work 4 [8:8:8] rows dec 1 st at neck edge in every row. 17 [14:16:16] sts.

Next Row. Cast off 5 [4:5:5] sts in patt, patt to end. 12 [10:11:11] sts.

Next Row. Patt.

Next Row. Cast off 6 [5:5:5] sts in patt, patt to end. 6 [5:6:6] sts.

Next Row. Patt.

Cast off rem 6 [5:6:6] sts in patt.

FRONT

Work as given for Back to **.

Working in patt as set (throughout) cont until front measures 21 [23:25:27]cm, (8¼ [9:9¾:10¾]in), ending with a ws row.

SHAPE NECK

Next Row. Patt 26 [27:29:29] (neck edge), turn, leave rem 42 [47:49:51] sts on a stitch holder.

Working on these 26 [27:29:29] sts only proceed as follows:-

Next Row. Patt.

Work 2 rows dec 1 st at neck edge in every row. 24 [25:27:27] sts.

Work 3 rows dec 1 st at neck edge in next and foll alt row. 22 [23:25:25] sts.

Cont without shaping until front measures 25 [27:30:32]cm, (9¾ [10¾:11¾:12½]in), ending with a ws row.

Place a marker at end of last row for shoulder position.

SHAPE SHOULDER

Work 2 rows dec 1 st at neck edge in next row. 21 [22:24:24] sts.

Work 4 [8:8:8] rows dec 1 st at neck edge in every row. 17 [14:16:16] sts.

Next Row. Patt.

Next Row. Cast off 5 [4:5:5] sts in patt, patt to end. 12 [10:11:11] sts.

Next Row. Patt.

Next Row. Cast off 6 [5:5:5] sts in patt, patt to end. 6 [5:6:6] sts.

Cast off rem 6 [5:6:6] sts in patt.

With rs facing, working on rem 42 [47:

49:51] sts, slip 16 [20:20:22] sts onto a stitch holder, rejoin yarn to rem 26 [27:29:29] sts and patt to end.

Next Row. Patt to end (neck edge).

Work 2 rows dec 1 st at neck edge in every row. 24 [25:27:27] sts.

Work 3 rows dec 1 st at neck edge in next and foll alt row. 22 [23:25:25] sts.

Cont without shaping until front measures 25 [27:30:32]cm, (9¾ [10¾:11¾:12½]in), ending with a ws row.

Place a marker at beg of last row for shoulder position.

SHAPE SHOULDER

Work 2 rows dec 1 st at neck edge in next row. 21 [22:24:24] sts.

Work 4 [8:8:8] rows dec 1 st at neck edge in every row. 17 [14:16:16] sts.

Next Row. Cast off 5 [4:5:5] sts in patt, patt to end. 12 [10:11:11] sts.

Next Row. Patt.

Next Row. Cast off 6 [5:5:5] sts in patt, patt to end. 6 [5:6:6] sts.

Next Row. Patt.

Cast off rem 6 [5:6:6] sts in patt.

SLEEVES (BOTH ALIKE)

Using 2¾mm needles and thumb method cast on 40 [40:40:42] sts, work 4 rows in g-st.

Change to 3¼mm needles and proceed as follows:-

1st Row. Knit.

2nd Row. P2 [2:2:3], k1, * p6, k1, rep from * to last 2 [2:2:3] sts, p2 [2:2:3].

1st and 2nd rows set position of patt.

Working in patt as set (throughout) inc 1 st at each end of 5th [5th:

3rd:1st] and every foll 4th row to

54 [50:64:70] sts, working inc sts in patt.

For 1st and 2nd sizes only

Inc 1 st at each end of every foll 6th row to 58 [58] sts, working inc sts in patt.

For all 4 sizes

Cont without shaping until sleeve measures 16 [17:18:20]cm, (6¼ [6½:7:8]in), or length required, ending with a ws row.

SHAPE SLEEVE TOP

Cast off 6 [6:7:7] sts in patt at beg of next 6 [6:4:2] rows. 22 [22:36:56] sts.

Cast off 7 [7:7:8] sts in patt at beg of next 2 [2:4:6] rows. 8 sts.

Cast off rem 8 sts in patt.

BACK SHOULDER AND NECK EDGING

With rs facing, using 2¾mm needles pick up and knit 31 [33:35:39] sts evenly along right side of back neck, work across 24 [28:28:30] sts left on a stitch holder at back of neck as follows:- k7 [8:8:9], k2tog, k6 [8:8:8], k2tog, k7 [8:8:9], pick up and knit 31 [33:35:39] sts evenly along left side of back neck.

84 [92:96:106] sts.

Work 4 rows in g-st.

Cast off knitways.

FRONT SHOULDER AND NECK EDGING

With rs facing, using 2¾mm needles pick up and knit 41 [43:47:51] sts evenly along left side of front neck, work across 16 [20:20:22] sts left on a stitch holder at front of neck as follows:- k4 [5:5:6], k2tog, k4 [6:6:6], k2tog, k4 [5:5:6], pick up and knit 41 [43:47:51] sts evenly along right side of front neck.

96 [104:112:122] sts.

Work 4 rows in g-st.

Cast off knitways.

TO MAKE UP

Placing back shoulder and neck edging over front shoulder and neck edging (matching at markers), sew together at side edge. Fold sleeves in half lengthways then placing folds to shoulder seams, sew sleeves in position for approximately 11 [11:12:13]cm, (4¼ [4¼:4¾:5¼]in) from top of shoulder. Join side and sleeve seams. Sew on 2 buttons at top of both shoulders as shown in photograph. Pin out garment to the measurement given. Cover with damp cloths and leave until dry. See ball band for washing and further care instructions.

DESIGN B: SWEATER WITH PLAIN BACK AND SLEEVES

BACK

Using 2¾mm needles and thumb method cast on 68 [74:78:80] sts.

1st Row. Knit.

This row will now be referred to as g-st (garter stitch).

Work 3 rows more in g-st.

Change to 3¼mm needles and

proceed as follows:-

1st Row. Knit.

2nd Row. Purl.

These 2 rows will now be referred to as st-st (stocking stitch).

Working in st-st (throughout) cont until back measures 25 [27:30:32]cm, (9¾ [10¾:11¾:12½]in), ending with a ws row. Place a marker at each end of last row for shoulder positions.

SHAPE NECK AND SHOULDER

Working in st-st, work as given for Shape Neck and Shoulder of Back of Patterned Sweater.

FRONT

Work as given for Front of Patterned Sweater.

SLEEVES (BOTH ALIKE)

Using 2¾mm needles and thumb method cast on 40 [40:40:42] sts, work 4 rows in g-st.

Change to 3¼mm needles and working in st-st (throughout) inc 1 st at each end of 7th [7th:5th:3rd] and every foll 4th row to 54 [50:64:70] sts.

For 1st and 2nd sizes only

Inc 1 st at each end of every foll 6th row to 58 [58] sts.

For all 4 sizes

Cont without shaping until sleeve measures 16 [17:18:20]cm, (6¼ [6½:7:8]in), or length required, ending with a ws row.

SHAPE SLEEVE TOP

Cast off 6 [6:7:7] sts at beg of next 6 [6:4:2] rows. 22 [22:36:56] sts.

Cast off 7 [7:7:8] sts at beg of next 2 [2:4:6] rows. 8 sts.

Cast off rem 8 sts.

BACK SHOULDER AND NECK EDGING

Work as given for Back Shoulder and Neck Edging of Patterned Sweater.

FRONT SHOULDER AND NECK EDGING

Work as given for Front Shoulder and Neck Edging of Patterned Sweater.

TO MAKE UP

Work as given for To Make Up of Patterned Sweater.

