

ROWAN



GLAMOUR

By Martin Storey

ZB285-00005-UK







GLAMOUR

by Martin Storey

Craft 

Skill Level 

ZB285-00005-UK 

SIZE

To fit bust	81-86	91-97	102-107	112-117	122-127	cm
	32-34	36-38	40-42	44-46	48-50	in
Actual bust measurement of garment	116.5	125.5	136.5	145.5	156.5	cm
	45¾	49½	53¾	57¼	61½	in

YARN

Patina	6	6	7	8	8	x 50gm
(photographed in Lustre 415)						

More Yarn Information

on knitrowan.com

NEEDLES

1 pair 3¼mm (no 10) (US 3) needles
 1 pair 4mm (no 8) (US 6) needles
 Cable needle

TENSION

22 sts and 31 rows to 10 cm measured over st st using 4mm (US 6) needles.

SPECIAL ABBREVIATION

C4F = slip next 2 sts onto cable needle and leave at front of work, K2, then K2 from cable needle.

BACK

Using 3¼mm (US 3) needles cast on 128 [138: 150: 160: 172] sts.

Row 1 (RS): P3 [4: 2: 3: 1], (K2tog, yfrn, P2) 0 [1: 1: 0: 0] time, *inc once knitwise in each of next 2 sts, P2, K2tog, yfrn, P2, rep from * to last 5 [2: 0: 5: 3] sts, (inc once knitwise in each of next 2 sts) 1 [0: 0: 1: 1] time, P3 [2: 0: 3: 1].

160 [170: 186: 200: 216] sts.

Now work in cabled rib as folls:

Row 2 and every foll alt row (WS): K3 [4: 2: 3: 1], (P2, K2) 0 [1: 1: 0: 0] time, *P4, K2, P2, K2, rep from * to last 7 [2: 0: 7: 5] sts, P4 [0: 0: 4: 4], K3 [2: 0: 3: 1].

Row 3: P3 [4: 2: 3: 1], (yon, sl 1, K1, pssso, P2) 0 [1: 1: 0: 0] time, *C4F, P2, yon, sl 1, K1, pssso, P2, rep from * to last 7 [2: 0: 7: 5] sts, (C4F) 1 [0: 0: 1: 1] time, P3 [2: 0: 3: 1].

Row 5: P3 [4: 2: 3: 1], (K2tog, yfrn, P2) 0 [1: 1: 0: 0] time, *K4, P2, K2tog, yfrn, P2, rep from * to last 7 [2: 0: 7: 5] sts, K4 [0: 0: 4: 4], P3 [2: 0: 3: 1].

Row 7: P3 [4: 2: 3: 1], (yon, sl 1, K1, pssso, P2) 0 [1: 1: 0: 0] time, *K4, P2, yon, sl 1, K1, pssso, P2, rep from * to last 7 [2: 0: 7: 5] sts, K4 [0: 0: 4: 4], P3 [2: 0: 3: 1].

Row 9: As row 5.

Rows 2 to 9 form cabled rib.

Work in cabled rib for a further 34 rows, ending after patt row 3 and with **WS** facing for next row.

Next row (WS): K3 [4: 2: 3: 1], (P2, K2) 0 [1: 1: 0: 0] time, *(P2tog) twice, K2, P2, K2, rep from * to last 7 [2: 0: 7: 5] sts, (P2tog) 2 [0: 0: 2: 2] times, K3 [2: 0: 3: 1].

128 [138: 150: 160: 172] sts.

Change to 4mm (US 6) needles.

Beg with a K row, now work in st st throughout as folls:

Cont straight until back meas 54.5 [55: 55.5: 56: 56.5] cm, ending with **RS** facing for next row.

Shape for sleeve extension

Inc 1 st at each end of next and foll alt row, then on foll 2 rows, ending with **WS** facing for next row. 136 [146: 158: 168: 180] sts.

Cont straight until work meas 14 [15.5: 17: 18.5: 20] cm **from last inc**, ending with **RS** facing for next row.

Shape shoulders

Cast off 2 [3: 3: 3: 4] sts at beg of next 8 [26: 20: 10: 26] rows, then 3 [-: 4: 4: -] sts at beg of foll

18 [-: 6: 16: -] rows. 66 [68: 74: 74: 76] sts.

Shape back neck

Next row (RS): Cast off 3 [3: 4: 4: 4] sts, K until there are 13 [14: 16: 16: 17] sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Dec 1 st at neck edge of next 4 rows **and at same time** cast off 3 [3: 4: 4: 4] sts at beg of 2nd and foll alt row.

Work 1 row.

Cast off rem 3 [4: 4: 4: 5] sts.

With **RS** facing, rejoin yarn and cast off centre 34 sts, K to end.


Complete to match first side, reversing shapings.

POCKET LININGS (make 2)

Using 4mm (US 6) needles cast on 27 [29: 29: 31: 31] sts.

Beg with a K row, work in st st for 46 [46: 48: 48: 50] rows, ending with **RS** facing for next row.

Break yarn and leave sts on a holder.



LEFT FRONT

Using 3¼mm (US 3) needles cast on 65 [70: 76: 81: 87] sts.

Row 1 (RS): P3 [4: 2: 3: 1], (K2tog, yfrn, P2) 0 [1: 1: 0: 0] time, *inc once knitwise in each of next 2 sts, P2, K2tog, yfrn, P2, rep from * to last 22 sts, (K1 tbl, P1) 10 times, K1 tbl, K1.

75 [80: 88: 95: 103] sts.

Now work in cabled rib as folls:

Row 2 and every foll alt row (WS): (K1, P1) 11 times, K2, P2, K2, *P4, K2, P2, K2, rep from * to last 7 [2: 0: 7: 5] sts, P4 [0: 0: 4: 4], K3 [2: 0: 3: 1].

Row 3: P3 [4: 2: 3: 1], (yon, sl 1, K1, pssso, P2) 0 [1: 1: 0: 0] time, *C4F, P2, yon, sl 1, K1, pssso, P2, rep from * to last 22 sts, (K1 tbl, P1) 10 times, K1 tbl, K1.

Row 5: P3 [4: 2: 3: 1], (K2tog, yfrn, P2) 0 [1: 1: 0: 0] time, *K4, P2, K2tog, yfrn, P2, rep from * to last 22 sts, (K1 tbl, P1) 10 times, K1 tbl, K1.

Row 7: P3 [4: 2: 3: 1], (yon, sl 1, K1, pssso, P2) 0 [1: 1: 0: 0] time, *K4, P2, yon, sl 1, K1, pssso, P2, rep from * to last 22 sts, (K1 tbl, P1) 10 times, K1 tbl, K1.

Row 9: As row 5.

Rows 2 to 9 form cabled rib.

Work in cabled rib for a further 34 rows, ending after patt row 3 and with **WS** facing for next row.

Next row (WS): (K1, P1) 11 times, K2, P2, K2, P4, K2, P2, K2, *(P2tog) twice, K2, P2, K2, rep from * to last 7 [2: 0: 7: 5] sts, (P2tog) 2 [0: 0: 2: 2] times, K3 [2: 0: 3: 1]. 67 [72: 78: 83: 89] sts.

Change to 4mm (US 6) needles.

Next row (RS): K to last 38 sts, patt 38 sts.

Next row: Patt 38 sts, P to end.

These 2 rows set the sts – front opening edge 38 sts still in patt and all other sts now in st st.

Cont as now set for a further 46 [46: 48: 48: 50] rows, ending with RS facing for next row.

Place pocket

Next row (RS): K2 [5: 11: 14: 20], slip next 27 [29: 29: 31: 31] sts onto a holder and, in their place, K across 27 [29: 29: 31: 31] sts of first pocket lining, patt 38 sts.

Cont straight until left front matches back to beg of sleeve extension shaping, ending with RS facing for next row.

Shape for sleeve extension

Keeping patt correct, inc 1 st at beg of next and foll alt row, then at same edge on foll 2 rows, ending with **WS** facing for next row.

71 [76: 82: 87: 93] sts.

Cont straight until left front matches back to beg of shoulder shaping, ending with RS facing for next row.

Shape shoulder

Keeping patt correct, cast off 2 [3: 3: 3: 4] sts at beg of next and foll 3 [13: 9: 4: 14] alt rows, then 3 [-: 4: 4: -] sts at beg of foll 10 [-: 5: 10: -] alt rows.

33 [34: 32: 32: 33] sts.

Work 1 row, working (P2tog) twice across top of cable. 31 [32: 30: 30: 31] sts.

Cast off 3 [3: 4: 4: 4] sts at beg of next and foll 2 [1: 1: 1: 0] alt rows, then – [4: -: -: 5] sts at beg of foll – [1: -: -: 1] alt row. 22 sts.

Inc 1 st at end of next row. 23 sts.

Now working first and last st of every row as a K st and all other sts in rib, cont on these 23 sts **only** (for back neck border extension) until this strip meas 9.5 cm, ending with RS facing for next row.

Cast off.

RIGHT FRONT

Using 3¼mm (US 3) needles cast on 65 [70: 76: 81: 87] sts.

Row 1 (RS): K1, K1 tbl, (P1, K1 tbl) 10 times, P2, K2tog, yfrn, P2, *inc once knitwise in each of next 2 sts, P2, K2tog, yfrn, P2, rep from * to last 5 [2: 0: 5: 3] sts, (inc once knitwise in each of next 2 sts) 1 [0: 0: 1: 1] time, P3 [2: 0: 3: 1].

75 [80: 88: 95: 103] sts.

Now work in cabled rib as folls:

Row 2 and every foll alt row (WS): K3 [4: 2: 3: 1], (P2, K2) 0 [1: 1: 0: 0] time, *P4, K2, P2, K2, rep from * to last 22 sts, (P1, K1) 11 times.

Row 3: K1, K1 tbl, (P1, K1 tbl) 10 times, P2, yon, sl 1, K1, pssso, P2, *C4F, P2, yon, sl 1, K1, pssso, P2, rep from * to last 7 [2: 0: 7: 5] sts, (C4F) 1 [0: 0: 1: 1] time, P3 [2: 0: 3: 1].

Row 5: K1, K1 tbl, (P1, K1 tbl) 10 times, P2, K2tog, yfrn, P2, *K4, P2, K2tog, yfrn, P2, rep from * to last 7 [2: 0: 7: 5] sts, K4 [0: 0: 4: 4], P3 [2: 0: 3: 1].

Row 7: K1, K1 tbl, (P1, K1 tbl) 10 times, P2, yon, sl 1, K1, pssso, P2, *K4, P2, yon, sl 1, K1, pssso, P2, rep from * to last 7 [2: 0: 7: 5] sts, K4 [0: 0: 4: 4], P3 [2: 0: 3: 1].

Row 9: As row 5.

Rows 2 to 9 form cabled rib.

Work in cabled rib for a further 34 rows, ending after patt row 3 and with **WS** facing for next row.

Next row (WS): K3 [4: 2: 3: 1], (P2, K2) 0 [1: 1: 0: 0] time, *(P2tog) twice, K2, P2, K2, rep from * to last 32 sts, P4, K2, P2, K2, (P1, K1) 11 times.

67 [72: 78: 83: 89] sts.

Change to 4mm (US 6) needles.

Next row (RS): Patt 38 sts, K to end.

Next row: P to last 38 sts, patt 38 sts.

These 2 rows set the sts – front opening edge

38 sts still in patt and all other sts now in st st.

Cont as now set for a further 46 [46: 48: 48: 50] rows, ending with RS facing for next row.

Place pocket

Next row (RS): Patt 38 sts, slip next 27 [29: 29: 31: 31] sts onto a holder and, in their place, K across 27 [29: 29: 31: 31] sts of second pocket lining, K2 [5: 11: 14: 20].

Cont straight until right front matches back to beg of sleeve extension shaping, ending with RS facing for next row.

Shape for sleeve extension

Keeping patt correct, inc 1 st at end of next and foll alt row, then at same edge on foll 2 rows, ending with **WS** facing for next row.

71 [76: 82: 87: 93] sts.

Complete to match left front, reversing shapings.

SLEEVES

Using 3¼mm (US 3) needles cast on 44 [46: 48: 48: 50] sts.

Row 1 (RS): P1 [2: 3: 3: 4], *K2tog, yfrn, P2, inc once knitwise in each of next 2 sts, P2, rep from * to last 3 [4: 5: 5: 6] sts, K2tog, yfrn, P1 [2: 3: 3: 4].

54 [56: 58: 58: 60] sts.

Now work in cabled rib as folls:

Row 2 and every foll alt row (WS): K1 [2: 3: 3: 4], *P2, K2, P4, K2, rep from * to last 3 [4: 5: 5: 6] sts, P2, K1 [2: 3: 3: 4].

Row 3: P1 [2: 3: 3: 4], *yon, sl 1, K1, pssso, P2, C4F, P2, rep from * to last 3 [4: 5: 5: 6] sts, yon, sl 1, K1, pssso, P1 [2: 3: 3: 4].

Row 5: P1 [2: 3: 3: 4], *K2tog, yfrn, P2, K4, P2, rep from * to last 3 [4: 5: 5: 6] sts, K2tog, yfrn, P1 [2: 3: 3: 4].

Row 7: P1 [2: 3: 3: 4], *yon, sl 1, K1, pssso, P2, K4, P2, rep from * to last 3 [4: 5: 5: 6] sts, yon, sl 1, K1, pssso, P1 [2: 3: 3: 4].

Row 9: As row 5.

Rows 2 to 9 form cabled rib.

Work in cabled rib for a further 2 rows, ending after patt row 3 and with **WS** facing for next row.

Next row (WS): K1 [2: 3: 3: 4], *P2, K2, (P2tog) twice, K2, rep from * to last 3 [4: 5: 5: 6] sts, P2, K1 [2: 3: 3: 4].

44 [46: 48: 48: 50] sts.

Change to 4mm (US 6) needles.

Beg with a K row, now work in st st throughout as folls:

Inc 1 st at each end of 9th [7th: 7th: 5th: 3rd] and every foll 12th [8th: 8th: 6th: 4th] row to 60 [52: 72: 80: 62] sts, then on every foll – [10th: -: -: 6th] row until there are – [66: -: -: 86] sts.

Cont straight until sleeve meas 38 [38: 39: 39: 39] cm, ending with RS facing for next row.

Cast off.

MAKING UP

Press as described on the information page.

Join both shoulder seams using back stitch, or mattress stitch if preferred. Join cast-off ends of back neck border extensions, then sew one edge to back neck.

Pocket tops (both alike)

Slip 27 [29: 29: 31: 31] sts on pocket holder onto 3¼mm (US 3) needles, rejoin yarn with RS facing and cont as follows:

Row 1 (RS): K1 [2: 2: 0: 0], (K2, M1, K2 [2: 2: 3: 3], M1, K1) 5 times, K1 [2: 2: 1: 1]. 37 [39: 39: 41: 41] sts.

Row 2: K1, *P1, K1, rep from * to end.

Row 3: K1, K1 tbl, *P1, K1 tbl, rep from * to last st, K1.

Last 2 rows form rib.

Work in rib for a further 5 rows, ending with RS facing for next row.

Cast off in rib.

Sew pocket linings in place on inside, then neatly sew down ends of pocket tops.

See information page for finishing instructions, setting in sleeves using the straight cast-off method, attaching sleeve cast-off edge to row-end edge of back and front sleeve extensions.

Information
Pages