

JUNIOR & PEACHY

NIOR &

a little gift to knit

uith love from erika

knigh



# JUNIOR





## YARNS

Rowan Cotton Wool

1 x ball

## **NEEDLES**

4mm and 4.5mm needles 4mm and 4.5mm dpn needles to work i-cords

#### **TENSION**

20 sts and 28 rows to 10cm meas over St st using 4.5mm needles

#### worked in garter stitch

Using 4mm needles cast on 24 sts and work 14 rows g st.

Eyelet row: K1, [yfwd, K2tog] five times, K2, [yfwd, K2tog] five times,

K1.

Work 3 rows g st.

## Shape instep

**Row 1:** K16, turn **Row 2:** K8, turn

Work 14 rows g st on these 8 sts. Cut yarn leaving a long end.

Rejoin yarn to bottom of instep, pick up and K 8 sts up side of instep, K across 8 sts on needle at top of instep, pick up and K 8 sts down side of instep, then K rem 8 sts. 40 sts.

Work 7 rows g st.

### Shape sole

**Row 1:** [K2, K2tog, K2tog tbl, K8, K2tog, K2tog tbl, K2] twice. 32 sts.

Row 2: K.

**Row 3:** [K1, K2tog, K2tog tbl, K6, K2tog, K2tog tbl, K1] twice. 24 sts.

Row 4: K.

Row 5: [K2tog, K2tog tbl, K4, K2tog, K2tog tbl] twice. 16 sts.

Row 6: K.

Cast off.

Join back and sole seam.

Weave in any ends.

## i-cord worked in reverse St st using 2 dpn's

Using 4mm dpn needle, cast on 4 sts and work as foll:

Without turning the work, slip these 4 sts to the other end of the needle and P them, pulling the yarn tightly from the end of the row at the back of your work.

Rep until the cord meas approx 31cm.

P4tog.

Fasten off.

To finish thread the i-cord with care through the eyelets and tie in a knot at the front of the slipper.



### ERIKA KNIGHT

## PEACHY

b<sup>\*</sup>

**SIZE** 

To fit age

0-3

3-6

9-12 months

YARN

Cotton Wool

1 1 1 1 x 50gm

6-9

(photographed in Tiny 203, Pickles 208 and Piglet 207)

**NEEDLES** 

1 pair 4mm (no 8) (US 6) needles

Two double-pointed 4mm (no 8) (US 6) needles

**TENSION** 

20 sts and 28 rows to 10 cm measured over st st using 4mm (US 6) needles.

BONNET (beg at front edge)

Using 4mm (US 6) needles cast on 54 [56: 58: 60] sts.

Work in g st for 4 rows, ending with RS facing for next row.

Now work as folls:

Row 1 (RS): Knit.

**Row 2:** K2, P to last 2 sts, K2.

Rep last 2 rows 11 [12: 13: 14] times more, ending with RS facing for next row.

Shape back

**Row 1 (RS):** K to last 5 sts, wrap next st (by slipping next st from left needle onto right needle, taking yarn to opposite side of work between needles and then slipping same st back onto left needle – when working back across wrapped sts work the wrapped st and the wrapping loop tog as one st) and turn.

Row 2: P to last 5 sts, wrap next st and turn.

**Row 3:** K to last 8 sts, wrap next st and turn.

Row 4: P to last 8 sts, wrap next st and turn.

Row 5: K to last 11 sts, wrap next st and turn.

Row 6: P to last 11 sts, wrap next st and turn.

Row 7: K to last 14 sts, wrap next st and turn.

Row 8: P to last 14 sts, wrap next st and turn.

Row 9: K to end.

**Row 10:** K2, P to last 2 sts, K2.

Break yarn.

Join back seam

Slip first 27 [28: 29: 30] sts onto right needle, leaving rem 27 [28: 29: 30] sts on left needle. Using a double-pointed 4mm (US 6) needle as a third needle and holding both sets of sts with their wrong sides together (so that cast-off ridge is on RS of work), rejoin yarn and cast off both sets of sts together, taking one st from one needle with corresponding st from other needle.

Ties (make 2)

With RS facing and using 4mm (US 6) double-pointed needles, pick up and knit 4 sts from row-end edge of g st border on one corner of front edge.

Work tie as folls:

Row 1 (RS): \*Without turning work, slip these 4 sts to opposite end

of needle and bring yarn to opposite end of work pulling it tightly across **WS** of work, P these 4 sts, rep from \* until tie is 20 [21: 22: 23] cm long. **Next row (RS):** Without turning work, slip these 4 sts to opposite end of needle and bring yarn to opposite end of work pulling it tightly across **WS** of work, P4 tog and fasten off.

Repeat for second tie on opposite corner of front edge.

MAKING UP

Press as described on the information page. See information page for finishing instructions.