



**ROGGEERS**  
For the Perfection of Football Fundamentals™


## PRODUCT INFORMATION PACKET

PRODUCT NAME: OKLAHOMA CHUTE

PRODUCT PART NUMBER: 410107-410111

& 410259-410260

& 410336-410339



KEEP INFORMATION PACKET FOR FUTURE REFERENCE

# TABLE OF CONTENTS

---

- Introduction.....1
- General Safety Rules.....2
- Symbols.....3
- Technical Specifications.....4
- Assembly Instructions.....5
- Maintenance.....8
- Customer Service Information.....8

## INTRODUCTION

---

The Rogers Athletic Oklahoma Chute has been designed and manufactured with safety, performance and dependability as top priorities, making it easy to operate and maintain.

The care you give your Oklahoma Chute will greatly determine your satisfaction with its performance and service life. Careful study of this manual is encouraged to obtain a thorough understanding of your new Oklahoma Chute and its functions and maintenance.

If your manual becomes lost or destroyed, Rogers Athletic will gladly provide you with a new copy. Should you require additional information or assistance, please feel free to contact us at 1-800-457-5337.

BECAUSE ROGERS ATHLETIC MAINTAINS AN ONGOING PROGRAM OF  
PRODUCT DEVELOPMENT AND IMPROVEMENT, WE RESERVE THE RIGHT  
TO MAKE IMPROVEMENTS IN DESIGN OR CHANGES IN SPECIFICATIONS  
WITHOUT INCURRING ANY OBLIGATIONS TO INSTALL THEM ON UNITS  
PREVIOUSLY SOLD.

# GENERAL SAFETY RULES

---



## **WARNING!**

### **READ AND UNDERSTAND ALL INSTRUCTIONS.**







Failure to follow all instructions listed below may result in serious personal injury.

---

## **SAVE THESE INSTRUCTIONS**


- **Supervision of athletes while using the equipment is recommended.** Horse play such as climbing on the machine or using the machine for unintended purpose can result in injuries.
- **Athletes should be oriented in the proper use of the equipment.**
- **Athletes should be properly fit to engage in a workout regimen.** Obtaining a medical exam prior to beginning any training program is recommended. If an athlete feels faint, dizzy, or experiences pain at any time while exercising, they should stop exercising and consult a physician.
- **Inspect equipment prior to use.** DO NOT use if it appears damaged or inoperable.
- **This Product Information Packet is an integral part of this machine.** Save these instructions. If they are lost or damaged or if you would like another copy, a copy can be downloaded from [www.RogersAthletic.com](http://www.RogersAthletic.com)
- **Reading the Product Information Packet is recommended.** Failure to read this Packet is considered a misuse of this equipment.
- **Warning labels are an integral part of this equipment.** Become familiar with all caution/warning labels and never cover or deface caution/warning labels.
- **Deploy the equipment allowing sufficient room for safe access to the machine, adequate room for the coaches to stand and to ensure that the machine or players do not collide with a wall, another machine, or other players through the entire training exercise.**
- **Unit is designed for training multiple offensive and defensive drills with proper technique.** Do not use Oklahoma Chute for anything other than its approved purpose.
- **Always wear a helmet when using the Oklahoma Chute.**
- **Equipment is designed for use by one person per stall at a time.** Keeping other athletes and spectators away from the machines during use is recommended.
- **Design and execute training drills to avoid players from attempting to run through the same gap in the unit simultaneously.** Colliding players could come in contact with the unit and/or connecting links resulting in an injury.
- **When not in use, store this equipment in a secure controlled area.** Unsupervised and/or inappropriate use of this equipment could result in serious injury.

# SYMBOLS

	<p><b>Safety Alert:</b> Precautions that involve your safety.</p>						
 <table border="1" data-bbox="375 506 586 688"> <tr> <td colspan="2" style="background-color: #ff8c00; color: white; text-align: center;"><b>⚠ WARNING</b></td> </tr> <tr> <td colspan="2"><b>Pinch Point.</b></td> </tr> <tr> <td colspan="2">Keep hands and fingers clear.</td> </tr> </table>	<b>⚠ WARNING</b>		<b>Pinch Point.</b>		Keep hands and fingers clear.		<p><b>Pinch Point Symbol:</b> Failure to keep hands away from pinch points may result in personal injury.</p>
<b>⚠ WARNING</b>							
<b>Pinch Point.</b>							
Keep hands and fingers clear.							
<table border="1" data-bbox="201 743 586 957"> <tr> <td colspan="2" style="background-color: #ff8c00; color: white; text-align: center;"><b>⚠ WARNING</b></td> </tr> <tr> <td style="text-align: center;"></td> <td> <b>Store in secure area.</b>                      Inappropriate use of this equipment could result in serious injury.                 </td> </tr> </table>	<b>⚠ WARNING</b>			<b>Store in secure area.</b> Inappropriate use of this equipment could result in serious injury.	<p><b>Store this equipment in a secure, controlled area:</b>                      Unsupervised and/or inappropriate use of this equipment could result in serious injury.</p>		
<b>⚠ WARNING</b>							
	<b>Store in secure area.</b> Inappropriate use of this equipment could result in serious injury.						
 <table border="1" data-bbox="375 1014 586 1192"> <tr> <td colspan="2" style="background-color: #ff8c00; color: white; text-align: center;"><b>⚠ WARNING</b></td> </tr> <tr> <td colspan="2"><b>Avoid Injury.</b></td> </tr> <tr> <td colspan="2">Do not climb.</td> </tr> </table>	<b>⚠ WARNING</b>		<b>Avoid Injury.</b>		Do not climb.		<p><b>Do Not Climb Warning Label:</b> To reduce risk of injury, do not climb on weight racks.</p>
<b>⚠ WARNING</b>							
<b>Avoid Injury.</b>							
Do not climb.							

# ROGERS ATHLETIC OKLAHOMA CHUTE SPECIFICATIONS

## OKLAHOMA CHUTE (410107-410111 & 410259-410260 & 410336-410339)




Weight:	1 man = 75 lbs (34 kg) 2 man = 135 lbs (61 kg) 3-7 man = +60 lbs (27 kg)
Height:	41-51" (104-130cm)
Depth:	6" (155cm)
Width:	1-Man = 56" (140 cm) 2-Man = 108" (274cm) 3-Man & up = +53" (134cm) each

- Overhead tubing keeps players low while firing off the line and allows them to raise and drive after the initial steps.
- Height adjusts from 41 to 51 inches.

### Oklahoma Chute Construction, Finish, and Hardware

- Constructed of ASTM specified steel.
- Baked-on powder coat finish.


1



**Note: For 2–7 man setups, only attach two elbows (on the same side) and go to step 4.**


Place (4) Chute Elbows onto Chute Yolk. Insert (4) ¼" bolts and (4) ¼" nuts through yolk and elbows.

2



Flip parts from Step 1 upside down. Insert fas-pins into desired height positions. Make sure all pins are at an equal height. Place (2) Runners onto elbows as shown. Flip over Chute and make sure fas-pins are resting against the runner, tighten (4) 3/8" bolts.


**3**



**2-7 Man Chute**


Insert (2) Chute Elbows into Chute Top. Place (2) ¼" bolts and (2) ¼" nuts through Elbow and Top. Insert (2) Chute Tee's into Chute Top. Place (2) ¼" bolts and (2) ¼" nuts through Tee and Top.

**4**




See **Step 2** for adding runners

**5**



Insert Chute Top into assembly from step 4. Place (2) ¼" bolts and (2) ¼" nuts through Top and Tee.

**6**



Place fas-pin in each Tee. Insert Tee into runner. Tighten 3/8" Bolts located in runner.

**7**

Insert Assembly from Step 6 into Step 5. Place (2) 1/4" bolts and (2) 1/4" nuts through Top and Tee. Repeat Steps 5, 6, and 7 until Oklahoma Chute is complete. On the end, elbows will be used instead of Tees.



## MAINTENANCE

---



### **WARNING!**

#### **READ AND UNDERSTAND ALL MAINTENANCE PROCEDURES.**

Failure to follow all procedures listed below may cause serious injury and/or a decrease in equipment functionality.

---

- **Frequently check to see that all bolts are securely fastened.**
- **Touch up paint may be used to cover scratches or blemishes sustained through use.**
- **Field equipment should be washed periodically with soapy water to maintain original surface finish.**
- **A silicone based lubricant may be used on moving parts to maintain proper function.**
- **Replace any damaged equipment with genuine Rogers Athletic parts.** Failure to do so may result in unsafe equipment and/or personal injury.

## CUSTOMER SERVICE

---

For parts or service contact Rogers Athletic Company. When ordering parts be sure to provide all relevant information available including the name and part number of the equipment purchased. This information is located on the cover of this product information package. Customer service hours are Monday through Friday from 8:00 a.m. to 5:00 p.m. Eastern Standard Time. Customers can phone (989) 386-2950 or toll free at (800) 457-5337. Fax toll free at (888) 549-9659 or mail to:

Rogers Athletic Company  
3760 W. Ludington Drive  
Farwell, MI 48622

Rogers Athletic Company  
3760 N. Ludington Drive  
Farwell, MI 48622  
[www.rogersathletic.com](http://www.rogersathletic.com)  
(989) 386-2950  
(800) 457-5337  
Fax toll free (888) 549-9659