


PVB-CENTER PACKAGE FOR 2nd FLOOR SYSTEMS



APPLICABLE MODELS

PVBC-250 PVBC-270


JAYPRO SPORTS PHONE 800-243-0533 FAX 800-444-1779 WWW.JAYPRO.COM

The DOUBLE COURT

A double court set up is made up utilizing a regular single court set of standards and the Center Court Package (PVBC-250 or PVBC-270). A complete Center Court Package is shown on page 3. Any and all parts are available through your dealer or by contacting Jaypro Sports directly at 800-243-0533 and on the web at www.jaypro.com. Our knowledgeable sales staff will be happy to assist you and make sure you have everything you need to set up a complete Double Court. Jaypro equipment is produced to high standards to give you years of safe play.

IMPORTANT

The side by side systems must be tensioned simultaneously to prevent over tensioning the end standards.




www.jaypro.com Page 2

SAFETY


- 1. FOR SAFE OPERATION AND CONTINUED HIGH PERFORMANCE FROM THIS EQUIPMENT, INSPECTION AND MAINTENANCE MUST BE PERFORMED BEFORE EACH USE.
- 2. USE OF THE EQUIPMENT OTHER THAN INTENDED, MAY BE HAZARDOUS.
- 3. ALTERATION OR MODIFICATION OF EQUIPMENT MAY BE HAZARDOUS. FOR REPAIR OR REPLACEMENT, PLEASE CALL YOUR DEALER.

CENTER KIT PACKAGE



| ITEM | QTY | DESCRIPTION |
|-------------|-----|--------------------|
| 1 | 1 | 3½ in UPRIGHT |
| 2 | 1 | CENTER UPRIGHT KIT |
| 3 | 1 | CENTER PAD |
| 4 | 2 | CENTER STRAP |
| 5 | 1 | FLEX-NET |
| 6 | 1 | VOLLEYBALL WINCH |
| 7 | 1 | BASE |
| 8 | 2 | CENTER BASE PAD |

<u>www.jaypro.com</u> Page 3



DETAIL A
CENTER ADAPTER KIT

| ITEM | QTY | DESCRIPTION |
|------|-----|--------------------------|
| 1 | 1 | CENTER UPRIGHT INSERT |
| 2 | 1 | EYEBOLT 3/8-16 x 3 1/2in |
| 3 | 1 | EYEBOLT 3/8-16 x 3 in |
| 4 | 1 | EYE NUT 3/8-16 |
| 5 | 1 | NYLOCK NUT 3/8-16 |
| 6 | 1 | ACORN NUT 3/8-16 |
| 7 | 1 | BUTTON HEAD SCREW 3/8-16 |
| 8 | 1 | FLAT WASHER 3/8 in |
| 9 | 1 | CAP |

Installation of Floor Anchors

- 1. Install the floor anchors in accordance with the instructions provided with the anchors.
- 2. Refer to the floor layout, as shown on page 5, for proper location of the anchors.
- 3. Double check the anchor locations by placing the base over the planned spots.


ASSEMBLY INSTRUCTIONS

- 1. Unpack unit and check to see that unit is undamaged and complete as shown. Read all assembly instructions and caution labels carefully.
- 2. Unit is designed to fit a 3 1/2 in diameter 10 inch deep sleeve. Refer to the Double Court Layout Illustration for location of ground sleeves.

<u>www.jaypro.com</u> Page 4

- 3. Uprights are heavy and it is imperative to have two persons lift and place into ground sleeve. Final configuration will have a Volleyball winch on each outside standard.
- 4. Assemble Center Standard as shown in Detail A. Refer to the system installation instructions to assemble the outer uprights.
- 5. Position the base over the anchors and secure it in place.
- 6. Insert the center upright into the base and position the eyebolts in line with the net. Secure the upright in place by tightening down the four (4) set screws.
- 7. Install the pads around the upright and over the base as shown on page 2.

DOUBLE COURT LAYOUT FOR PVB-2500 / PVB-2700



COURT DIMENSIONS SHOWN COMPLY WITH SPECIFICATIONS FOR:

U.S.V.B.A

F.I.V.A.

N.C.A.A.


COURT SIZE SPECIFICATIONS FOR THE N.F.S.H.S.A. ARE 30' W x 60'L

CENTER LINE TO BE 4" WIDE

SPIKE LINE TO BE 10' FROM CENTER LINE

SERVING AREA TO BE 10' LONG

<u>www.jaypro.com</u> Page 5



www.jaypro.com Page 6