GRIPPS°

GRIPPS® Technical Specification Sheet.

GRIPPS® Work Belt Models: H01114, H01117, H01119



Max Load: 15.0kg / 33.0lbs

Max Tether Length:

H01114

Fcono Belt

1.3m | 51"



Leather Work Belt - 50mm/2" Max Load: 10.0kg / 22.0lbs Max Tether Length: 1.3m | 51"



H01119 Reinforced Synthetic Work

Max Load: 10.0kg / 22.0lbs Max Tether Length: 1.3m | 51"

FOR PRODUCT SUPPORT CONTACT:

support@gripps.com | +61 3 8383 9458

WWW.GRIPPS.COM

GRIPPS® Work Belts

SAFETY INFORMATION

WARNING Before using the GRIPPS® Work Belt, read all provided safety information pertaining to the use of your Dropped Tool Prevention (DTP) device. FAILURE TO DO SO COULD RESULT IN INJURY OR DEATH.

The user of a DTP device bears the responsibility of reading all safety information contained herein. Keep this manual for future reference.

Intended Use:

When used properly, the GRIPPS® Work Belt can prevent workplace hazards resulting from dropped tools. These may include personal injury and material damage.

GRIPPS® does not approve use of this device for any activities not described in the User Instructions. This device is not intended to be used in any recreational activity, as a personal fall-arrest device or in any other manner not described herein.

MARNING Misuse of this device could result in serious injury or death.

Adhere to all manufacturer recommendations regarding the operation and maintenance of this device. For additional information, contact GRIPPS® customer support.

Read and adhere to the following in order to ensure correct operational functionality:

- Your DTP should never be used as a personal fall-arrest device or restraint system.
- Do not use this device with tools that exceed the specified maximum load/weight.
- A DTP device used in applications that exceed the limits of operation specified by the manufacturer should be considered unsafe and should be replaced.
- Do not tether a tool over 2.5kg/5.5lbs directly to your clothing or
- Inspect your DTP device before each use.
- Ensure the DTP device is securely connected to a load rated tool connector or anchor point before use.
- Inspect any tool connector point before it is connected to the DTP
- Modification of the DTP device voids all warranties and violates manufacturer recommendations.
- Do not use a tool that cannot be connected to your DTP in the manner specified by GRIPPS®.
- It is unsafe to extend the length of the DTP product by any means.
- Do not use this product if it will create an unsafe working environment.
- Use extra precaution around moving machinery, moving parts, electrical hazards, extreme temperatures, chemical hazards, or
- Regularly inspect any GRIPPS® products in use to ensure they are free from any dust, grime or debris.
- All connected tools and equipment, including connection points, must be compatible for use with this DTP device.
- Always wear appropriate personal protective equipment.

- If a tether has arrested a dropped tool or object, it should be taken out of service and replaced.
- All procedures shown in this instruction are for GRIPPS® Wrist-Anchor products only.

GENERAL USE AND CARE

GRIPPS® work belts are durable and reliable accessories designed to provide support, stability, and an additional anchoring point during physically demanding tasks. The Econo Belt SKU: H01114 offers an affordable option without compromising on quality, while the Leather Work Belt - 50mm SKU: H01117 combines comfort and durability with a durable leather construction. For those requiring extra reinforcement, the Reinforced Synthetic Work Belt SKU: H01119 is reinforced with a form-poly belt support and offers maximum comfort. Whether you need a budget-friendly choice or a heavy-duty belt. GRIPPS work belts are designed to meet your specific needs and ensure safety and comfort throughout your

Proper Sizing and Adjustment:

- Ensure that you have selected the correct size of the work belt based on your waist measurement. Follow the sizing guide provided by GRIPPS® to find the appropriate size for your belt.
- · Adjust the belt to fit securely around your waist. Use the adjustable buckle or fastening mechanism to achieve a snug and comfortable fit. Avoid wearing the belt too tight or too loose, as this may compromise its effectiveness.

Secure Attachment:

• Ensure that the belt is securely fastened around your waist. Double-check the buckles, snaps, or fasteners to make sure they are properly engaged and will not come loose during work activities.

Load Distribution and Weight Limits:

- . GRIPPS® work belts are designed to provide support and distribute weight evenly during heavy lifting or physically demanding tasks. However, it is important to note the weight limits specified for your specific work belt model.
- . Do not exceed the maximum weight capacity recommended by GRIPPS® for your work belt. Overloading the belt may lead to reduced support and potential injury.

Proper Lifting Technique:

· When using the work belt for lifting or carrying heavy objects, always prioritize proper lifting technique. The work belt is intended to provide additional support or to create an alternate anchoring point, but it should not replace correct lifting form.

Before Use:

Thoroughly inspect your GRIPPS® DTP device before each use. Do not use any component that presents deformities or deterioration.

After Use Care:


Clean and inspect the Work Belt, tethers and connected tool. For tougher stains, use warm water and a mild soap or detergent. Do not use again until dry.

Store in a clean and dry environment. Proper care will help to ensure that it will operate effectively and extend its service.

HOW TO USE / INSTRUCTIONS:



Select the belt to suit your body (see GRIPPS® size quide), apply tool holsters as required, wrap around waist and close buckle.



The load rating of this belt relates to the sum total weight of tools to the belt. Do not tether any single tool weighing over 2.5KG | 5.5LBS to the body.

GRIPPS









instagram.com/grippsglobal