# GRIPPS®

### **GRIPPS®** Technical Specification Sheet.

### GRIPPS<sup>®</sup> Comfort Work Belt and Back Support Models: H01116, H01118



 H01116
 H01118

 Comfort Work Belt with Back
 Ergo-Motion Back Support

 Support
 Max Load: 2.5kg / 5.5lbs

 Max Load: 2.5kg / 5.5lbs
 ANSI/ISEA 121-2018

 ANSI/ISEA 121-2018
 COMPLIANT

FOR PRODUCT SUPPORT CONTACT:

support@gripps.com | +61 3 8383 9458

WWW.GRIPPS.COM

### **GRIPPS® Comfort Work Belt and Back** Supports

### SAFETY INFORMATION

WARNING Before using the GRIPPS<sup>®</sup> Comfort Work Belt and Back Supports, read all provided safety information pertaining to the use of your Dropped Tool Prevention (DTP) device. FAILURE TO DO SO COULD RESULT IN INJURY OR DEATH.

The user of a DTP device bears the responsibility of reading all safety information contained herein. Keep this manual for future reference.

### Intended Use:

When used properly, the GRIPPS<sup>®</sup> Work Belt with Back Support can prevent workplace hazards resulting from dropped tools. These may include personal injury and material damage.

GRIPPS® does not approve use of this device for any activities not described in the User Instructions. This device is not intended to be used in any recreational activity, as a personal fall-arrest device or in any other manner not described herein.

## **WARNING** Misuse of this device could result in serious injury or death.

Adhere to all manufacturer recommendations regarding the operation and maintenance of this device. For additional information, contact GRIPPS® customer support.

### Read and adhere to the following in order to ensure correct operational functionality:

- Your DTP should never be used as a personal fall-arrest device or restraint system.
- Do not use this device with tools that exceed the specified maximum load/weight.
- A DTP device used in applications that exceed the limits of operation specified by the manufacturer should be considered unsafe and should be replaced.
- Do not tether a tool over 2.5kg/5.5lbs directly to your clothing or person.
- Inspect your DTP device before each use.
- Ensure the DTP device is securely connected to a load rated tool connector or anchor point before use.
- Inspect any tool connector point before it is connected to the DTP device.
- Modification of the DTP device voids all warranties and violates manufacturer recommendations.
- Do not use a tool that cannot be connected to your DTP in the manner specified by GRIPPS<sup>®</sup>.
- It is unsafe to extend the length of the DTP product by any means.
- Do not use this product if it will create an unsafe working environment.
- Use extra precaution around moving machinery, moving parts, electrical hazards, extreme temperatures, chemical hazards, or combustion hazards.
- Regularly inspect any GRIPPS<sup>®</sup> products in use to ensure they are free from any dust, grime or debris.
- All connected tools and equipment, including connection points, must be compatible for use with this DTP device.
- Always wear appropriate personal protective equipment.

- If a tether has arrested a dropped tool or object, it should be taken out of service and replaced.
- All procedures shown in this instruction are for GRIPPS® Wrist-Anchor products only.

### GENERAL USE AND CARE

Introducing the ultimate work gear combination: the GRIPPS® Comfort Work Belt With Back Support and the Ergo-Motion Back Support. This dynamic duo revolutionizes safety and comfort for workers operating at heights. The Comfort Work Belt, renowned for its lightness and durability, seamlessly integrates with GRIPPS® holsters and pouches, whilst providing optimal comfort. The Ergo-Motion Back Support, featuring 4 load-rated tether anchor points, any standard 50mm/2.0" work belt becomes a supportive and comfortable tool belt.


#### Recommended Use of GRIPPS® Comfort Work Belt and Back Supports :

- 1. Use the Ergo-Motion Back Support with standard 50mm/2.0" work belts.
- 2. Do not exceed maximum load rating of 2.5kg/5.5lbs.
- 3. Read GRIPPS® holster instructions carefully to ensure fitted correctly to belt.


### Before Use:

Thoroughly inspect your  ${\sf GRIPPS}^{\circledast}$  DTP device before each use. Do not use any component that presents deformities or deterioration.


### HOW TO USE / INSTRUCTIONS:



Layout Back support to identify the inner side. The GRIPPS logo should be outside facing.




Fit workbelt.



Ensure belt is pulled through in entirety.

D-Rings should be located on the top side .



### After Use Care:

3

Clean and inspect the Work Belt with Back Support, tethers and connected tool. For tougher stains, use warm water and a mild soap or detergent. Do not use again until dry.

Store in a clean and dry environment. Proper care will help to ensure that it will operate effectively and extend its service.

GRIPPS<sup>®</sup> in linkedin.com/company/grippsglobal (f) fac voutube.com/@gripps3480grippsglobal (i) ins

