

GRIPPS®

GRIPPS® Technical Specification Sheet.

GRIPPS® GRIPPGrid
Model: H01316, H01317



H01316
GRIPPGrid 430GSM - FR Grid Mesh Matting

H01317
GRIPPGrid 530GSM - FR Grid Mesh Matting

FOR PRODUCT SUPPORT CONTACT:

support@gripps.com | +61 3 8383 9458

WWW.GRIPPS.COM

GRIPPS® GRIPPGrid

SAFETY INFORMATION

⚠️ WARNING Before using the GRIPPS®

GRIPPGrid, read all provided safety information pertaining to the use of your Dropped Tool Prevention (DTP) device. **FAILURE TO DO SO COULD RESULT IN INJURY OR DEATH.**

The user of a DTP device bears the responsibility of reading all safety information contained herein. Keep this manual for future reference.

Intended Use:

When used properly, the GRIPPS® GRIPPGrid can prevent workplace hazards resulting from dropped tools. These may include personal injury and material damage.

GRIPPS® does not approve use of this device for any activities not described in the User Instructions. This device is not intended to be used in any recreational activity, as a personal fall-arrest device or in any other manner not described herein.

⚠️ WARNING Misuse of this device could result in serious injury or death.

Adhere to all manufacturer recommendations regarding the operation and maintenance of this device. For additional information, contact GRIPPS® customer support.

Read and adhere to the following in order to ensure correct operational functionality:

- Your DTP should never be used as a personal fall-arrest device or restraint system.
- Do not use this device with tools that exceed the specified maximum load/weight.
- A DTP device used in applications that exceed the limits of operation specified by the manufacturer should be considered unsafe and should be replaced.
- Do not tether a tool over 2.5kg/5.5lbs directly to your clothing or person.
- Inspect your DTP device before each use.
- Ensure the DTP device is securely connected to a load rated surface using all available anchor points before use.
- Inspect any tool connector point before it is connected to the DTP device.
- Modification of the DTP device voids all warranties and violates manufacturer recommendations.
- Do not use a tool that cannot be connected to your DTP in the manner specified by GRIPPS®.
- Do not use this product if it will create an unsafe working environment.
- Ensure tethers do not become entangled with other workers, yourself or surrounding objects. Leave enough space between yourself and any hazards so that a tool on a fully extended tether can swing unobstructed should it fall.
- Avoid contact between tethers and rough or sharp edges.
- Use extra precaution around moving machinery, moving parts, electrical hazards, extreme temperatures, chemical hazards, or combustion hazards.
- All connected tools and equipment, including connection points, must be compatible for use with this DTP device.

- Always wear appropriate personal protective equipment.
- If a tether has arrested a dropped tool or object, it should be taken out of service and replaced.
- All procedures shown in this instruction are for GRIPPS® GRIPPGrid only.

GENERAL USE AND CARE

This heavy-duty reusable matting is designed to eliminate dropped object hazards by effectively encapsulating grid mesh platforms. Suitable for all height works conducted on grip mesh platforms, GRIPPGrid provides a cost-effective drop matting that can be reused multiple times.

Shade cloths and other similar disposable products are costly, wasteful, short-lasting and have a negative impact on the environment during disposal. GRIPPGrid matting is fire-resistant and reusable, making it the ideal choice for grid mesh platform works.


Recommended Use of GRIPPS® Modular Drop Mats:

1. Only use in combination with GRIPPS® Tethers.
2. Compatible with the GRIPPS® Mule Bag for easy transportation.
3. Ensure that tools are tethered to one of the 8, D-Ring Tether Anchor points on the Modular Drop Mat when working at height.
4. Anchor the Modular Drop Mat using all anchors on the bottom side of the mat using Zip Ties.


Before Use:

Thoroughly inspect your GRIPPS® DTP device before each use. Do not use any component that presents deformities or deterioration. Inspect all material including the carabiner and tether.

HOW TO USE / INSTRUCTIONS:



Place roll of GRIPPGrid on gridmesh floor in desired location. Roll out matting ensuring material is flat without kinks.



Fasten GRIPPGrid using zip ties or similar fasteners in corners and along edging. Remove ties and roll back up for re-use when finished.

SPECIFICATION

SKU	WEIGHT	SIZE
H01316	430 (g/m ²) / 4628 (g/ft ²)	1.87m x 25m / 6' x 82'
H01317	530 (g/m ²) / 5704 (g/ft ²)	1.87m x 25m / 6' x 82'

	GRIPPGrid 430	GRIPPGrid 530
Base Fabric	Polyester	
Coating PVC	PVC	
Weight (g/m ²)	430	530
Fire Retardant	A5 1530.3	
Roll Size (m)	1.87m x 25m	
Shade Factor	~71%	~47%
Light Transmission	29%	52%
Colour	Grey, Black, White	Grey

GRIPPS®

linkedin.com/company/grippsglobal

facebook.com/grippsglobal

youtube.com/@gripps3480grippsglobal

instagram.com/grippsglobal