

GRIPPS Global Pty Ltd  
atft DTR Group  
15 Steele Court  
Tullamarine, VIC 3043  
**(61) 3 8383 9458**  
**sales@grippsglobal.com**



ACN: 632 088 432  
ABN: 13 863 514 181

**GRIPPS Global Pty Ltd**  
15 Steele Court  
Tullamarine  
VIC Australia 3043

To whom it may concern,

## 1. General Information

**Test Report Number: GR-2022-02-9 1**

H02037 Tablet Gripper – max. load 0.85kg were tested.

Although the Tablet Gripper were tested with a steel wire to comply with ANSI 121-2018, it is suggested to use the phone gripper with a bungee or coil lanyard.

Unless otherwise stated, contact persons for test related questions within GRIPPS are:

Mr. Rick Salisbury  
[Rick.Salisbury@gripps.com.au](mailto:Rick.Salisbury@gripps.com.au)  
+ 61 3 9334 5556

Test items are provided by GRIPPS.



## Contents

<a href="#">1. General Information</a>	1
<a href="#">2. Static Testing</a>	3
<a href="#">3. Dynamic Testing</a>	3
<a href="#">4. Conclusion</a>	3
<a href="#">5. Figures</a>	3

Product Test Specification		
Revision: 1	Created by: Rick Salisbury Created on: 2022-2-9	Initial version

No table of figures entries found.

## 2. Static Testing

N/A

## 3. Dynamic Testing

H02037 samples were dynamically load testing in accordance with the nominated test standard ANSI 121-2018 with the following results obtained for the test conditions;

Test condition: Ambient Dry (13oC for 2 hours)

Test Load: 0.85kg

Drop Height: 2.3m

Result: No signs of damage or fatigue. Test weight was not released.

Test condition: Cold Dry (-35oC for 2 hours)

Test Load:0.85KG

Drop Height: 2.3m

Result: No signs of damage or fatigue. Test weight was not released.

Test condition: Hot Dry (45oC for 2 hours)

Test Load:0.85kg

Drop Height: 2.3m

Result: No signs of damage or fatigue. Test weight was not released.

Test condition: Ambient Wet (20oC for 2 hours)

Test Load:0.85KG

Drop Height: 2.3m

Result: No signs of damage or fatigue. Test weight was not released.

Tests were done with a weigh simulating a tablet.

## 4. Conclusion

No damages or failure were found throughout the test campaign.  
The H02037 Tablet Gripper fulfil the ANSI 121-2018 requirements.

## 5. Figures