

## Pure Kana LLC

Scottsdale, AZ 85253 info@purekana.com (855) 553-7441 Lic # Certificate of Analysis Powered by Confident Cannabis


confident cannabis

### Sample: 2304DBL0054.0894

METRC Sample: Lot #: R0323-01

Strain: 600mg Topical Roll-on Gel

Ordered: 04/19/2023; Sampled: 04/19/2023; Completed: 04/25/2023



Laboratory Director

Sherri Defreece Quality Control 4439 Polaris Ave Las Vegas, NV (702) 728-5180 www.dblabslv.com

DB Labs will not discuss any part of this study with personnel other than those authorized by the client, this report is considered highly confidential and the sole property of the client. This Certificate shall not be reproduced except in full, without the written approval of DB Labs. The results described in this report only apply to the samples analyzed. Edibles are picked up prior to final packaging unless otherwise stated. The reported result is based on a sample weight with the applicable moisture content for that sample. LOQ=Limit of Quantitation. Pesticide LOQ=Instrument Limit of Quantitation. NA=Not Apported Detected, NR=Not Reported, NT=Not Teset, TNC=Too Numerous to Count (microbial), PGR=Phant Growth Regulator. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. DB Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Action levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The "Decision Rule" for the pass/fail does not include the UM. The UM associated with the result reported in this certificate is available upon request. This product has been tested by DB Labs, LLC (MME# 61887736101164525768) using a quality system and valid testing methodologies as required by Nevada Regulations. The limits are based on NV regulations.



## Pure Kana LLC

Scottsdale, AZ 85253 info@purekana.com (855) 553-7441 Lic.#

# 600mg Topical Roll-on Gel

Pesticides Analyzed by 300.9 LC/MS/MS and G	C/MS/MS			Pass
Compound	LOQ	Limit	Mass	Status
	PPB	PPB	PPB	
Abamectin	10	200	<loq< td=""><td>Pass</td></loq<>	Pass
Acequinocyl	10	4000	<loq< td=""><td>Pass</td></loq<>	Pass
Bifenazate	10	400	<loq< td=""><td>Pass</td></loq<>	Pass
Bifenthrin	10	100	<loq< td=""><td>Pass</td></loq<>	Pass
Cyfluthrin	10	2000	<loq< td=""><td>Pass</td></loq<>	Pass
Cypermethrin	10	1000	<loq< td=""><td>Pass</td></loq<>	Pass
Daminozide	10	800	<loq< td=""><td>Pass</td></loq<>	Pass
Dimethomorph	10	2000	<loq< td=""><td>Pass</td></loq<>	Pass
Etoxazole	10	400	<loq< td=""><td>Pass</td></loq<>	Pass
Fenhexamid	10	1000	<loq< td=""><td>Pass</td></loq<>	Pass
Flonicamid	10	1000	<loq< td=""><td>Pass</td></loq<>	Pass
Fludioxonil	10	500	<loq< td=""><td>Pass</td></loq<>	Pass
midacloprid	10	500	<loq< td=""><td>Pass</td></loq<>	Pass
Myclobutanil	10	400	<loq< td=""><td>Pass</td></loq<>	Pass
Paclobutrazol	10	400	<loq< td=""><td>Pass</td></loq<>	Pass
Piperonyl Butoxide	10	3000	<loq< td=""><td>Pass</td></loq<>	Pass
Pyrethrins	10	2000	<loq< td=""><td>Pass</td></loq<>	Pass
Quintozene	10	800	<loq< td=""><td>Pass</td></loq<>	Pass
Spinetoram	10	1000	<loq< td=""><td>Pass</td></loq<>	Pass
Spinosad	10	1000	<loq< td=""><td>Pass</td></loq<>	Pass
Spirotetramat	10	1000	<loq< td=""><td>Pass</td></loq<>	Pass
Thiamethoxam	10	400	<loq< td=""><td>Pass</td></loq<>	Pass
Trifloxystrobin	10	1000	<loq< td=""><td>Pass</td></loq<>	Pass
Plant Growth Regulators	10	50	<loq< td=""><td>Pass</td></loq<>	Pass

# Certificate of Analysis Powered by Confident Cannabis

#### Sample: 2304DBL0054.0894

METRC Sample: Lot #: R0323-01

Strain: 600mg Topical Roll-on Gel

Ordered: 04/19/2023; Sampled: 04/19/2023; Completed: 04/25/2023



Microbials Analyzed by 300.1 Plating/QPCR			F	Pass
Quantitative Analysis	LOQ	Limit	Mass	Statu
	CFU/g	CFU/g	CFU/g	
Aerobic Bacteria	9	100000	<loq< td=""><td>Pas</td></loq<>	Pas
Bile-Tolerant Gram-Negative Bacteria	9	1000	<loq< td=""><td>Pas</td></loq<>	Pas
Coliforms	9	1000	<loq< td=""><td>Pas</td></loq<>	Pas
Yeast & Mold	9	10000	<loq< td=""><td>Pas</td></loq<>	Pas
Qualitative Analysis	Detected or Not Detected			Statu
E. Coli	Not Detected			Pas
Salmonella	Not Detecte	d		Pas

Mycotoxins Analyzed by 300.2 Elisa				Pass
Mycotoxin	LOQ	Limit	Mass	Status
	PPB	PPB	PPB	
Aflatoxins	4.0	20.0	<loq< td=""><td>Pass</td></loq<>	Pass
Ochratoxin A	2.0	20.0	<loq< td=""><td>Pass</td></loq<>	Pass

Heavy Meta Analyzed by 300.8 ICF				Pass
Element	LOQ	Limit	Mass	Status
	PPB	PPB	PPB	
Arsenic	97	2000	<loq< td=""><td>Pass</td></loq<>	Pass
Cadmium	97	820	<loq< td=""><td>Pass</td></loq<>	Pass
Lead	97	1200	<loq< td=""><td>Pass</td></loq<>	Pass
Mercury	97	400	<loq< td=""><td>Pass</td></loq<>	Pass

Residual Solv Analyzed by 300.13 GC				Pass
Compound	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Butanes	71	500	<loq< td=""><td>Pass</td></loq<>	Pass
Ethanol	71		2472	Tested
Heptanes	71	500	<loq< td=""><td>Pass</td></loq<>	Pass
Propane	71	500	96	Pass

ac-MR

Glen Marquez Laboratory Director

Sherri Defreece

Quality Control

kaycha° LABS 4439 Polaris Ave Las Vegas, NV (702) 728-5180 www.dblabslv.com

DB Labs will not discuss any part of this study with personnel other than those authorized by the client, this report is considered highly confidential and the sole property of the client. This Certificate shall not be reproduced except in full, without the written approval of DB Labs. The results described in this report only apply to the samples analyzed. Edibles are picked up prior to final packaging unless otherwise stated. The reported result is based on a sample weight with the applicable moisture content for that sample. LOQ-Limit of Quantitation. Pesticide LOQ-Instrument Limit of Quantitation, NA=N04 Applicable, ND=N0 tepetcet, NR=N04 Reported, NT=N01 Tested, TNC=Too Numerous to Count (microbial), PGR=Plant Growth Regulator. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. DB Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Action levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The "Decision Rule" for the pass/fail does not include the UM. The UM associated with the result reported in this critificate is available upon request. This product has been tested by DB Labs, LLC (MME# 61887736101164525768) using a quality system and valid testing methodologies as required by Nevada Regulations. The limits are based on NV regulations.