

# TEST REPORT

ULR-TC546023000034145F

Test Report No. BLR/F(C/M)/23/029020 A1

Dated 2023-11-03



Issued to	:	NAKPRO NUTRITION 3rd Floor, No. 70/1, Nakoda Dairy Pvt Ltd, H.B.Samaja Road, 4th Cross, Basavanagudi, Bengaluru Urban District, Karnataka, India - 560004.
Attention	:	Mr. Vivek,
Customer Ref. No.	:	Letter , Dated : 2023-09-29
Sample Particulars	:	
Sample Name	:	Nakpro Calcium Caseinate Protein-Chocolate
Sample No.	:	BLR/F(C/M)/23/029020 A1
Batch No. / Lot No. / Mfg. Date / Best Before Date	:	Batch No : CACH0723   Date of Packing : 28.07.23   Date of Expiry : 28.01.25
Sample Package / Quantity	:	Trade Pack : 1kg X 01 Number
Sampled by	:	Sample Collected By Representative of TÜV SÜD South Asia Pvt Ltd ( Mr. Ravi R ) Sample Collected at M/s. NAKPRO NUTRITION, 3rd Floor, No. 70/1, Nakoda Dairy Pvt Ltd, H.B.Samaja Road, 4th Cross, Basavanagudi, Bengaluru Urban District, Karnataka, India - 560004. Sample Collected Date & Time : 30.09.2023 & 01:07pm
Sampling Location	:	
Sampling Protocol	:	Not Applicable
Sample Condition	:	Received in Good Condition
Date of Sample Receipt	:	2023-09-30
Date of Analysis	:	2023-09-30
Date of Completion	:	2023-10-07

The report no BLR/F(C/M)/23/029020 dated 2023-10-09 has been superseded. The test report is amended in terms of changing the test report format as per customer request.

By accepting this document the customer hereby agrees and accepts the 'Terms & Conditions' and the relevant 'Testing & Certification Regulations' of TÜV SÜD South Asia Pvt. Ltd. which are available at Company's website at the link- <https://www.tuvsud.com/en-in/terms-and-conditions>

**Note: For any technical query, please contact . V G Ramesh at Ramesh.Vg@tuvsud.com and for any complaint please contact .Arun George at arun.george@tuvsud.com**

Note: (1) The results relate only to the items tested, (2) the test report shall not be reproduced except in full without the written approval of the laboratory (3) For details of the accredited scope, please contact laboratory or accreditation body website. (4) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

## TEST REPORT

**ULR-TC546023000034145F**

**Test Report No. BLR/F(C/M)/23/029020 A1**

**Dated 2023-11-03**



TC-5460



### RESULTS

#### Test Results – Accredited Parameters

Sr. No.	Parameter	Unit	LOQ	Result	Test Method
<b>Chemical :</b>					
1.	Added Sugar	g/100g	-	< 0.5	FSSAI manual for Analysis of Beverages (Coffee, Tea, Cocoa, Chicory), Sugar and Sugar Products and Confectionery Products A 10 : 2015
2.	Energy	Kcal/100 g	-	371.0	LAB_P_SOP_239
3.	Protein	On Dry Basis (NX6.38) g/100g	-	82.0	IS 7219 : 1973
4.	Total Carbohydrates	g/100g	-	12.29	IS: 1656 – 2022
5.	Total Fat	g/100g	-	1.36	LAB_P_SOP_73
6.	Saturated Fat	g/100g	0.1	0.92	996.06, Chapter 41, AOAC 21st Edition, 2019
7.	Trans Fat ( Elaidic Acid & Linolelaidic Acid )	g/100g	0.1	BLQ	996.06, Chapter 41, AOAC 21st Edition, 2019
8.	Polyunsaturated Fatty Acids	g/100g	0.1	BLQ	996.06, Chapter 41, AOAC, 21st Edition, 2019
9.	Monounsaturated Fatty Acid	g/100g	0.1	0.34	996.06, Chapter 41, AOAC 21st Edition,2019
10.	Cholesterol Content	mg/100g	-	21.57	LAB_P_SOP_230
<b>Metals &amp; Minerals :</b>					
11.	Sodium as Na	mg/100g	-	27.3	LAB_P_SOP_416
12.	Calcium as Ca	mg/100g	-	905.5	LAB_P_SOP_416
13.	Methyl Mercury as Hg	mg/kg	0.05	BLQ	LAB_P_SOP_221
14.	Mercury as Hg	mg/kg	0.05	BLQ	LAB_P_SOP_221
15.	Cadmium as Cd	mg/kg	0.05	BLQ	LAB_P_SOP_221
16.	Tin as Sn	mg/kg	2.0	BLQ	Lab_P_SOP_221
17.	Arsenic as As	mg/kg	0.05	BLQ	LAB_P_SOP_221
18.	Copper as Cu	mg/kg	2.0	BLQ	LAB_P_SOP_221
19.	Lead as Pb	mg/kg	0.05	0.15	LAB_P_SOP_221
<b>Analytical :</b>					
20.	Melamine Content	mg/kg	0.1	Not Detected	Lab_P_SOP_112
<b>Microbiology :</b>					
21.	Sulphite Reducing Clostridia	cfu/g	-	<10	ISO 15213 - 2015
22.	Staphylococcus aureus	cfu/g	-	<10	ISO 6888 - 1 : 1999
23.	Bacillus cereus	cfu/g	-	<10	ISO 7932 : 2004
24.	Total Aerobic Plate Count	cfu/g	-	<10	ISO 4833-1 : 2003
25.	Yeast & Mould Count	cfu/g	-	<10	ISO 21527 - 2 : 2008
26.	Salmonella	/25g	-	Absent	ISO 6579 - 1 : 2017

Laboratory:  
TÜV SÜD South Asia Pvt. Ltd.  
No. A 151, 2nd C Main, 2nd  
Stage,  
Peenya Industrial Estate,  
Bangalore,  
Karnataka - 560058

Phone :+91 80 67458096  
Fax :+91 80 67458058  
E-Mail  
:Prajesh.Balakrishnan@tuv-sud.com  
Url :www.tuv-sud.in  
ControlNo15360250.300923.153

Regd. Office:  
TUV SUD South Asia Pvt. Ltd. Off Saki  
Vihar Road, Saki naka, Andheri (East),  
Mumbai-400072. India



# TEST REPORT

ULR-TC546023000034145F

Test Report No. BLR/F(C/M)/23/029020 A1

Dated 2023-11-03



27.	Listeria monocytogenes	/25g	-	Absent	ISO 11290-1 : 2017
28.	Coliform Count	cfu/g	-	<10	ISO 4832 : 2006

NOTE: Unless otherwise agreed upon, Pass or Fail or Statement of compliance verdicts are given based on the measured values without any considerations of measurement uncertainties. Every test method has a measurement uncertainty which has been evaluated by the laboratory and are available on request. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

LOQ: Limit of Quantification; BLQ: Below Limit of Quantification.

Authorized By

Authorized By

Authorized By

Ravi Negalur  
(Lab Manager)

Jagadeep Sagar C  
(Senior Microbiologist)

Indushree S  
(Analyst)

Authorized By

Periasamy, Sathasivam P  
(Team Leader)

- END OF TEST REPORT -