

AT030va W/P

12VAC Dimmable Weatherproof Transformer IP67



ORDERING INFORMATION

Order code	10321
Description	30VA 12Vac Dimmable Weatherproof Transformer
Driver Power	30 W
Driver Type	Dimmable (Phase cut)
Item Code	AT030va W/P

MECHANICAL

IP Rating	IP67
------------------	------

ELECTRICAL

Input Frequency	50 Hz
Input voltage	230Vac
In Australia the Input voltage is defined as 230Vac -6%/+10%. This effectively means that the voltage range of these products are 216Vac - 253Vac or 240V +6%	
Switch Type	Inline

DRIVER

Dimmable	Yes
Driver Mode	Constant Voltage
Driver Type	Dimmable (Phase cut)
Driver Power	30 W
Output Voltage Range	12VDC V

COMPLIANCE

Standards	AS/NZS 61558.1 AS/NZS 61558.2.6
------------------	------------------------------------

AT500va W/P

12VAC Dimmable Weatherproof Transformer IP67

ORDERING INFORMATION

Order code	10381
Description	500W 12Vac Dimmable Weatherproof Transformer
Driver Power	500 W
Driver Type	Dimmable (Phase cut)
Item Code	AT500va W/P

MECHANICAL

IP Rating	IP67
------------------	------

ELECTRICAL

Input Frequency	50 Hz
Input voltage	230Vac

In Australia the Input voltage is defined as 230Vac -6%/+10%. This effectively means that the voltage range of these products are 216Vac - 253Vac or 240V +6%

Switch Type	Inline
--------------------	--------

DRIVER

Dimmable	Yes
Driver Mode	Constant Voltage
Driver Type	Dimmable (Phase cut)
Driver Power	500 W
Output Voltage Range	12VDC V

COMPLIANCE

Standards	AS/NZS 61558.1 AS/NZS 61558.2.6
------------------	------------------------------------

AT050va W/P

12VAC Dimmable Weatherproof Transformer IP67

ORDERING INFORMATION

Order code	10445
Description	50W 12Vac Dimmable Weatherproof Transformer
Driver Power	50 W
Driver Type	Dimmable (Phase cut)
Item Code	AT050va W/P

MECHANICAL

IP Rating	IP67
------------------	------

ELECTRICAL

Input Frequency	50 Hz
Input voltage	230Vac

In Australia the Input voltage is defined as 230Vac -6%/+10%. This effectively means that the voltage range of these products are 216Vac - 253Vac or 240V +6%

Switch Type	Inline
--------------------	--------

DRIVER

Dimmable	Yes
Driver Mode	Constant Voltage
Driver Type	Dimmable (Phase cut)
Driver Power	50 W
Output Voltage Range	12VDC V

COMPLIANCE

Standards	AS/NZS 61558.1 AS/NZS 61558.2.6
------------------	------------------------------------

AT400va W/P

12VAC Dimmable Weatherproof Transformer IP67

ORDERING INFORMATION

Order code	10722
Description	400W 12Vac Dimmable Weatherproof Transformer
Driver Power	400 W
Driver Type	Dimmable (Phase cut)
Item Code	AT400va W/P

MECHANICAL

IP Rating	IP67
------------------	------

ELECTRICAL

Input Frequency	50 Hz
Input voltage	230Vac

In Australia the Input voltage is defined as 230Vac -6%/+10%. This effectively means that the voltage range of these products are 216Vac - 253Vac or 240V +6%

Switch Type	Inline
--------------------	--------

DRIVER

Dimmable	Yes
Driver Mode	Constant Voltage
Driver Type	Dimmable (Phase cut)
Driver Power	400 W
Output Voltage Range	12VDC V

COMPLIANCE

Standards	AS/NZS 61558.1 AS/NZS 61558.2.6
------------------	------------------------------------

AT300va W/P

12VAC Dimmable Weatherproof Transformer IP67

ORDERING INFORMATION

Order code	10824
Description	300W 12Vac Dimmable Weatherproof Transformer
Driver Power	300 W
Driver Type	Dimmable (Phase cut)
Item Code	AT300va W/P

MECHANICAL

IP Rating	IP67
------------------	------

ELECTRICAL

Input Frequency	50 Hz
Input voltage	230Vac

In Australia the Input voltage is defined as 230Vac -6%/+10%. This effectively means that the voltage range of these products are 216Vac - 253Vac or 240V +6%

Switch Type	Inline
--------------------	--------

DRIVER

Dimmable	Yes
Driver Mode	Constant Voltage
Driver Type	Dimmable (Phase cut)
Driver Power	300 W
Output Voltage Range	12VDC V

COMPLIANCE

Standards	AS/NZS 61558.1 AS/NZS 61558.2.6
------------------	------------------------------------