

Last modification

2022-11-03

MARSTEN PE5-AGOM 9329501060094



The MARSTEN 5 is a simple deco pendant that complements transitional to more contemporary styles. Five straight rods, each with their own glass sphere give a robust, yet compact effect giving the fixture a unique character. Available in Antique gold or black.

Overview

Family name Marsten Pendants Categories Mounting Surface

This item includes Glass, Suspension

Shade Shape Round

Rod (1x300)+(2x600) **Suspension Type** Usage Indoor Lighting

Color / Material

Fixture Color Antique Gold,Opal Matt

Fixture Material Iron,Glass **Canopy Color** Antique Gold **Shade Material** Glass **Glass Color Opal Matt**

Size

Fixture Diameter (cm) 60.0 18.5 Fixture Height (cm) Canopy Diameter (cm) 12.0 2.5 Canopy Projection (cm) **Glass Diameter** 15.00 150.0 Suspension Length (cm)

Specification

1

Voltage Input 240V 125 Wattage (max) Wattage 25 **Globe Type** E27

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation



Globe / Light Source qty 5
Globe / Light Source included No

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20
Lead and Plug No
Approvals RCM
Assembly Required Yes

Box Contents

Basic mounting screws, Instruction

Installation Required

Yes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

<u>Barcode</u>

GTIN 9329501060094

Image -dimensions




Telbix.









All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.



Last modification

2022-11-03

MARSTEN PE5-AGOM 9329501060094



The MARSTEN 5 is a simple deco pendant that complements transitional to more contemporary styles. Five straight rods, each with their own glass sphere give a robust, yet compact effect giving the fixture a unique character. Available in Antique gold or black.

Overview

Family name Marsten Pendants Categories Mounting Surface

This item includes Glass, Suspension

Shade Shape Round

Rod (1x300)+(2x600) **Suspension Type** Usage Indoor Lighting

Color / Material

Fixture Color Antique Gold,Opal Matt

Fixture Material Iron,Glass **Canopy Color** Antique Gold **Shade Material** Glass **Glass Color Opal Matt**

Size

Fixture Diameter (cm) 60.0 18.5 Fixture Height (cm) Canopy Diameter (cm) 12.0 2.5 Canopy Projection (cm) **Glass Diameter** 15.00 150.0 Suspension Length (cm)

Specification

1

Voltage Input 240V 125 Wattage (max) Wattage 25 **Globe Type** E27

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation



Globe / Light Source qty 5
Globe / Light Source included No

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20
Lead and Plug No
Approvals RCM
Assembly Required Yes

Box Contents

Basic mounting screws, Instruction

Installation Required

Yes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

<u>Barcode</u>

GTIN 9329501060094

Image -dimensions




Telbix.









All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.