2022-11-06



Last modification

MDL-601-WHBK 9329501038291



601 DOWNLIGHT withTWIST-ON SYS 12wMAX. D:90 CO:70 IP44 WHITE with BLACK

Overview

Family name Module
Categories Downlights
Mounting Recess

Usage Indoor Lighting,Trade Selection

Color / Material

Fixture Color White
Fixture Material Aluminium

Size

Fixture Diameter (cm) 9.0
Fixture Height (cm) 2.5
Cut Out 7

Specification

Voltage Input 240V Wattage (max) 12

Globe Type LED integrated SMD

Globe / Light Source qty 1
Globe / Light Source included No
Insulation class IC-4
IP rating IP44
Approvals RCM
Box Contents Instruction

Installation Required Yes (by Licensed Electrician only)

Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *5 Years




<u>Barcode</u>

GTIN

9329501038291

Image -dimensions





Last modification

2022-11-06

MDL-601-NK 9329501038284



601 DOWNLIGHTwithTWIST-ON SYS 12wMAX. D:90 CO:70 IP44 NICKEL

Overview

Family name Module
Categories Downlights
Mounting Recess

Usage Indoor Lighting,Trade Selection

Color / Material

Fixture Color Nickel
Fixture Material Aluminium

Size

Fixture Diameter (cm) 9.0
Fixture Height (cm) 2.5
Cut Out 7

Specification

Globe / Light Source qty 1
Globe / Light Source included No

Dimmable Globe Dependant

Insulation classIC-4IP ratingIP44ApprovalsRCMBox ContentsInstruction

Installation Required Yes (by Licensed Electrician only)

Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth


Replacement Warranty *5 Years

<u>Barcode</u>

GTIN 9329501038284



Image -dimensions





Last modification

2022-11-06

MDL-601-WH 9329501038277



601 DOWNLIGHT withTWIST-ON SYS 12wMAX D:90 CO:70 IP44 WHITE

Overview

Family name Module
Categories Downlights
Mounting Recess

Usage Indoor Lighting,Trade Selection

Color / Material

Fixture Color White
Fixture Material Aluminium

<u>Size</u>

Fixture Diameter (cm) 9.0
Fixture Height (cm) 2.5
Cut Out 7

Specification

Globe / Light Source qty 1
Globe / Light Source included No
Insulation class IC-4
IP rating IP44
Approvals RCM
Box Contents Instruction

Installation Required Yes (by Licensed Electrician only)

Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *5 Years

<u>Barcode</u>

GTIN 9329501038277



Image -dimensions

