

Last modification 2022-11-06

**MDL-603-WHBK**  
**9329501038314**



603 GIMBLE with TWIST-ON SYS 12wMAX. D:110 CO:90 IP20 WHITE with BLACK

## Overview

<b>Family name</b>	Module
<b>Categories</b>	Downlights
<b>Mounting</b>	Recess
<b>Usage</b>	Indoor Lighting, Trade Selection

## Color / Material

<b>Fixture Color</b>	Black, White
<b>Fixture Material</b>	Aluminium

## Size

<b>Fixture Diameter (cm)</b>	11.0
<b>Fixture Height (cm)</b>	3.5
<b>Cut Out</b>	9


## Specification

<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	No
<b>Insulation class</b>	IC-4
<b>IP rating</b>	IP20
<b>Approvals</b>	RCM
<b>Box Contents</b>	Instruction
<b>Installation Required</b>	Yes (by Licensed Electrician only)
<b>Care Instructions</b>	Do not use strong liquid cleaners, Wipe clean with a dry cloth
<b>Replacement Warranty</b>	*5 Years

## Barcode


<b>GTIN</b>	9329501038314
-------------	---------------

Image -dimensions



Last modification 2022-11-06

**MDL-603-NK**  
**9329501038321**



Module MDL 603 Twist-On System 90mm Cut-Out Gimble Frame

## Overview

<b>Family name</b>	Module
<b>Categories</b>	Downlights
<b>Mounting</b>	Recess
<b>Usage</b>	Indoor Lighting,Trade Selection

## Color / Material

<b>Fixture Color</b>	Nickel
<b>Fixture Material</b>	Aluminium

## Size

<b>Fixture Diameter (cm)</b>	11.0
<b>Fixture Height (cm)</b>	3.5
<b>Cut Out</b>	9



## Specification

<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	No
<b>Insulation class</b>	IC-4
<b>IP rating</b>	IP20
<b>Approvals</b>	RCM
<b>Box Contents</b>	Instruction
<b>Installation Required</b>	Yes (by Licensed Electrician only)
<b>Care Instructions</b>	Do not use strong liquid cleaners,Wipe clean with a dry cloth
<b>Replacement Warranty</b>	*5 Years

## Barcode

<b>GTIN</b>	9329501038321
-------------	---------------

Image -dimensions



Last modification 2022-11-06

**MDL-603-WH**  
**9329501038307**



Module MDL 603 Twist-On System 90mm Cut-Out Gimble Frame

## Overview

<b>Family name</b>	Module
<b>Categories</b>	Downlights
<b>Mounting</b>	Recess
<b>Features</b>	Tiltable
<b>Usage</b>	Indoor Lighting,Trade Selection

## Color / Material

<b>Fixture Color</b>	White
<b>Fixture Material</b>	Aluminium

## Size

<b>Fixture Diameter (cm)</b>	11.0
<b>Fixture Height (cm)</b>	3.5
<b>Cut Out</b>	9

## Specification

<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	No
<b>Insulation class</b>	IC-4
<b>IP rating</b>	IP20
<b>Approvals</b>	RCM
<b>Box Contents</b>	Instruction
<b>Installation Required</b>	Yes (by Licensed Electrician only)
<b>Care Instructions</b>	Do not use strong liquid cleaners,Wipe clean with a dry cloth
<b>Replacement Warranty</b>	*5 Years

## Barcode

<b>GTIN</b>	9329501038307
-------------	---------------

Image -dimensions

