

Last modification 2022-11-08

MDL-801-NK
9329501040225



801 DOWNLIGHT with TWIST-ON SYS 12w MAX. D:90 CO:70 IP44 NICKEL

Overview

Family name	Module
Categories	Downlights
Mounting	Recess
Usage	Indoor Lighting, Trade Selection

Color / Material

Fixture Color	Frost, Nickel
Fixture Material	Aluminium
Diffuser Color	Frost
Diffuser Material	Plastic

Size

Fixture Diameter (cm)	9.0
Cut Out	7


Specification

Voltage Input	240V
Wattage (max)	12
Globe Type	LED integrated SMD
Globe / Light Source qty	1
Globe / Light Source included	No
Insulation class	IC-4
IP rating	IP44
Approvals	RCM
Box Contents	Instruction
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*5 Years

Barcode

GTIN 9329501040225

Image -dimensions



Last modification 2022-11-08

MDL-801-WH
9329501040232



801 DOWNLIGHT with TWIST-ON SYS 12w MAX D:90 CO:70 IP44 WHITE

Overview

Family name	Module
Categories	Downlights
Mounting	Recess
Usage	Indoor Lighting, Trade Selection

Color / Material

Fixture Color	Frost, White
Fixture Material	Aluminium
Diffuser Color	Frost
Diffuser Material	Plastic

Size

Fixture Diameter (cm)	9.0
------------------------------	-----

Specification

Voltage Input	240V
Wattage (max)	12
Globe Type	LED integrated SMD
Globe / Light Source qty	1
Globe / Light Source included	No
Insulation class	IC-4
IP rating	IP44
Approvals	RCM
Box Contents	Instruction
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*5 Years

Barcode

GTIN 9329501040232

Image -dimensions

