## **Data Sheet**



Last modification

2023-04-26

#### ABELA WB-CH85 9329501045534





ABELA 12w Wall Bracket has a clean and modern-day design, available in 3000k (warm white) and 5000k (cool white)

#### **Overview**

Family nameAbelaCategoriesWall LightsMountingSurfaceThis item includesGlassShade ShapeRectangleUsageIndoor Lighting

#### Color / Material

Fixture Color Chrome, Opal
Fixture Material Aluminium
Diffuser Color Opal

**Diffuser Material** Polycarbonate

#### Size

Fixture Length (cm) 6.5 Fixture Width (cm) 6.5 Fixture Height (cm) 24.0 Fixture Projection (cm) 8.0 Base Length (cm) 6.5 Base Width (cm) 3.0 Base Height (cm) 12.0 Diffuser Length (cm) 5.5 Diffuser Width (cm) 6.0 Diffuser Height (cm) 24.0

#### **Specification**

1

Voltage Input 240V Wattage (max) 12

Globe Type LED integrated SMD

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

## **Data Sheet**



Globe / Light Source qty 1
Globe / Light Source included Yes
Lumens 780

Color TemperatureCool WhiteColor Kelvin5000kColor Rendering>85Power Factor>0.85Beam Angle (degree)360

**Electrical Protection** CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP44
Lead and Plug No
Approvals RCM
Assembly Required No

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

**Replacement Warranty** \*Clearance item 1 year warranty

<u>Barcode</u>

**GTIN** 9329501045534

#### **Image -dimensions**



Note: Dimensions are only a guide and may vary due to manufacturing variations.

## **Data Sheet**

# Telbix.







All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.