

Last modification

2022-10-30

AKIRA BF-BKOAK

9329501046098



Overview

Family name	Akira
Categories	Batten Fix
Mounting	Batten Fix (DIY)
Shade Shape	Cylinder
Usage	Indoor Lighting

Color / Material

Fixture Color	Black,Oak
Fixture Material	Fabric
Shade Color	Black,Oak
Shade Material	Fabric,Plastic

Size

Fixture Diameter (cm)	15.0
Fixture Width (cm)	15.0
Fixture Height (cm)	22.0
Fixture Projection (cm)	22.0
Shade Diameter (cm)	15.0
Shade Height (cm)	22.0

Specification

Voltage Input	240V
Wattage (max)	25
Globe Type	E14
Globe / Light Source qty	1
Globe / Light Source included	No
Dimmable	Globe Dependant
IP rating	IP20
Lead and Plug	No
Approvals	RCM
Assembly Required	No
Box Contents	Instruction

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Care Instructions


Do not use strong liquid cleaners,Wipe clean with a dry cloth

Replacement Warranty

*3 Years

Barcode**GTIN**

9329501046098

Image -dimensions



Last modification

2022-10-30

AKIRA BF-WHCH

9329501046128



Overview

Family name	Akira
Categories	Batten Fix
Mounting	Batten Fix (DIY)
Shade Shape	Cylinder
Usage	Indoor Lighting

Color / Material

Fixture Color	Chrome,White
Fixture Material	Fabric
Shade Color	Chrome,White
Shade Material	Fabric,Plastic

Size

Fixture Diameter (cm)	15.0
Fixture Width (cm)	15.0
Fixture Height (cm)	22.0
Fixture Projection (cm)	22.0
Shade Diameter (cm)	15.0
Shade Height (cm)	22.0

Specification

Voltage Input	240V
Wattage (max)	25
Globe Type	E14
Globe / Light Source qty	1
Globe / Light Source included	No
Dimmable	Globe Dependant
IP rating	IP20
Lead and Plug	No
Approvals	RCM
Assembly Required	No
Box Contents	Instruction

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Care Instructions


Do not use strong liquid cleaners,Wipe clean with a dry cloth

Replacement Warranty

*3 Years

Barcode**GTIN**

9329501046128

Image -dimensions



Last modification

2022-10-30

AKIRA BF-WHCP

9329501046142



Overview

Family name	Akira
Categories	Batten Fix
Mounting	Batten Fix (DIY)
Shade Shape	Cylinder
Usage	Indoor Lighting

Color / Material

Fixture Color	Copper,White
Fixture Material	Fabric
Shade Color	Copper,White
Shade Material	Fabric,Plastic

Size

Fixture Diameter (cm)	15.0
Fixture Width (cm)	15.0
Fixture Height (cm)	22.0
Fixture Projection (cm)	22.0
Shade Diameter (cm)	15.0
Shade Height (cm)	22.0

Specification

Voltage Input	240V
Wattage (max)	25
Globe Type	E14
Globe / Light Source qty	1
Globe / Light Source included	No
Dimmable	Globe Dependant
IP rating	IP20
Lead and Plug	No
Approvals	RCM
Assembly Required	No
Box Contents	Instruction

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Care Instructions


Do not use strong liquid cleaners,Wipe clean with a dry cloth

Replacement Warranty

*3 Years

Barcode**GTIN**

9329501046142

Image -dimensions



Last modification 2022-10-30

AKIRA BF-WHOAK
9329501046104



Overview

Family name	Akira
Categories	Batten Fix
Mounting	Batten Fix (DIY)
Shade Shape	Cylinder
Usage	Indoor Lighting

Color / Material

Fixture Color	White,Oak
Fixture Material	Fabric
Shade Color	White,Oak
Shade Material	Fabric,Plastic

Size

Fixture Diameter (cm)	15.0
Fixture Width (cm)	15.0
Fixture Height (cm)	22.0
Fixture Projection (cm)	22.0

Specification

Voltage Input	240V
Wattage (max)	25
Globe Type	E14
Globe / Light Source qty	1
Globe / Light Source included	No
Dimmable	Globe Dependant
Beam Angle (degree)	360
IP rating	IP20
Lead and Plug	No
Approvals	RCM
Assembly Required	No
Box Contents	Instruction
Care Instructions	Do not use strong liquid cleaners,Wipe clean with a dry cloth

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Data Sheet

Replacement Warranty *3 Years

Barcode

GTIN 9329501046104

Image -dimensions

