

Last modification 2022-11-09

AMELIA 60XL.R-3C 9329501050163



The Amelia LED oyster is a decorative ceiling light that can easily be used anywhere in your home due to its timeless design, in a living room, a hall or a bedroom. Due to the special structure of the acrylic lampshade, the decorative light attracts attention when it is turned off. When it is turned on, however, the horizontal disc shows a starlight effect, while the vertical clear crystal look pattern on the lampshade produces a magical lighting result.

Overview

Family name	Amelia
Categories	Oysters
Mounting	Surface
This item includes	RF Remote
Usage	Indoor Lighting

Color / Material

Fixture Color	Opaline,Clear
Fixture Material	Metal,Plastic
Canopy Color	White
Shade Color	Opaline,Clear
Shade Material	Plastic
Diffuser Color	Clear,Opal
Diffuser Material	Plastic

Size

Fixture Diameter (cm)	60.0
Fixture Height (cm)	10.5
Fixture Projection (cm)	10.5

Specification

Voltage Input	240V
Wattage (max)	50
Globe Type	LED integrated SMD
Globe / Light Source qty	1
Globe / Light Source included	Yes

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Lumens	4200
Color Temperature	Warm White; Natural White; Cool White
Color Kelvin	3 CCT (3000k - 4000k - 5500k)
Color Rendering	>83
Dimmable	Yes - TRIAC
Power Factor	>0.90
Surge Protection	Yes (1.5 Kva)
Beam Angle (degree)	180
Current Output	1000
Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
IP rating	IP20
Lead and Plug	No
Approvals	RCM
Assembly Required	No
Box Contents	Basic mounting screws,Instruction
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners,Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501050163

Image -dimensions





