

atomⁱ

LED DOWNLIGHT

30W LED Recessed downlight with dimmable driver

AT9061



Features

- Ideal for residential, retail, showroom and decorative lighting applications
- Three year warranty
- Supplied with LED driver



Colour temperature

Warm white, Cool white and Daylight



Finishes

White



IP Rating

IP54



Beam Angle

90°

Product datasheet

Description

30W LED Recessed downlight supplied with dimmable driver.

Finish



Product specification


Voltage	220-240V ~ 50/60Hz		
Power consumption	30W		
Light colour options	Warm white	Cool white	Daylight
Lumen output	2860lm	2715lm	2760lm
Colour temperature	3000K	4000K	5000K
Colour rendering index	> 80		
Beam angle	90°		
Dimmable	Yes		
Warranty	3 Years		
Working temperature	-10°C – 40°C		
IP Rating (Front face only)	IP54		
IC Rating	IC4		
Electrical classification	Class II		

Product range

Product code	Finish	Colour temp.
AT9061/WH/WW	White	Warm white
AT9061/WH/CW	White	Cool white
AT9061/WH/DL	White	Daylight

Dimensions

Depth	Diameter	Cut out
88mm	Ø230mm	Ø200mm



atomⁱ

LED DOWNLIGHT

20W Recessed downlight supplied with dimmable driver

AT9060



Features

- Ideal for residential, retail, showroom and decorative lighting applications
- Three year warranty
- Supplied with LED driver



Colour temperature

Warm white, Cool white and Daylight



Finishes

White



IP Rating

IP54



Beam angle

90°

Product datasheet

Description

20W LED Recessed downlight supplied with dimmable driver.

Finish



Product specification

Voltage	220-240V ~ 50/60Hz		
Power consumption	20W		
Light colour options	Warm white	Cool white	Daylight
Lumen output	1835lm	1915lm	1920lm
Colour temperature	3000K	4000K	5000K
Colour rendering index	> 80		
Beam angle	90°		
Dimmable	Yes		
Warranty	3 Years		
Working temperature	-10°C – 40°C		
IP Rating (Front face only)	IP54		
IC Rating	IC-4		
Electrical classification	Class II		

Product range

Product code	SKU	Finish	Colour temp.
AT9060/WH/WW	15148	White	Warm white
AT9060/WH/CW	15060	White	Cool white
AT9060/WH/DL	15769	White	Daylight

Dimensions

Depth	Width	Cut out
76mm	190mm	Ø174mm

