

# AT9488

AT9488/ES/TRI

7W Stick Tri-colour LED lamp. Non dimmable.  
Frosted lens.

## Features

- Tri-colour
- Energy efficient LED lamp
- Long life
- No mercury content
- Suitable replacement for halogen and incandescent lamps

## ORDERING INFORMATION

<b>Order code</b>	13398
<b>Description</b>	T38 7W LED LAMP E27 TRI CCT NON-DIM FROST
<b>Item Code</b>	AT9488/ES/TRI

## ELECTRICAL

<b>Input Frequency</b>	50 Hz
<b>Input voltage</b>	230Vac
In Australia the Input voltage is defined as 230Vac -6%/+10%. This effectively means that the voltage range of these products are 216Vac - 253Vac or 240V +6%	
<b>Maximum Wattage</b>	7 W
<b>Power Factor</b>	0.6
<b>System Max Wattage</b>	7 W

## LAMP

<b>Beam Angle</b>	220 °
<b>Bulb Type</b>	ST38
<b>CCT Configuration</b>	TRI-CCT
<b>CRI</b>	>80
<b>Globe Base</b>	E27
<b>Lamp/LED Current</b>	87 mA
<b>Lamp/LED voltage</b>	73 V



## COLOUR TEMPERATURE

### 6 Watts

Warm White (3000 K)	600 lm
Cool White (4000 K)	650 lm
DayLight (6500 K)	620 lm

## COMPLIANCE


<b>Standards</b>	AS/NZS 62560 IEC/TR 62778 AS CISPR 15
------------------	---

## DIMENSIONS


<b>Product Height</b>	115 mm
<b>Product Width</b>	37 mm

## PHOTOMETRICS


AT9488/ES/TRI/CW



AT9488/ES/TRI/WW



AT9488/ES/TRI/DL



# AT9488

AT9488/BC/TRI

7W Stick Tri-colour LED lamp. Non dimmable.  
Frosted lens.

## Features

- Tri-colour
- Energy efficient LED lamp
- Long life
- No mercury content
- Suitable replacement for halogen and incandescent lamps

## ORDERING INFORMATION

<b>Order code</b>	13397
<b>Description</b>	T38 7W LED LAMP B22 TRI CCT NON-DIM FROST
<b>Item Code</b>	AT9488/BC/TRI

## ELECTRICAL

<b>Input Frequency</b>	50 Hz
<b>Input voltage</b>	230Vac

In Australia the Input voltage is defined as 230Vac -6%/+10%. This effectively means that the voltage range of these products are 216Vac - 253Vac or 240V +6%

<b>Maximum Wattage</b>	7 W
<b>Power Factor</b>	0.6
<b>System Max Wattage</b>	7 W

## LAMP

<b>Beam Angle</b>	220 °
<b>Bulb Type</b>	ST38
<b>CCT Configuration</b>	TRI-CCT
<b>CRI</b>	>80
<b>Globe Base</b>	B22 / BC
<b>Lamp/LED Current</b>	87 mA
<b>Lamp/LED voltage</b>	73 V



## COLOUR TEMPERATURE

### 6 Watts

Warm White (3000 K)	600 lm
Cool White (4000 K)	680 lm
DayLight (6500 K)	650 lm

## COMPLIANCE


<b>Standards</b>	AS/NZS 62560 IEC/TR 62778 AS CISPR 15
------------------	---

## DIMENSIONS


<b>Product Height</b>	115 mm
<b>Product Width</b>	37 mm

## PHOTOMETRICS

AT9488/BC/TRI/CW



AT9488/BC/TRI/DL



AT9488/BC/TRI/WW

