

Last modification 2023-04-05

BECK PE60-BK
9329501050880



Overview

Family name	Beck
Categories	Pendants
Mounting	Surface
This item includes	Suspension
Suspension Type	Cable
Usage	Indoor Lighting

Color / Material

Fixture Color	Clear, Black, Nickel
Fixture Material	Glass, Metal
Canopy Color	Nickel
Cable Color	Black
Cable Material	Break Wire, Textile

Size

Fixture Diameter (cm)	60.0
Fixture Height (cm)	20.0

Specification

Voltage Input	240V
Wattage (max)	75
Wattage	25
Globe Type	E27
Globe / Light Source qty	3
Globe / Light Source included	No
Dimmable	Globe Dependant
Beam Angle (degree)	180
Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
IP rating	IP20
Lead and Plug	No
Approvals	RCM
Assembly Required	No


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Box Contents	Basic mounting screws, Instruction
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*Clearance item 1 year warranty

Barcode

GTIN 9329501050880

Image -dimensions



Globe Type Recommended

Label	Color Temperature	Thumbnail	GTIN
G A608E27CL			



Last modification

2023-04-05

BECK PE60-WH
9329501050873



Overview

Family name	Beck
Categories	Pendants
Mounting	Surface
This item includes	Suspension
Suspension Type	Cable
Usage	Indoor Lighting

Color / Material

Fixture Color	Clear, White, Nickel
Fixture Material	Glass, Metal
Canopy Color	Nickel
Cable Color	White
Cable Material	Break Wire, Textile

Size

Fixture Diameter (cm)	60.0
Fixture Height (cm)	20.0

Specification

Voltage Input	240V
Wattage (max)	75
Wattage	25
Globe Type	E27
Globe / Light Source qty	3
Globe / Light Source included	No
Dimmable	Globe Dependant
Beam Angle (degree)	180
Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
IP rating	IP20
Lead and Plug	No
Approvals	RCM
Assembly Required	No


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Box Contents	Basic mounting screws, Instruction
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*Clearance item 1 year warranty

Barcode

GTIN 9329501050873

Image -dimensions



Globe Type Recommended

Label	Color Temperature	Thumbnail	GTIN
G A608E27CL			

