


Last modification 2023-09-24

BLOC EX5-WH3C 9329501065693



The Bloc LED Indoor/Outdoor Wall Sconce features a simple rectangular wall lamp with a soft angle projecting light suitable for both indoors or outdoor applications. The robust polycarbonate frame will provide ample lighting for either a hallway or outdoor space. This fixture utilises a colour-changeable LED light source, and is a modern and energy-efficient lighting alternative.

Overview

Family name	Bloc
Categories	Wall Lights
Mounting	Surface
Usage	Indoor Lighting, Outdoor Lighting, Trade Selection

Color / Material

Fixture Color	White, Opal
Fixture Material	Polycarbonate
Diffuser Color	Opal
Diffuser Material	Polycarbonate

Size

Fixture Length (cm)	22.0
Fixture Height (cm)	11.3
Fixture Projection (cm)	5.1

Specification

Voltage Input	240V
Total Wattage (max)	5
Globe Type	LED integrated SMD
Globe / Light Source qty	1
Globe / Light Source included	Yes
Lumens	400
Color Temperature	Warm White; Natural White; Cool White
Color Kelvin	3 CCT (3000k - 4000k - 5000k)
Color Rendering	>80
Dimmable	No


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.


Beam Angle (degree)	108
Electrical Protection	CLASS II - DOUBLE INSULATED, EARTH NOT REQUIRED
IP rating	IP65
Lead and Plug	No
Approvals	RCM
Assembly Required	No
Box Contents	Basic mounting screws, Instruction
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501065693

Image -dimensions





Last modification 2022-11-13

BLOC EX5-BK3C
9329501056806



The BLOC LED Indoor/Outdoor Wall Sconce features a simple rectangular wall lamp with a soft angle projecting light suitable for both indoors or outdoor applications. The robust polycarbonate frame will provide ample lighting for either a hallway or outdoor space. This fixture utilizes a color-changeable LED light source, and is a modern and energy-efficient lighting alternative.

Overview

Family name	Bloc
Categories	Wall Lights
Mounting	Surface
Usage	Indoor Lighting,Outdoor Lighting,Trade Selection

Color / Material

Fixture Color	Black,Opal
Fixture Material	Polycarbonate
Diffuser Color	Opal
Diffuser Material	Polycarbonate

Specification

Voltage Input	240V
Wattage (max)	5
Globe Type	LED integrated SMD
Globe / Light Source qty	1
Globe / Light Source included	Yes
Lumens	400
Color Temperature	Warm White; Natural White; Cool White
Color Kelvin	3 CCT (3000k - 4000k - 5000k)
Color Rendering	>80
Dimmable	No
Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
IP rating	IP65
Approvals	RCM
Assembly Required	No
Box Contents	Basic mounting screws,Instruction
Installation Required	Yes (by Licensed Electrician only)

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Care Instructions

Do not use strong liquid cleaners,Wipe clean with a dry cloth

Replacement Warranty


*3 Years

Barcode

GTIN

9329501056806

Image -dimensions





Last modification 2022-11-13

BLOC EX5-SL3C
9329501059333



The BLOC LED Indoor/Outdoor Wall Sconce features a simple rectangular wall lamp with a soft angle projecting light suitable for both indoors or outdoor applications. The robust polycarbonate frame will provide ample lighting for either a hallway or outdoor space. This fixture utilizes a color-changeable LED light source, and is a modern and energy-efficient lighting alternative.

Overview

Family name	Bloc
Categories	Wall Lights
Mounting	Surface
Usage	Indoor Lighting,Outdoor Lighting,Trade Selection

Color / Material

Fixture Color	Silver,Opal
Fixture Material	Polycarbonate
Diffuser Color	Opal
Diffuser Material	Polycarbonate

Specification

Voltage Input	240V
Wattage (max)	5
Globe Type	LED integrated SMD
Globe / Light Source qty	1
Globe / Light Source included	Yes
Lumens	400
Color Temperature	Warm White; Natural White; Cool White
Color Kelvin	4000k
Color Rendering	>80
Dimmable	No
Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
IP rating	IP65
Lead and Plug	No
Approvals	RCM
Assembly Required	No
Box Contents	Basic mounting screws,Instruction

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners,Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501059333

Image -dimensions

