

Last modification

2022-11-14

BOBO PE05-BKSM

9329501057735



This early century ribbed barrel glass gives a minimalist allure and sleek style for any space in your home. The BOBO collection is best illuminated with a LED twinkle globe accentuating the ribbed surface of the shade. The family includes a 1 light pendant, 1 light wall lamp, 1 light table lamp, 2 light table lamp, 4 light bar pendant, 5 light round pendant and 10 light round pendant. Available in Antique gold with opal matt shade or black with smoke.

Overview

| | |
|---------------------------|------------------|
| Family name | Bobo |
| Categories | Pendants |
| Mounting | Surface |
| This item includes | Glass,Suspension |
| Suspension Type | Cable |
| Usage | Indoor Lighting |

Color / Material

| | |
|-------------------------|-------------|
| Fixture Color | Black,Smoke |
| Fixture Finish | Matte |
| Fixture Material | Metal,Glass |
| Canopy Color | Black |
| Shade Material | Glass |
| Glass Color | Smoke |
| Glass Finish | Gloss |
| Cable Color | Black |
| Cable Material | Textile |

Size

| | |
|-------------------------------|-------|
| Fixture Diameter (cm) | 30.0 |
| Fixture Height (cm) | 25.0 |
| Canopy Diameter (cm) | 30.0 |
| Canopy Projection (cm) | 2.5 |
| Glass Diameter | 10.50 |
| Glass Height (cm) | 10.0 |

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.


Specification

| | |
|--------------------------------------|---|
| Voltage Input | 240V |
| Wattage (max) | 15 |
| Wattage | 3 |
| Globe Type | G9 |
| Globe / Light Source qty | 5 |
| Globe / Light Source included | Yes |
| Color Temperature | Warm White |
| Color Kelvin | 3000k |
| Color Rendering | >80 |
| Dimmable | No |
| Electrical Protection | CLASS I - HIGH VOLTAGE, EARTH REQUIRED |
| IP rating | IP20 |
| Lead and Plug | No |
| Approvals | RCM |
| Assembly Required | Yes |
| Box Contents | Basic mounting screws,Instruction |
| Installation Required | Yes (by Licensed Electrician only) |
| Care Instructions | Do not use strong liquid cleaners,Wipe clean with a dry cloth |
| Replacement Warranty | *3 Years |

Barcode

GTIN 9329501057735

Image -dimensions







Last modification

2022-11-14

BOBO PE05-AGOM

9329501057728



This early century ribbed barrel glass gives a minimalist allure and sleek style for any space in your home. The BOBO collection is best illuminated with a LED twinkle globe accentuating the ribbed surface of the shade. The family includes a 1 light pendant, 1 light wall lamp, 1 light table lamp, 2 light table lamp, 4 light bar pendant, 5 light round pendant and 10 light round pendant. Available in Antique gold with opal matt shade or black with smoke.

Overview

| | |
|---------------------------|------------------|
| Family name | Bobo |
| Categories | Pendants |
| Mounting | Surface |
| This item includes | Glass,Suspension |
| Suspension Type | Cable |
| Usage | Indoor Lighting |

Color / Material

| | |
|-------------------------|------------------------|
| Fixture Color | Antique Gold,Opal Matt |
| Fixture Finish | Matte |
| Fixture Material | Metal,Glass |
| Canopy Color | Antique Gold |
| Shade Material | Glass |
| Glass Color | Opal Matt |
| Glass Finish | Matte |
| Cable Color | Black |
| Cable Material | Textile |

Size

| | |
|-------------------------------|-------|
| Fixture Diameter (cm) | 30.0 |
| Fixture Height (cm) | 25.0 |
| Canopy Diameter (cm) | 30.0 |
| Canopy Projection (cm) | 2.5 |
| Glass Diameter | 10.50 |
| Glass Height (cm) | 10.0 |

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Specification

| | |
|--------------------------------------|---|
| Voltage Input | 240V |
| Wattage (max) | 15 |
| Wattage | 3 |
| Globe Type | G9 |
| Globe / Light Source qty | 5 |
| Globe / Light Source included | Yes |
| Color Temperature | Warm White |
| Color Kelvin | 3000k |
| Color Rendering | >80 |
| Dimmable | No |
| Electrical Protection | CLASS I - HIGH VOLTAGE, EARTH REQUIRED |
| IP rating | IP20 |
| Lead and Plug | No |
| Approvals | RCM |
| Assembly Required | Yes |
| Box Contents | Basic mounting screws,Instruction |
| Installation Required | Yes (by Licensed Electrician only) |
| Care Instructions | Do not use strong liquid cleaners,Wipe clean with a dry cloth |
| Replacement Warranty | *3 Years |

Barcode

GTIN 9329501057728

Image -dimensions

