

Last modification

2022-11-14

BODUM PE4-BK
9329501049631



Overview

Family name	Bodum
Categories	Pendants
Mounting	Surface
This item includes	Glass,Suspension
Suspension Type	Chain
Usage	Indoor Lighting

Color / Material

Fixture Color	Black
Fixture Material	Metal
Canopy Color	Black
Shade Material	Glass
Diffuser Color	Opal
Diffuser Material	Glass
Glass Color	Clear

Size

Fixture Diameter (cm)	52.0
Fixture Height (cm)	64.0
Canopy Diameter (cm)	10.0
Canopy Projection (cm)	2.5

Specification

Voltage Input	240V
Wattage (max)	100
Wattage	25
Globe Type	E14
Globe / Light Source qty	4
Globe / Light Source included	No
Dimmable	Globe Dependant
Beam Angle (degree)	360
Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

IP rating	IP20
Lead and Plug	No
Approvals	RCM
Box Contents	Basic mounting screws,Instruction
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners,Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501049631

Image -dimensions







Last modification 2022-11-14

BODUM PE4-NK 9329501049648



Overview

Family name	Bodum
Categories	Pendants
Mounting	Surface
This item includes	Glass,Suspension
Suspension Type	Chain
Usage	Indoor Lighting

Color / Material

Fixture Color	Nickel
Fixture Material	Metal
Canopy Color	Nickel
Shade Material	Glass
Diffuser Color	Opal
Diffuser Material	Glass
Glass Color	Clear

Size

Fixture Diameter (cm)	52.0
Fixture Height (cm)	64.0
Canopy Diameter (cm)	10.0
Canopy Projection (cm)	2.5

Specification

Voltage Input	240V
Wattage (max)	100
Wattage	25
Globe Type	E14
Globe / Light Source qty	4
Globe / Light Source included	No
Dimmable	Globe Dependant
Beam Angle (degree)	360
Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

IP rating	IP20
Lead and Plug	No
Approvals	RCM
Box Contents	Basic mounting screws,Instruction
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners,Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501049648

Image -dimensions

