

Last modification

2023-09-24

BALLY PE16-AGMB 9329501064115



The Bally pendant is the essence of pure and simple lighting design. The sphere is mouth blown alabastro glass. The rounded shape is continued with the minimal metal gallery. A short metal stem finishes the story of mid-century modernism. Available in 4 sizes.

Overview

Family name Bally
Categories Pendants
Mounting Surface

This item includes Glass, Suspension

Shade ShapeRoundSuspension TypeCable

Usage Indoor Lighting, Trade Selection

Color / Material

Fixture Color Antique Gold, Alabastro

Fixture Material Glass, Metal
Canopy Color Antique Gold
Glass Color Alabastro
Glass Finish Matte
Cable Color Black
Cable Material Textile

<u>Size</u>

Fixture Diameter (cm) 40.0
Canopy Diameter (cm) 10.0
Canopy Projection (cm) 5.0
Glass Diameter 40.00
Glass Opening (cm) 14.0
Suspension Length (cm) 200.0
Height Adjustable? Yes

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

1



Specification

Voltage Input240VTotal Wattage (max)25Globe TypeE27Globe / Light Source qty1Globe / Light Source includedNo

Dimmable Globe Dependant

Beam Angle (degree) 360

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20
Lead and Plug No
Approvals RCM
Assembly Required No

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

Barcode

GTIN 9329501064115

Image -dimensions




Note: Dimensions are only a guide and may vary due to manufacturing variations.

Telbix.









Last modification

2023-09-24

BALLY PE16-NKOM 9329501061626



The Bally pendant is the essence of pure and simple lighting design. The sphere is finely blasted opal glass resembling the surface of fresh snow. The rounded shape is continued with the minimal metal gallery. A short metal stem finishes the story of mid-century modernism. Available in 4 sizes and 3 metal finishes.

Overview

Family name Bally
Categories Pendants
Mounting Surface

This item includes Glass, Suspension

Shade ShapeRoundSuspension TypeCable

Usage Indoor Lighting, Trade Selection

Color / Material

Fixture Color
Opal Matt, Nickel
Fixture Material
Canopy Color
Nickel
Glass Color
Opal Matt
Glass Finish
Matte
Cable Color
Black
Cable Material
Textile

<u>Size</u>

1

Fixture Diameter (cm) 40.0
Canopy Diameter (cm) 10.0
Canopy Projection (cm) 5.0
Glass Diameter 40.00
Glass Opening (cm) 14.0
Suspension Length (cm) 200.0
Height Adjustable? Yes



Specification

Voltage Input240VTotal Wattage (max)25Globe TypeE27Globe / Light Source qty1Globe / Light Source includedNo

Dimmable Globe Dependant

Beam Angle (degree) 360

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20
Lead and Plug No
Approvals RCM
Assembly Required No

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

Barcode

GTIN 9329501061626

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

Telbix.









Last modification

2023-09-24

BALLY PE16-BKOM 9329501061633



The Bally pendant is the essence of pure and simple lighting design. The sphere is finely blasted opal glass resembling the surface of fresh snow. The rounded shape is continued with the minimal metal gallery. A short metal stem finishes the story of mid-century modernism. Available in 4 sizes and 3 metal finishes.

Overview

Family name Bally Categories **Pendants** Mounting Surface

This item includes Glass, Suspension

Shade Shape Round **Suspension Type** Cable

Usage Indoor Lighting, Trade Selection

Color / Material

Fixture Color Black, Opal Matt **Fixture Material** Glass, Metal **Canopy Color** Black **Glass Color Opal Matt Glass Finish** Matte **Cable Color** Black **Cable Material** Textile

Size

40.0 Fixture Diameter (cm) Canopy Diameter (cm) 10.0 Canopy Projection (cm) 5.0 **Glass Diameter** 40.00 Glass Opening (cm) 14.0 Suspension Length (cm) 200.0 **Height Adjustable?** Yes



Specification

Voltage Input240VTotal Wattage (max)25Globe TypeE27Globe / Light Source qty1Globe / Light Source includedNo

Dimmable Globe Dependant

Beam Angle (degree) 360

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20
Lead and Plug No
Approvals RCM
Assembly Required No

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

Barcode

GTIN 9329501061633

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

Telbix.









Last modification

2023-09-24

BALLY PE16-AGOM 9329501061640



The Bally pendant is the essence of pure and simple lighting design. The sphere is finely blasted opal glass resembling the surface of fresh snow. The rounded shape is continued with the minimal metal gallery. A short metal stem finishes the story of mid-century modernism. Available in 4 sizes and 3 metal finishes.

Overview

Family nameBallyCategoriesPendantsMountingSurface

This item includes Glass, Suspension

Shade ShapeRoundSuspension TypeCable

Usage Indoor Lighting, Trade Selection

Color / Material

Fixture Color Opal Matt, Antique Gold

Fixture Material Glass, Metal
Canopy Color Antique Gold
Glass Color Opal Matt
Glass Finish Matte
Cable Color Black
Cable Material Textile

<u>Size</u>

1

Fixture Diameter (cm) 40.0
Canopy Diameter (cm) 10.0
Canopy Projection (cm) 5.0
Glass Diameter 40.00
Glass Opening (cm) 14.0
Suspension Length (cm) 200.0
Height Adjustable? Yes



Specification

Voltage Input240VTotal Wattage (max)25Globe TypeE27Globe / Light Source qty1Globe / Light Source includedNo

Dimmable Globe Dependant

Beam Angle (degree) 360

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20
Lead and Plug No
Approvals RCM
Assembly Required No

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

Barcode

GTIN 9329501061640

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

Telbix.











Last modification

2023-09-24

BALLY PE 12-AGMB 9329501064108



The Bally pendant is the essence of pure and simple lighting design. The sphere is mouth blown alabastro glass. The rounded shape is continued with the minimal metal gallery. A short metal stem finishes the story of mid-century modernism. Available in 4 sizes.

Overview

Family name Bally
Categories Pendants
Mounting Surface

This item includes Glass, Suspension

Shade ShapeRoundSuspension TypeCable

Usage Indoor Lighting, Trade Selection

Color / Material

Fixture Color Antique Gold, Alabastro

Fixture Material Glass, Metal
Canopy Color Antique Gold
Glass Color Alabastro
Glass Finish Matte
Cable Color Black
Cable Material Textile

<u>Size</u>

1

Fixture Diameter (cm)30.0Canopy Diameter (cm)10.0Canopy Projection (cm)5.0Glass Diameter30.00Glass Opening (cm)11.5Suspension Length (cm)200.0Height Adjustable?Yes



Specification

Voltage Input240VTotal Wattage (max)25Globe TypeE27Globe / Light Source qty1Globe / Light Source includedNo

Dimmable Globe Dependant

Beam Angle (degree) 360

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20
Lead and Plug No
Approvals RCM
Assembly Required No

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

Barcode

GTIN 9329501064108

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

Telbix.











Last modification

2023-09-24

BALLY PE 12-BKOM 9329501061602



The Bally pendant is the essence of pure and simple lighting design. The sphere is finely blasted opal glass resembling the surface of fresh snow. The rounded shape is continued with the minimal metal gallery. A short metal stem finishes the story of mid-century modernism. Available in 4 sizes and 3 metal finishes.

Overview

Family name Bally
Categories Pendants
Mounting Surface

This item includes Glass, Suspension

Shade ShapeRoundSuspension TypeCable

Usage Indoor Lighting, Trade Selection

Color / Material

Fixture Color

Fixture Material

Canopy Color

Glass Color

Glass Finish

Cable Color

Cable Material

Black

Black

Black

Matte

Black

Textile

<u>Size</u>

Fixture Diameter (cm)30.0Canopy Diameter (cm)10.0Canopy Projection (cm)5.0Glass Diameter30.00Glass Opening (cm)11.5Suspension Length (cm)200.0Height Adjustable?Yes

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

1



Specification

Voltage Input240VTotal Wattage (max)25Globe TypeE27Globe / Light Source qty1Globe / Light Source includedNo

Dimmable Globe Dependant

Beam Angle (degree) 360

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20
Lead and Plug No
Approvals RCM
Assembly Required No

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

Barcode

GTIN 9329501061602

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.









Last modification

2023-09-24

BALLY PE 12-AGOM 9329501061619



The Bally pendant is the essence of pure and simple lighting design. The sphere is finely blasted opal glass resembling the surface of fresh snow. The rounded shape is continued with the minimal metal gallery. A short metal stem finishes the story of mid-century modernism. Available in 4 sizes and 3 metal finishes.

Overview

Family nameBallyCategoriesPendantsMountingSurface

This item includes Glass, Suspension

Shade ShapeRoundSuspension TypeCable

Usage Indoor Lighting, Trade Selection

Color / Material

Fixture Color Opal Matt, Antique Gold

Fixture Material Glass, Metal
Canopy Color Antique Gold
Glass Color Opal Matt
Glass Finish Matte
Cable Color Black
Cable Material Textile

<u>Size</u>

1

Fixture Diameter (cm)30.0Canopy Diameter (cm)10.0Canopy Projection (cm)5.0Glass Diameter30.00Glass Opening (cm)11.5Suspension Length (cm)200.0Height Adjustable?Yes



Specification

Voltage Input240VTotal Wattage (max)25Globe TypeE27Globe / Light Source qty1Globe / Light Source includedNo

Dimmable Globe Dependant

Beam Angle (degree) 360

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20
Lead and Plug No
Approvals RCM
Assembly Required No

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

Barcode

GTIN 9329501061619

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

Telbix.











Last modification

2023-09-24

BALLY PE 12-NKOM 9329501002780



The Bally pendant is the essence of pure and simple lighting design. The sphere is finely blasted opal glass resembling the surface of fresh snow. The rounded shape is continued with the minimal metal gallery. A short metal stem finishes the story of mid-century modernism. Available in 4 sizes and 3 metal finishes.

Overview

Family name Bally Categories **Pendants** Mounting Surface

This item includes Glass, Suspension

Shade Shape Round **Suspension Type** Cable

Usage Indoor Lighting

Color / Material

Fixture Color Opal Matt, Nickel **Fixture Material** Glass, Metal **Canopy Color** Nickel **Glass Color Opal Matt Glass Finish** Matte **Cable Color** Black **Cable Material** Textile

Size

30.0 Fixture Diameter (cm) Canopy Diameter (cm) 10.0 Canopy Projection (cm) 5.0 **Glass Diameter** 30.00 11.5 Glass Opening (cm) Suspension Length (cm) 200.0 **Height Adjustable?** Yes



Specification

Voltage Input240VTotal Wattage (max)25Globe TypeE27Globe / Light Source qty1Globe / Light Source includedNo

Dimmable Globe Dependant

Beam Angle (degree) 360

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20
Lead and Plug No
Approvals RCM
Assembly Required No

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years


Barcode

GTIN 9329501002780

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.





Last modification

2023-09-24

BALLY PE 10-AGMB 9329501064092



The Bally pendant is the essence of pure and simple lighting design. The sphere is mouth blown alabastro glass. The rounded shape is continued with the minimal metal gallery. A short metal stem finishes the story of mid-century modernism. Available in 4 sizes.

Overview

Family name Bally
Categories Pendants
Mounting Surface

This item includes Glass, Suspension

Shade ShapeRoundSuspension TypeCable

Usage Indoor Lighting, Trade Selection

Color / Material

Fixture Color Antique Gold, Alabastro

Fixture Material Glass, Metal
Canopy Color Antique Gold
Glass Color Alabastro
Glass Finish Matte
Cable Color Black
Cable Material Textile

<u>Size</u>

Fixture Diameter (cm) 25.0
Canopy Diameter (cm) 10.0
Canopy Projection (cm) 5.0
Glass Diameter 25.00
Glass Opening (cm) 11.5
Suspension Length (cm) 200.0
Height Adjustable? Yes

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

1



Specification

Voltage Input240VTotal Wattage (max)25Globe TypeE27Globe / Light Source qty1Globe / Light Source includedNo

Dimmable Globe Dependant

Beam Angle (degree) 360

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20
Lead and Plug No
Approvals RCM
Assembly Required No

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

Barcode

GTIN 9329501064092

Image -dimensions




Note: Dimensions are only a guide and may vary due to manufacturing variations.

Telbix.











Last modification

2023-09-24

BALLY PE 10-NKOM 9329501002773



The Bally pendant is the essence of pure and simple lighting design. The sphere is finely blasted opal glass resembling the surface of fresh snow. The rounded shape is continued with the minimal metal gallery. A short metal stem finishes the story of mid-century modernism. Available in 4 sizes and 3 metal finishes.

Overview

Family name Bally
Categories Pendants
Mounting Surface

This item includes Glass, Suspension

Shade ShapeRoundSuspension TypeCable

Usage Indoor Lighting

Color / Material

Fixture Color
Opal Matt, Nickel
Fixture Material
Canopy Color
Nickel
Glass Color
Opal Matt
Glass Finish
Matte
Cable Color
Black
Cable Material
Textile

<u>Size</u>

1

Fixture Diameter (cm) 25.0
Canopy Diameter (cm) 10.0
Canopy Projection (cm) 5.0
Glass Diameter 25.00
Glass Opening (cm) 11.5
Suspension Length (cm) 200.0
Height Adjustable? Yes



Specification

Voltage Input240VTotal Wattage (max)25Globe TypeE27Globe / Light Source qty1Globe / Light Source includedNo

Dimmable Globe Dependant

Beam Angle (degree) 360

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20
Lead and Plug No
Approvals RCM
Assembly Required No

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

Barcode

GTIN 9329501002773

Image -dimensions







Last modification

2023-09-24

BALLY PE 10-BKOM 9329501061589



The Bally pendant is the essence of pure and simple lighting design. The sphere is finely blasted opal glass resembling the surface of fresh snow. The rounded shape is continued with the minimal metal gallery. A short metal stem finishes the story of mid-century modernism. Available in 4 sizes and 3 metal finishes.

Overview

Family name Bally Categories **Pendants** Mounting Surface

This item includes Glass, Suspension

Shade Shape Round **Suspension Type** Cable

Usage Indoor Lighting, Trade Selection

Color / Material

Fixture Color Black, Opal Matt **Fixture Material** Glass, Metal **Canopy Color** Black **Glass Color Opal Matt Glass Finish** Matte **Cable Color** Black **Cable Material** Textile

Size

25.0 Fixture Diameter (cm) Canopy Diameter (cm) 10.0 Canopy Projection (cm) 5.0 **Glass Diameter** 25.00 Glass Opening (cm) 11.5 Suspension Length (cm) 200.0 **Height Adjustable?** Yes



Specification

Voltage Input240VTotal Wattage (max)25Globe TypeE27Globe / Light Source qty1Globe / Light Source includedNo

Dimmable Globe Dependant

Beam Angle (degree) 360

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20
Lead and Plug No
Approvals RCM
Assembly Required No

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

Barcode

GTIN 9329501061589

Image -dimensions



Telbix.









Last modification

2023-09-24

BALLY PE 10-AGOM 9329501061596



The Bally pendant is the essence of pure and simple lighting design. The sphere is finely blasted opal glass resembling the surface of fresh snow. The rounded shape is continued with the minimal metal gallery. A short metal stem finishes the story of mid-century modernism. Available in 4 sizes and 3 metal finishes.

Overview

Family name Bally
Categories Pendants
Mounting Surface

This item includes Glass, Suspension

Shade ShapeRoundSuspension TypeCable

Usage Indoor Lighting, Trade Selection

Color / Material

Fixture Color Opal Matt, Antique Gold

Fixture Material Glass, Metal
Canopy Color Antique Gold
Glass Color Opal Matt
Glass Finish Matte
Cable Color Black
Cable Material Textile

<u>Size</u>

Fixture Diameter (cm) 25.0
Canopy Diameter (cm) 10.0
Canopy Projection (cm) 5.0
Glass Diameter 25.00
Glass Opening (cm) 11.5
Suspension Length (cm) 200.0
Height Adjustable? Yes

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

1



Specification

Voltage Input240VTotal Wattage (max)25Globe TypeE27Globe / Light Source qty1Globe / Light Source includedNo

Dimmable Globe Dependant

Beam Angle (degree) 360

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20
Lead and Plug No
Approvals RCM
Assembly Required No

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

Barcode

GTIN 9329501061596

Image -dimensions



Telbix.











Last modification

2023-09-24

BALLY PE 08-AGMB 9329501064085



The Bally pendant is the essence of pure and simple lighting design. The sphere is mouth blown alabastro glass. The rounded shape is continued with the minimal metal gallery. A short metal stem finishes the story of mid-century modernism. Available in 4 sizes.

Overview

Family name Bally
Categories Pendants
Mounting Surface

This item includes Glass, Suspension

Shade ShapeRoundSuspension TypeCable

Usage Indoor Lighting, Trade Selection

Color / Material

Fixture Color Antique Gold, Alabastro

Fixture MaterialGlass, MetalCanopy ColorAntique GoldGlass ColorAlabastroGlass FinishMatteCable ColorBlackCable MaterialTextile

<u>Size</u>

1

Fixture Diameter (cm) 20.0
Canopy Diameter (cm) 10.0
Canopy Projection (cm) 5.0
Glass Diameter 20.00
Glass Opening (cm) 10.0
Suspension Length (cm) 200.0
Height Adjustable? Yes



Specification

Voltage Input240VTotal Wattage (max)25Globe TypeE27Globe / Light Source qty1Globe / Light Source includedNo

Dimmable Globe Dependant

Beam Angle (degree) 360

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20
Lead and Plug No
Approvals RCM
Assembly Required No

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

Barcode

GTIN 9329501064085

Image -dimensions



Telbix.









Last modification

2023-09-24

BALLY PE 08-NKOM 9329501002766



The Bally pendant is the essence of pure and simple lighting design. The sphere is finely blasted opal glass resembling the surface of fresh snow. The rounded shape is continued with the minimal metal gallery. A short metal stem finishes the story of mid-century modernism. Available in 4 sizes and 3 metal finishes.

Overview

Family name Bally
Categories Pendants
Mounting Surface

This item includes Glass, Suspension

Shade ShapeRoundSuspension TypeCable

Usage Indoor Lighting

Color / Material

Fixture Color
Opal Matt, Nickel
Fixture Material
Canopy Color
Nickel
Glass Color
Opal Matt
Glass Finish
Matte
Cable Color
Black
Cable Material
Textile

<u>Size</u>

1

Fixture Diameter (cm) 20.0
Canopy Diameter (cm) 10.0
Canopy Projection (cm) 5.0
Glass Diameter 20.00
Glass Opening (cm) 10.0
Suspension Length (cm) 200.0
Height Adjustable? Yes



Specification

Voltage Input240VTotal Wattage (max)25Globe TypeE27Globe / Light Source qty1Globe / Light Source includedNo

Dimmable Globe Dependant

Beam Angle (degree) 360

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20
Lead and Plug No
Approvals RCM
Assembly Required No

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

Barcode

GTIN 9329501002766

Image -dimensions





3



Last modification

2023-09-24

BALLY PE 08-BKOM 9329501061565



The Bally pendant is the essence of pure and simple lighting design. The sphere is finely blasted opal glass resembling the surface of fresh snow. The rounded shape is continued with the minimal metal gallery. A short metal stem finishes the story of mid-century modernism. Available in 4 sizes and 3 metal finishes.

Overview

Family name Bally Categories **Pendants** Mounting Surface

This item includes Glass, Suspension

Shade Shape Round **Suspension Type** Cable

Usage Indoor Lighting, Trade Selection

Color / Material

Fixture Color Black, Opal Matt **Fixture Material** Glass, Metal **Canopy Color** Black **Glass Color Opal Matt Glass Finish** Matte **Cable Color** Black **Cable Material** Textile

Size

20.0 Fixture Diameter (cm) Canopy Diameter (cm) 10.0 Canopy Projection (cm) 5.0 **Glass Diameter** 20.00 Glass Opening (cm) 10.0 Suspension Length (cm) 200.0 **Height Adjustable?** Yes



Specification

Voltage Input240VTotal Wattage (max)25Globe TypeE27Globe / Light Source qty1Globe / Light Source includedNo

Dimmable Globe Dependant

Beam Angle (degree) 360

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20
Lead and Plug No
Approvals RCM
Assembly Required No

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

Barcode

GTIN 9329501061565

Image -dimensions



Telbix.









Last modification

2023-09-24

BALLY PE 08-AGOM 9329501061572



The Bally pendant is the essence of pure and simple lighting design. The sphere is finely blasted opal glass resembling the surface of fresh snow. The rounded shape is continued with the minimal metal gallery. A short metal stem finishes the story of mid-century modernism. Available in 4 sizes and 3 metal finishes.

Overview

Family name Bally Categories **Pendants** Mounting Surface

This item includes Glass, Suspension

Shade Shape Round **Suspension Type** Cable

Usage Indoor Lighting, Trade Selection

Color / Material

Fixture Color Opal Matt, Antique Gold

Fixture Material Glass, Metal **Canopy Color** Antique Gold **Glass Color Opal Matt Glass Finish** Matte **Cable Color** Black **Cable Material** Textile

Size

1

20.0 Fixture Diameter (cm) Canopy Diameter (cm) 10.0 Canopy Projection (cm) 5.0 **Glass Diameter** 20.00 Glass Opening (cm) 10.0 Suspension Length (cm) 200.0 **Height Adjustable?** Yes



Specification

Voltage Input240VTotal Wattage (max)25Globe TypeE27Globe / Light Source qty1Globe / Light Source includedNo

Dimmable Globe Dependant

Beam Angle (degree) 360

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20
Lead and Plug No
Approvals RCM
Assembly Required No

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

Barcode

GTIN 9329501061572

Image -dimensions



Telbix.







