Data Sheet



Last modification

2022-11-19

CHARO EX7-TN84 9329501046647



Overview

Family name Charo
Categories Wall Lights
Mounting Surface

Usage Outdoor Lighting,Trade Selection

Color / Material

Fixture ColorTitanFixture MaterialAluminiumCanopy ColorTitanDiffuser ColorClear

Size

Fixture Width (cm) 9.5 Fixture Height (cm) 20.0 Fixture Projection (cm) 6.5

Specification

Voltage Input 240V Wattage (max) 7

Globe Type LED integrated SMD

Globe / Light Source qty 1
Globe / Light Source included Yes
Lumens 640

Color Temperature Natural White

Color Kelvin4000kColor Rendering>80DimmableNoPower Factor>0.90Beam Angle (degree)60

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP54 Lead and Plug No

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Data Sheet



Approvals RCM

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Year

Barcode

GTIN 9329501046647

Image -dimensions



All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Data Sheet

Telbix.



