

T9 Carbon Filament Globes


- Decorative globes
- Input voltage range: 220-240V AC 50/60Hz
- Power factor: 1.0
- Ambient temperature: -30 to 100°C
- Suitable for dimming
- **Not recommended for fan lights**



Part No.	Description	Base	Kelvin	Lumens	Watt	Dimension	Carton QTY
CLACFE25BC	GLOBE CARBON BC T9 25W 2000K	B22	2000K	50lm	25W	Ø29x178mm	1/10/100
CLACFE25ES	GLOBE CARBON ES T9 25W 2000K	E27	2000K	50lm	25W	Ø29x178mm	1/10/100

T9 Carbon Filament Globes

- Decorative globes
- Input voltage range: 220-240V AC 50/60Hz
- Power factor: 1.0
- Ambient temperature: -30 to 100°C
- Suitable for dimming
- **Not recommended for fan lights**




Part No.	Description	Base	Kelvin	Lumens	Watt	Dimension	Carton QTY
CLACFF25BC	GLOBE CARBON BC T9 25W 2000K	B22	2000K	50lm	25W	Ø30x295mm	1/10/100
CLACFF25ES	GLOBE CARBON ES T9 25W 2000K	E27	2000K	50lm	25W	Ø30x295mm	1/10/100



Carbon Filament Globes

T45 Carbon Filament Globes


- Decorative globes
- Input voltage range: 220-240V AC 50/60Hz
- Power factor: 1.0
- Ambient temperature: -30 to 100°C
- Suitable for dimming
- **Not recommended for fan lights**



Part No.	Description	Base	Kelvin	Lumens	Watt	Dimension	Carton QTY
CLACFD25BC	GLOBE CARBON BC T45 25W 2000K	B22	2000K	50lm	25W	Ø45x110mm	1/10/100
CLACFD25ES	GLOBE CARBON ES T45 25W 2000K	E27	2000K	50lm	25W	Ø45x110mm	1/10/100

G95 Carbon Filament Globes


- Decorative globes
- Input voltage range: 220-240V AC 50/60Hz
- Power factor: 1.0
- Ambient temperature: -30 to 100°C
- Suitable for dimming
- **Not recommended for fan lights**



Part No.	Description	Base	Kelvin	Lumens	Watt	Dimension	Carton QTY
CLACFA25BC	GLOBE CARBON BC G95 25W 2000K	B22	2000K	50lm	25W	Ø95x145mm	1/10/50
CLACFA25ES	GLOBE CARBON ES G95 25W 2000K	E27	2000K	50lm	25W	Ø95x145mm	1/10/50

G125 Carbon Filament Globes

- Decorative globes
- Input voltage range: 220-240V AC 50/60Hz
- Power factor: 1.0
- Ambient temperature: -30 to 100°C
- Suitable for dimming
- **Not recommended for fan lights**



Part No.	Description	Base	Kelvin	Lumens	Watt	Dimension	Carton QTY
CLACFB25BC	GLOBE CARBON BC G125 25W 2000K	B22	2000K	50lm	25W	Ø125x165mm	1/10/20
CLACFB25ES	GLOBE CARBON ES G125 25W 2000K	E27	2000K	50lm	25W	Ø125x165mm	1/10/20