

Last modification

2022-11-20

## CONDO PE-BK 9329501048221



### Overview

<b>Family name</b>	Condo
<b>Categories</b>	Pendants
<b>Mounting</b>	Surface
<b>This item includes</b>	Suspension
<b>Usage</b>	Indoor Lighting,Trade Selection

### Color / Material

<b>Fixture Color</b>	Black
<b>Fixture Material</b>	Aluminium
<b>Canopy Color</b>	Black
<b>Cable Color</b>	Black
<b>Cable Material</b>	Textile

### Size

<b>Fixture Diameter (cm)</b>	6.0
<b>Fixture Height (cm)</b>	32.0
<b>Canopy Diameter (cm)</b>	10.0
<b>Canopy Projection (cm)</b>	2.5

### Specification

<b>Voltage Input</b>	240V
<b>Wattage (max)</b>	4
<b>Globe Type</b>	GU10
<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	Yes
<b>Lumens</b>	350
<b>Color Temperature</b>	Warm White
<b>Color Kelvin</b>	4000k
<b>Color Rendering</b>	>84
<b>Dimmable</b>	No
<b>Power Factor</b>	>0.90
<b>Beam Angle (degree)</b>	40


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

<b>Control Gear Included</b>	Yes-integrated
<b>Electrical Protection</b>	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
<b>IP rating</b>	IP20
<b>Lead and Plug</b>	No
<b>Approvals</b>	RCM
<b>Assembly Required</b>	Yes
<b>Box Contents</b>	Basic mounting screws,Instruction
<b>Installation Required</b>	Yes (by Licensed Electrician only)
<b>Care Instructions</b>	Do not use strong liquid cleaners,Wipe clean with a dry cloth
<b>Replacement Warranty</b>	*3 Years

## Barcode

GTIN 9329501048221

## Image -dimensions







Last modification

2022-11-20

## CONDO PE-NK 9329501048238



### Overview

<b>Family name</b>	Condo
<b>Categories</b>	Pendants
<b>Mounting</b>	Surface
<b>This item includes</b>	Suspension
<b>Usage</b>	Indoor Lighting,Trade Selection

### Color / Material

<b>Fixture Color</b>	Nickel
<b>Fixture Material</b>	Aluminium
<b>Canopy Color</b>	Nickel
<b>Cable Color</b>	Clear
<b>Cable Material</b>	PVC

### Size

<b>Fixture Diameter (cm)</b>	6.0
<b>Fixture Height (cm)</b>	32.0
<b>Canopy Diameter (cm)</b>	10.0
<b>Canopy Projection (cm)</b>	2.5

### Specification

<b>Voltage Input</b>	240V
<b>Wattage (max)</b>	4
<b>Globe Type</b>	GU10
<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	Yes
<b>Lumens</b>	350
<b>Color Temperature</b>	Warm White
<b>Color Kelvin</b>	4000k
<b>Color Rendering</b>	>84
<b>Dimmable</b>	No
<b>Power Factor</b>	>0.90
<b>Beam Angle (degree)</b>	40


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

<b>Control Gear Included</b>	Yes-integrated
<b>Electrical Protection</b>	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
<b>IP rating</b>	IP20
<b>Lead and Plug</b>	No
<b>Approvals</b>	RCM
<b>Assembly Required</b>	Yes
<b>Box Contents</b>	Basic mounting screws,Instruction
<b>Installation Required</b>	Yes (by Licensed Electrician only)
<b>Care Instructions</b>	Do not use strong liquid cleaners,Wipe clean with a dry cloth
<b>Replacement Warranty</b>	*3 Years

## Barcode

**GTIN** 9329501048238

## Image -dimensions









Last modification

2022-11-20

## CONDO PE-WH 9329501048214



### Overview

<b>Family name</b>	Condo
<b>Categories</b>	Pendants
<b>Mounting</b>	Surface
<b>This item includes</b>	Suspension
<b>Usage</b>	Indoor Lighting,Trade Selection

### Color / Material

<b>Fixture Color</b>	White
<b>Fixture Material</b>	Aluminium
<b>Canopy Color</b>	White
<b>Cable Color</b>	White
<b>Cable Material</b>	Textile

### Size

<b>Fixture Diameter (cm)</b>	6.0
<b>Fixture Height (cm)</b>	32.0
<b>Canopy Diameter (cm)</b>	10.0
<b>Canopy Projection (cm)</b>	2.5

### Specification

<b>Voltage Input</b>	240V
<b>Wattage (max)</b>	4
<b>Globe Type</b>	GU10
<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	Yes
<b>Lumens</b>	350
<b>Color Temperature</b>	Warm White
<b>Color Kelvin</b>	4000k
<b>Color Rendering</b>	>84
<b>Dimmable</b>	No
<b>Power Factor</b>	>0.90
<b>Beam Angle (degree)</b>	40

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

<b>Control Gear Included</b>	Yes-integrated
<b>Electrical Protection</b>	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
<b>IP rating</b>	IP20
<b>Lead and Plug</b>	No
<b>Approvals</b>	RCM
<b>Assembly Required</b>	Yes
<b>Box Contents</b>	Basic mounting screws,Instruction
<b>Installation Required</b>	Yes (by Licensed Electrician only)
<b>Care Instructions</b>	Do not use strong liquid cleaners,Wipe clean with a dry cloth
<b>Replacement Warranty</b>	*3 Years

## Barcode

GTIN 9329501048214

## Image -dimensions

