

Last modification

2022-11-20

CORELLI TL-AB 9329501055359



Corelli is an extremely durable lamp with a metal base and body. The two separate joints make the table lamp adjustable for height as well direction to specific areas, while any harsh glare is covered by the coolie shade. The addition of industrial style is created with the exposed cloth cable. The lamp can be controlled with an inline cable switch. Also available as floor lamp.

Overview

Family name	Corelli
Categories	Table Lamps
Switch	Inline Switch
Usage	Indoor Lighting

Color / Material

Fixture Color	Antique Brass
Fixture Material	Metal
Base Color	Antique Brass
Base Material	Metal
Cable Color	Black
Cable Material	PVC

Size

Fixture Length (cm)	23.3
Fixture Width (cm)	15.0
Fixture Height (cm)	44.5
Base Diameter (cm)	15.0
Base Height (cm)	2.0
Shade Diameter (cm)	13.5
Shade Height (cm)	15.0
Cable Length (cm)	180 (30+Inline Switch+150)

Specification

Voltage Input	240V
Wattage (max)	6


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Globe Type	GU10
Globe / Light Source qty	1
Globe / Light Source included	No
Dimmable	No
Beam Angle (degree)	80
Electrical Protection	CLASS II - DOUBLE INSULATED, EARTH NOT REQUIRED
IP rating	IP20
Lead and Plug	Yes
Approvals	RCM
Box Contents	Instruction
Care Instructions	Do not use strong liquid cleaners,Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501055359

Image -dimensions







Last modification 2022-11-20

CORELLI TL-DGY 9329501055335



Corelli is an extremely durable lamp with a metal base and body. The two separate joints make the table lamp adjustable for height as well direction to specific areas, while any harsh glare is covered by the coolie shade. The addition of industrial style is created with the exposed cloth cable. The lamp can be controlled with an inline cable switch. Also available as floor lamp.

Overview

Family name	Corelli
Categories	Table Lamps
Switch	Inline Switch
Usage	Indoor Lighting

Color / Material

Fixture Color	Dark Grey,Antique Brass
Fixture Material	Metal
Base Color	Dark Grey,Antique Brass
Base Material	Metal
Cable Color	Black
Cable Material	PVC

Size

Fixture Length (cm)	23.3
Fixture Width (cm)	15.0
Fixture Height (cm)	44.5
Base Diameter (cm)	15.0
Base Height (cm)	2.0
Shade Diameter (cm)	13.5
Shade Height (cm)	15.0
Cable Length (cm)	180 (30+Inline Switch+150)

Specification

Voltage Input	240V
Wattage (max)	6


All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Globe Type	GU10
Globe / Light Source qty	1
Globe / Light Source included	No
Dimmable	No
Beam Angle (degree)	80
Electrical Protection	CLASS II - DOUBLE INSULATED, EARTH NOT REQUIRED
IP rating	IP20
Lead and Plug	Yes
Approvals	RCM
Box Contents	Instruction
Care Instructions	Do not use strong liquid cleaners,Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501055335

Image -dimensions







Last modification 2022-11-20

CORELLI TL-NK 9329501055366



Corelli is an extremely durable lamp with a metal base and body. The two separate joints make the table lamp adjustable for height as well direction to specific areas, while any harsh glare is covered by the coolie shade. The addition of industrial style is created with the exposed cloth cable. The lamp can be controlled with an inline cable switch. Also available as floor lamp.

Overview

Family name	Corelli
Categories	Table Lamps
Switch	Inline Switch
Usage	Indoor Lighting

Color / Material

Fixture Color	Nickel
Fixture Material	Metal
Base Color	Nickel
Base Material	Metal
Cable Color	Black
Cable Material	PVC

Size

Fixture Length (cm)	23.3
Fixture Width (cm)	15.0
Fixture Height (cm)	44.5
Base Diameter (cm)	15.0
Base Height (cm)	2.0
Shade Diameter (cm)	13.5
Shade Height (cm)	15.0
Cable Length (cm)	180 (30+Inline Switch+150)

Specification

Voltage Input	240V
Wattage (max)	6


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Globe Type	GU10
Globe / Light Source qty	1
Globe / Light Source included	No
Dimmable	No
Beam Angle (degree)	80
Electrical Protection	CLASS II - DOUBLE INSULATED, EARTH NOT REQUIRED
IP rating	IP20
Lead and Plug	Yes
Approvals	RCM
Box Contents	Instruction
Care Instructions	Do not use strong liquid cleaners,Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501055366

Image -dimensions



Last modification 2022-11-20

CORELLI TL-WHAB 9329501055342



Corelli is an extremely durable lamp with a metal base and body. The two separate joints make the table lamp adjustable for height as well direction to specific areas, while any harsh glare is covered by the coolie shade. The addition of industrial style is created with the exposed cloth cable. The lamp can be controlled with an inline cable switch. Also available as floor lamp.

Overview

Family name	Corelli
Categories	Table Lamps
Switch	Inline Switch
Usage	Indoor Lighting

Color / Material

Fixture Color	Antique Brass,White
Fixture Material	Metal
Base Color	White
Base Material	Metal
Diffuser Material	Metal
Cable Color	Black
Cable Material	PVC

Size

Fixture Length (cm)	23.3
Fixture Width (cm)	15.0
Fixture Height (cm)	44.5
Base Diameter (cm)	15.0
Base Height (cm)	2.0
Shade Diameter (cm)	13.5
Shade Height (cm)	15.0
Cable Length (cm)	180 (30+Inline Switch+150)

Specification

Voltage Input	240V
----------------------	------

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Wattage (max)	6
Globe Type	GU10
Globe / Light Source qty	1
Globe / Light Source included	No
Dimmable	No
Beam Angle (degree)	80
Electrical Protection	CLASS II - DOUBLE INSULATED, EARTH NOT REQUIRED
IP rating	IP20
Lead and Plug	Yes
Approvals	RCM
Box Contents	Instruction
Care Instructions	Do not use strong liquid cleaners,Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501055342

Image -dimensions

