

Last modification

2022-11-20

CREST TL-NKWH 9329501045978



Overview

Family name	Crest
Categories	Table Lamps
This item includes	Glass,Shade
Shade Shape	Drum Tapered
Switch	Inline Switch
Usage	Indoor Lighting

Color / Material

Fixture Color	Clear,White,Nickel
Fixture Material	Glass,Metal,Fabric
Shade Color	White
Shade Material	Fabric,Plastic
Base Color	Metal,Glass
Base Material	Glass,Metal
Glass Color	Clear
Cable Color	Black
Cable Material	PVC

Size

Fixture Diameter (cm)	25.0
Fixture Height (cm)	50.0
Cable Length (cm)	180 (30+Inline Switch+150)

Specification

Voltage Input	240V
Wattage (max)	25
Globe Type	E27
Globe / Light Source qty	1
Globe / Light Source included	No
Dimmable	No
Beam Angle (degree)	360
Electrical Protection	CLASS II - DOUBLE INSULATED, EARTH NOT REQUIRED


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

IP rating	IP20
Lead and Plug	Yes
Approvals	RCM
Box Contents	Instruction
Care Instructions	Do not use strong liquid cleaners,Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501045978

Image -dimensions





Last modification 2022-11-20

CREST TL-ABGLD 9329501045961



Overview

Family name	Crest
Categories	Table Lamps
This item includes	Glass,Shade
Shade Shape	Drum Tapered
Switch	Inline Switch
Usage	Indoor Lighting

Color / Material

Fixture Color	Antique Brass,Amber,Gold
Fixture Material	Glass,Metal,Fabric
Shade Color	Gold
Shade Material	Fabric,Plastic
Base Color	Metal,Glass
Base Material	Glass,Metal
Glass Color	Clear
Cable Color	Black
Cable Material	PVC

Size

Fixture Diameter (cm)	25.0
Fixture Height (cm)	50.0
Cable Length (cm)	180 (30+Inline Switch+150)

Specification

Voltage Input	240V
Wattage (max)	25
Globe Type	E27
Globe / Light Source qty	1
Globe / Light Source included	No
Dimmable	No
Beam Angle (degree)	360
Electrical Protection	CLASS II - DOUBLE INSULATED, EARTH NOT REQUIRED

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

IP rating	IP20
Lead and Plug	Yes
Approvals	RCM
Box Contents	Instruction
Care Instructions	Do not use strong liquid cleaners,Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501045961

Image -dimensions

