



General Information

Material number	390082N
Type	spot
Product segment	Indoor
Theme	Crystal & Design

Dimensions

Article Width (in mm)	65
Article Length (in mm)	130
Net Weight (in kg)	0.62

Material & Colour

Enclosure Material	steel
Enclosure Colour	black, brass

Functionality

Switch Type	without switch
Battery	No

Technical Information

Protection Degree	IP20
Mains Voltage	220-240V,50/60Hz
Operation Voltage	220-240V,50/60Hz
max. Wattage (1)	1X5W

390082N CUMARIBO

Illuminant 1

Socket Type (1)	GU10
Illuminant Type (1)	GU10-LED
Illuminant incl. (1)	Inclusive



GU10 1X5W





General Information

Material number	390083N
Type	spot
Product segment	Indoor
Theme	Crystal & Design

Dimensions

Article Width (in mm)	65
Article Length (in mm)	280
Net Weight (in kg)	1.21

Material & Colour

Enclosure Material	steel
Enclosure Colour	black, brass

Functionality

Switch Type	without switch
Battery	No

Technical Information

Protection Degree	IP20
Mains Voltage	220-240V,50/60Hz
Operation Voltage	220-240V,50/60Hz
max. Wattage (1)	2X5W

390083N CUMARIBO

Illuminant 1

Socket Type (1)	GU10
Illuminant Type (1)	GU10-LED
Illuminant incl. (1)	Inclusive



GU10 2X5W





General Information

Material number	390084N
Type	spot
Product segment	Indoor
Theme	Crystal & Design

Dimensions

Article Width (in mm)	65
Article Length (in mm)	460
Net Weight (in kg)	1.67

Material & Colour

Enclosure Material	steel
Enclosure Colour	black, brass

Functionality

Switch Type	without switch
Battery	No

Technical Information

Protection Degree	IP20
Mains Voltage	220-240V,50/60Hz
Operation Voltage	220-240V,50/60Hz
max. Wattage (1)	3X5W

390084N CUMARIBO

Illuminant 1

Socket Type (1)	GU10
Illuminant Type (1)	GU10-LED
Illuminant incl. (1)	Inclusive



GU10 3X5W





General Information

Material number	390085N
Type	spot
Product segment	Indoor
Theme	Crystal & Design

Dimensions

Article Width (in mm)	65
Article Length (in mm)	640
Net Weight (in kg)	2.37

Material & Colour

Enclosure Material	steel
Enclosure Colour	black, brass

Functionality

Switch Type	without switch
Battery	No

Technical Information

Protection Degree	IP20
Mains Voltage	220-240V,50/60Hz
Operation Voltage	220-240V,50/60Hz
max. Wattage (1)	4X5W

390085N CUMARIBO

Illuminant 1

Socket Type (1)	GU10
Illuminant Type (1)	GU10-LED
Illuminant incl. (1)	Inclusive



GU10 4X5W

