

Last modification

2022-11-20

DAKOTA PE-WHOK 9329501046548



Overview

Family nameDakotaCategoriesPendantsMountingSurfaceThis item includesSuspensionSuspension TypeCable

Usage Indoor Lighting

Color / Material

Fixture Color White,Oak
Fixture Material Aluminium
Canopy Color White
Cable Color White

Size

Fixture Diameter (cm) 12.0 Fixture Height (cm) 50.0

Specification

Voltage Input 240V Wattage (max) 5 **Globe Type** GU10 Globe / Light Source qty 1 Globe / Light Source included Yes Lumens 500 **Color Temperature** Warm White 3000k **Color Kelvin Color Rendering** >85 **Dimmable** Yes >0.85 **Power Factor**

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20 Lead and Plug No

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

1



Approvals RCM

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth


Replacement Warranty *3 Years

<u>Barcode</u>

GTIN 9329501046548

Image -dimensions







Last modification

2022-11-20

DAKOTA PE-BKOK 9329501046517



Overview

Family nameDakotaCategoriesPendantsMountingSurfaceThis item includesSuspensionSuspension TypeCable

Usage Indoor Lighting

Color / Material

Fixture ColorBlack,OakFixture MaterialAluminiumCanopy ColorBlackCable ColorBlack

Size

Fixture Diameter (cm) 12.0 Fixture Height (cm) 50.0

Specification Voltage Input

1

Wattage (max) 5 **Globe Type** GU10 Globe / Light Source qty Globe / Light Source included Yes Lumens 500 **Color Temperature** Warm White 3000k **Color Kelvin Color Rendering** >85 **Dimmable** Yes >0.85 **Power Factor**

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

240V

IP rating IP20 Lead and Plug No



Approvals RCM

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

<u>Barcode</u>

GTIN 9329501046517

Image -dimensions







Last modification

2022-11-20

DAKOTA PE-BKMB 9329501046524



Overview

Family name Dakota Pendants Categories Mounting Surface This item includes Suspension **Suspension Type** Cable

Usage Indoor Lighting

Color / Material

Fixture Color Black.White Marble

Fixture Material Aluminium Black **Canopy Color Cable Color** Black

Size

Fixture Diameter (cm) 12.0 Fixture Height (cm) 50.0

Specification Voltage Input

Wattage (max) 5 **Globe Type** GU10 Globe / Light Source qty Globe / Light Source included Yes Lumens 500 **Color Temperature** Warm White 3000k **Color Kelvin Color Rendering** >85 **Dimmable** Yes >0.85

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

240V

IP rating IP20 Lead and Plug No

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation

Power Factor



Approvals RCM

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

<u>Barcode</u>

GTIN 9329501046524

Image -dimensions







Last modification

2022-11-20

DAKOTA PE-BKBM 9329501046531



Overview

Family nameDakotaCategoriesPendantsMountingSurfaceThis item includesSuspensionSuspension TypeCable

Usage Indoor Lighting

Color / Material

Fixture ColorBlack,Brass MattFixture MaterialAluminiumCanopy ColorBlackCable ColorBlack

Size

Fixture Diameter (cm) 12.0 Fixture Height (cm) 50.0

Specification Voltage Input

Wattage (max) 5 **Globe Type** GU10 Globe / Light Source qty Globe / Light Source included Yes Lumens 500 **Color Temperature** Warm White 3000k **Color Kelvin Color Rendering** >85 **Dimmable** Yes >0.85 **Power Factor**

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

240V

IP rating IP20 Lead and Plug No

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

1



Approvals RCM

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

<u>Barcode</u>

GTIN 9329501046531

Image -dimensions







Last modification

2022-11-20

DAKOTA PE-ALOK 9329501046494



Overview

Family nameDakotaCategoriesPendantsMountingSurfaceThis item includesSuspensionSuspension TypeCable

Usage Indoor Lighting

Color / Material

Fixture ColorSilver,OakFixture MaterialAluminiumCanopy ColorSilverCable ColorBlack

Size

Fixture Diameter (cm) 12.0 Fixture Height (cm) 50.0

Specification Voltage Input

Wattage (max) 5 **Globe Type** GU10 Globe / Light Source qty Globe / Light Source included Yes Lumens 500 **Color Temperature** Warm White 3000k **Color Kelvin** >85 **Color Rendering Dimmable** Yes >0.85 **Power Factor**

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

240V

IP rating IP20 Lead and Plug No



Approvals RCM

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

<u>Barcode</u>

GTIN 9329501046494

Image -dimensions







Last modification

2022-11-20

DAKOTA PE-ALMB 9329501046500



Overview

Family name Dakota Pendants Categories Mounting Surface This item includes Suspension **Suspension Type** Cable

Usage Indoor Lighting

Color / Material

Fixture Color Silver.White Marble

Fixture Material Aluminium Silver **Canopy Color Cable Color** Black

Size

Fixture Diameter (cm) 12.0 Fixture Height (cm) 50.0

Specification Voltage Input

Power Factor

1

Wattage (max) 5 **Globe Type** GU10 Globe / Light Source qty Globe / Light Source included Yes Lumens 500 **Color Temperature** Warm White 3000k **Color Kelvin** >85 **Color Rendering Dimmable** Yes

>0.85 **Electrical Protection** CLASS I - HIGH VOLTAGE, EARTH REQUIRED

240V

IP rating IP20 Lead and Plug No



Approvals RCM

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)

Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

<u>Barcode</u>

GTIN 9329501046500

Image -dimensions

