

Last modification

2022-11-21

## POLLARD FL-BKAG

9329501060209



The POLLARD Floor Lamp is the classic pharmacy look, supplying ample lighting for your daily needs. The domed metal shade sits within a saddle offering a tilt for directional light. The marble base offers stability and style to your home's decor. On/off switch located on the lamp's cord.

### Overview

<b>Family name</b>	Pollard
<b>Categories</b>	Floor Lamps
<b>This item includes</b>	Shade
<b>Shade Shape</b>	Bowl
<b>Switch</b>	Foot Switch
<b>Usage</b>	Indoor Lighting
<b>ERAC Product Registration</b>	SAA-210304-EA

### Color / Material

<b>Fixture Color</b>	Black,Antique Gold
<b>Fixture Material</b>	Marble,Iron
<b>Shade Color</b>	Black
<b>Shade Material</b>	Iron
<b>Base Color</b>	Black,Antique Gold
<b>Base Material</b>	Marble,Iron
<b>Cable Color</b>	Black
<b>Cable Material</b>	PVC

### Size

<b>Fixture Length (cm)</b>	51.5
<b>Fixture Width (cm)</b>	28.0
<b>Fixture Height (cm)</b>	162.0
<b>Base Diameter (cm)</b>	28.0
<b>Base Height (cm)</b>	2.5
<b>Shade Diameter (cm)</b>	25.0
<b>Shade Height (cm)</b>	11.0
<b>Cable Length (cm)</b>	200 (50+Foot Switch+150)

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

## Specification

<b>Voltage Input</b>	240V
<b>Wattage (max)</b>	25
<b>Globe Type</b>	E27
<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	No
<b>Electrical Protection</b>	CLASS II - DOUBLE INSULATED, EARTH NOT REQUIRED
<b>IP rating</b>	IP20
<b>Lead and Plug</b>	Yes
<b>Approvals</b>	RCM
<b>Assembly Required</b>	Yes
<b>Box Contents</b>	Instruction
<b>Care Instructions</b>	Do not use strong liquid cleaners,Wipe clean with a dry cloth
<b>Replacement Warranty</b>	*3 Years

## Barcode

**GTIN** 9329501060209

## Image -dimensions





