

Last modification

2022-11-23

DIXON EX1-BK 9329501052563



DIXON is the modern classic of outdoor lighting. Stainless steel body with acrylic lens diffuser.

Overview

Family name Dixon
Categories Wall Lights
Mounting Surface

Usage Outdoor Lighting,Trade Selection

Color / Material

Fixture Color Black

Fixture Material Stainless Steel, Acrylic

Canopy ColorBlackDiffuser ColorClearDiffuser MaterialAcrylic

Size

Fixture Length (cm)11.0Fixture Width (cm)7.0Fixture Height (cm)16.0Canopy Length (cm)10.0Canopy Projection (cm)3.0Canopy Width (cm)11.0

Specification

Voltage Input240VWattage (max)6Globe TypeGU10Globe / Light Source qty1Globe / Light Source includedYes

Color TemperatureWarm WhiteColor Kelvin3000kPower Factor>0.90

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.



Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP44
Lead and Plug No
Approvals RCM
Assembly Required Yes

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

Barcode

GTIN 9329501052563

Image -dimensions



Globe Type Recommended

Label	Color Temperature	Thumbnail	GΠN
GL GU10LED5LD			
GL GU10LEDFW6			

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Telbix.









All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.



Last modification

2022-11-23

DIXON EX1-SS 9329501024416



DIXON is the modern classic of outdoor lighting. Stainless steel body with acrylic lens diffuser.

Overview

Family name Dixon
Categories Wall Lights
Mounting Surface

Usage Outdoor Lighting,Trade Selection

Color / Material

Fixture ColorStainless SteelFixture MaterialStainless Steel, AcrylicCanopy ColorStainless Steel

Diffuser ColorClearDiffuser MaterialAcrylic

Size

Fixture Length (cm) 11.0

Fixture Width (cm) 7.0

Fixture Height (cm) 16.0

Canopy Length (cm) 10.0

Canopy Projection (cm) 3.0

Canopy Width (cm) 11.0

Specification

Voltage Input240VWattage (max)6Globe TypeGU10Globe / Light Source qty1Globe / Light Source includedYes

Color TemperatureWarm WhiteColor Kelvin3000kPower Factor>0.90

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

1



Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP44
Lead and Plug No
Approvals RCM
Assembly Required Yes

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

Barcode

GTIN 9329501024416

Image -dimensions



Globe Type Recommended

Label	Color Temperature	Thumbnail	GTIN
GL GU10LED5LD			
GL GU10LEDFW6			

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Telbix.





