

(67)


# Driver 24V IP67 20W Constant Voltage LED Driver

#### Description

DRIVER-24V-IP67 Series are a range of outdoor non-dimmable 24V DC Constant Voltage LED Drivers for use with LED strip lighting, inground uplighters, garden spike lighting and much more. Secondary side short circuit protection. Thermal overload protection, over temperature protection and over voltage protection. Complete with 1M flex and plug. Non-dimmable. Suitable for outdoor use. Choose from 20W, 30W, 60W, 100W, 150W, 200W, 240W, 300W, 400W and 500W wattages. Parallel wiring. Backed by a 5 Year replacement Warranty.

Specification Features	A STATUS AND
Input Voltage: 240V AC	
Power (W): 20W	
Output Voltage: 24V DC	
Output Current: 0.87A	
Dimmable: No	
IP rating (IP): IP67	
Efficiency: up to 89%; PF>0.95	
Weight (g): 240	
Size (mm): 150x44x32	
Working Temp: -40~+60°C	
Working Humidity: 20~90%RH, Non-condensing	

	Item No.	Variant	Wattage
Diagrams / Additional	DRIVER-24V-IP67	20224	20W





S Ratin

67


# Driver 24V IP67 30W Constant Voltage LED Driver

#### Description

DRIVER-24V-IP67 Series are a range of outdoor non-dimmable 24V DC Constant Voltage LED Drivers for use with LED strip lighting, inground uplighters, garden spike lighting and much more. Secondary side short circuit protection. Thermal overload protection, over temperature protection and over voltage protection. Complete with 1M flex and plug. Non-dimmable. Suitable for outdoor use. Choose from 20W, 30W, 60W, 100W, 150W, 200W, 240W, 300W, 400W and 500W wattages. Parallel wiring. Backed by a 5 Year replacement Warranty.

Input Voltage:240V ACPower (W):30WOutput Voltage:24VOutput Current:1.25ADimmable:NoIP rating (IP):IP67Efficiency:up to 89%; PF>0.95Weight (g):240Size (mm):150x44x32Working Temp:-40~+60°CWorking Humidity:20~90%RH, Non-condensing	Specification Featu	ıres	
Power (W):30WOutput Voltage:24VOutput Current:1.25ADimmable:NoIP rating (IP):IP67Efficiency:up to 89%; PF>0.95Weight (g):240Size (mm):150x44x32Working Temp:-40~+60°C			
Output Voltage:24VOutput Current:1.25ADimmable:NoIP rating (IP):IP67Efficiency:up to 89%; PF>0.95Weight (g):240Size (mm):150x44x32Working Temp:-40~+60°C		30W	
Output Current:1.25ADimmable:NoIP rating (IP):IP67Efficiency:up to 89%; PF>0.95Weight (g):240Size (mm):150x44x32Working Temp:-40~+60°C		24V	
IP rating (IP): IP67   Efficiency: up to 89%; PF>0.95   Weight (g): 240   Size (mm): 150x44x32   Working Temp: -40~+60°C		1.25A	
Efficiency:   up to 89%; PF>0.95     Weight (g):   240     Size (mm):   150x44x32     Working Temp:   -40~+60°C		No	
Efficiency:   up to 89%; PF>0.95     Weight (g):   240     Size (mm):   150x44x32     Working Temp:   -40~+60°C	IP rating (IP):	IP67	
Size (mm):   150x44x32     Working Temp:   -40~+60°C		up to 89%; PF>0.95	
Working Temp: -40~+60°C		240	
	Size (mm):	150x44x32	
Working Humidity: 20~90%RH, Non-condensing	Working Temp:	-40~+60°C	
	Working Humidity:	20~90%RH, Non-condensing	

		Item No.	Variant	Wattage
Diagrams / Additional	DRI	IVER-24V-IP67	20225	30W



Domus 29-31 Richland Street. Kingsgrove NSW 2208   Phone: (02) 9554 9600   email: enquiries@domuslighting.com.au
Specification subject to change without prior notice.



# Driver 24V IP67 60W Constant Voltage LED Driver

#### Description

DRIVER-24V-IP67 Series are a range of outdoor non-dimmable 24V DC Constant Voltage LED Drivers for use with LED strip lighting, inground uplighters, garden spike lighting and much more. Secondary side short circuit protection. Thermal overload protection, over temperature protection and over voltage protection. Complete with 1M flex and plug. Non-dimmable. Suitable for outdoor use. Choose from 20W, 30W, 60W, 100W, 150W, 200W, 240W, 300W, 400W and 500W wattages. Parallel wiring. Backed by a 5 Year replacement Warranty.

**5yr** 




67

#### **Specification Features**

Input Voltage:	240V AC
Power (W):	60W
Output Voltage:	24V DC
Output Current:	2.5A
Dimmable:	No
IP rating (IP):	IP67
Efficiency:	up to 89%; PF>0.95
Weight (g):	450
Size (mm):	154×56×35
Working Temp:	-40~+60°C
Working Humidity:	20~90%RH, Non-condensing

#### Diagrams / Additional



Item No.	Variant	Wattage
DRIVER-24V-IP67	20226	60W




# Driver 24V IP67 100W Constant Voltage LED Driver

Description

DRIVER-24V-IP67 Series are a range of outdoor non-dimmable 24V DC Constant Voltage LED Drivers for use with LED strip lighting, inground uplighters, garden spike lighting and much more. Secondary side short circuit protection. Thermal overload protection, over temperature protection and over voltage protection. Complete with 1M flex and plug. Non-dimmable. Suitable for outdoor use. Choose from 20W, 30W, 60W, 100W, 150W, 200W, 240W, 300W, 400W and 500W wattages. Parallel wiring. Backed by a 5 Year replacement Warranty.



	Item No.	Variant	Wattage
Diagrams / Additional	DRIVER-24V-IP67	20227	100W



Domus 29-31 Richland Street. Kingsgrove NSW 2208   Phone: (02) 9554 9600   email: enquiries@domuslighting.com.au
Specification subject to change without prior notice.



« <sup>Ratin</sup>g


# Driver 24V IP67 150W Constant Voltage LED Driver

#### Description

DRIVER-24V-IP67 Series are a range of outdoor non-dimmable 24V DC Constant Voltage LED Drivers for use with LED strip lighting, inground uplighters, garden spike lighting and much more. Secondary side short circuit protection. Thermal overload protection, over temperature protection and over voltage protection. Complete with 1M flex and plug. Non-dimmable. Suitable for outdoor use. Choose from 20W, 30W, 60W, 100W, 150W, 200W, 240W, 300W, 400W and 500W wattages. Parallel wiring. Backed by a 5 Year replacement Warranty.

Specification Feat	tures		Ster 10	
Input Voltage:	240V AC			
Power (W):	150W			
Output Voltage:	24V DC			
Output Current:	6.25A			
Dimmable:	No			oureur
IP rating (IP):	IP67			1-7
Efficiency:	up to 89%; PF>0.95		0	-
Weight (g):	1200			
Size (mm):	196x68x39			
Working Temp:	-40~+60°C			
Working Humidity:	20~90%RH, Non-condensing			

	Item No.	Variant	Wattage
Diagrams / Additional	DRIVER-24V-IP67	20228	150W



Domus 29-31 Richland Street. Kingsgrove NSW 2208   Phone: (02) 9554 9600   email: enquiries@domuslighting.com.au
Specification subject to change without prior notice.



# Driver 24V IP67 200W Constant Voltage LED Driver


#### Description

DRIVER-24V-IP67 Series are a range of outdoor non-dimmable 24V DC Constant Voltage LED Drivers for use with LED strip lighting, inground uplighters, garden spike lighting and much more. Secondary side short circuit protection. Thermal overload protection, over temperature protection and over voltage protection. Complete with 1M flex and plug. Non-dimmable. Suitable for outdoor use. Choose from 20W, 30W, 60W, 100W, 150W, 200W, 240W, 300W, 400W and 500W wattages. Parallel wiring. Backed by a 5 Year replacement Warranty.

5yr



	Item No.	Variant	Wattage
Diagrams / Additional	DRIVER-24V-IP67	20229	200W





Domus 29-31 Richland Street. Kingsgrove NSW 2208   Phone: (02) 9554 9600   email: enquiries@domuslighting.com.au
Specification subject to change without prior notice.



<sup>8</sup> <sup>Rating</sup>

# Driver 24V IP67 300W Constant Voltage LED Driver


Description

DRIVER-24V-IP67 Series are a range of outdoor non-dimmable 24V DC Constant Voltage LED Drivers for use with LED strip lighting, inground uplighters, garden spike lighting and much more. Secondary side short circuit protection. Thermal overload protection, over temperature protection and over voltage protection. Complete with 1M flex and plug. Non-dimmable. Suitable for outdoor use. Choose from 20W, 30W, 60W, 100W, 150W, 200W, 240W, 300W, 400W and 500W wattages. Parallel wiring. Backed by a 5 Year replacement Warranty.

(**5yr**)

Specification Feat	tures	States and a state of the state
Input Voltage:	240V AC	See out the second s
Power (W):	300W	
Output Voltage:	24V DC	C C C C C C C C C C C C C C C C C C C
Output Current:	12.5A	
Dimmable:	No	
IP rating (IP):	IP67	5
Efficiency:	up to 89%; PF>0.95	
Weight (g):	2400	
Size (mm):	244x75x38	
Working Temp:	-40~+60°C	
Working Humidity:	20~90%RH, Non-condensing	

	Item No.	Variant	Wattage
Diagrams / Additional	DRIVER-24V-IP67	20231	300W





Domus 29-31 Richland Street. Kingsgrove NSW 2208 | Phone: (02) 9554 9600 | email: enquiries@domuslighting.com.au Specification subject to change without prior notice.



# Driver 24V IP67 400W Constant Voltage LED Driver


Description

DRIVER-24V-IP67 Series are a range of outdoor non-dimmable 24V DC Constant Voltage LED Drivers for use with LED strip lighting, inground uplighters, garden spike lighting and much more. Secondary side short circuit protection. Thermal overload protection, over temperature protection and over voltage protection. Complete with 1M flex and plug. Non-dimmable. Suitable for outdoor use. Choose from 20W, 30W, 60W, 100W, 150W, 200W, 240W, 300W, 400W and 500W wattages. Parallel wiring. Backed by a 5 Year replacement Warranty.

5yr



	Item No.	Variant	Wattage
Diagrams / Additional	DRIVER-24V-IP67	20232	400W





# Driver 24V IP67 500W Constant Voltage LED Driver

Description

Dimmable: IP rating (IP): Efficiency: Weight (g): Size (mm): Working Temp:

Working Humidity:

DRIVER-24V-IP67 Series are a range of outdoor non-dimmable 24V DC Constant Voltage LED Drivers for use with LED strip lighting, inground uplighters, garden spike lighting and much more. Secondary side short circuit protection. Thermal overload protection, over temperature protection and over voltage protection. Complete with 1M flex and plug. Non-dimmable. Suitable for outdoor use. Choose from 20W, 30W, 60W, 100W, 150W, 200W, 240W, 300W, 400W and 500W wattages. Parallel wiring. Backed by a 5 Year replacement Warranty.

5yr

Specification Fea	atures	1974 - 19
Input Voltage:	240V AC	and the second sec
Power (W):	500W	
Output Voltage:	24V DC	
Output Current:	20.84A	
Dimmable:	No	
IP rating (IP):	IP67	
Efficiency:	up to 89%; PF>0.95	
Weight (g):	2500	
Size (mm):	290×89×43	

20~90%RH, Non-condensing

-40~+60°C



Item No.	Variant	Wattage
DRIVER-24V-IP67	20233	500W