

Last modification 2022-11-30

GL F.PILT.8-CL83
9329501052181



Overview

Family name	LED PILOT
Categories	Globes
Usage	Indoor Lighting,Trade Selection

Color / Material

Fixture Color	Clear
Fixture Material	Glass
Shade Material	Glass
Diffuser Color	Clear

Size

Fixture Diameter (cm)	6.4
Fixture Height (cm)	14.0

Specification


Voltage Input	240V
Wattage (max)	8
Globe Type	E27
Lumens	800
Color Temperature	Warm White
Color Kelvin	3000k
Color Rendering	>80
Dimmable	Yes
Surge Protection	Yes (0.5 Kva)
IP rating	IP20
Approvals	RCM
Care Instructions	Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN	9329501052181
-------------	---------------

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Image -dimensions



Last modification 2022-11-30

GL F.PILT.8-CL85
9329501056097



Overview

Family name	LED PILOT
Categories	Globes
Usage	Indoor Lighting,Trade Selection

Color / Material

Fixture Color	Clear
Fixture Material	Glass
Shade Material	Glass
Diffuser Color	Clear

Size

Fixture Diameter (cm)	6.4
Fixture Height (cm)	14.0

Specification

Voltage Input	240V
Wattage (max)	8
Globe Type	E27
Lumens	850
Color Temperature	Cool White
Color Kelvin	5000k
Color Rendering	>80
Dimmable	Yes
Surge Protection	Yes (0.5 Kva)
IP rating	IP20
Approvals	RCM
Care Instructions	Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN	9329501056097
-------------	---------------

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Image -dimensions

