

Last modification

2022-11-29

G A609E27OP860D 9329501057384





Overview

Family name E27/A60
Categories Globes

Usage Indoor Lighting,Trade Selection

Color / Material

Fixture ColorWhite,OpalFixture MaterialPolycarbonateShade MaterialPolycarbonate

Diffuser Color Opal

Diffuser Material Polycarbonate

<u>Size</u>

Fixture Diameter (cm) 6.0 Fixture Height (cm) 11.2

Specification

240V **Voltage Input** Wattage (max) 9 **Globe Type** E27 870 Lumens **Color Temperature** Daylight **Color Kelvin** 6000k **Dimmable** Yes - TRIAC **Surge Protection** Yes (0.5 Kva) IP rating IP20

Approvals RCM

Care Instructions Wipe clean with a dry cloth


Replacement Warranty *3 Years

<u>Barcode</u>

GTIN 9329501057384



Image -dimensions









Last modification

2022-11-29

G A609E27OP840D 9329501057377





Overview

Family name E27/A60
Categories Globes

Usage Indoor Lighting,Trade Selection

Color / Material

Fixture ColorWhite,OpalFixture MaterialPolycarbonateShade MaterialPolycarbonate

Diffuser Color Opal

Diffuser Material Polycarbonate

<u>Size</u>

Fixture Diameter (cm) 6.0 Fixture Height (cm) 11.2

Specification

 Voltage Input
 240V

 Wattage (max)
 9

 Globe Type
 E27

 Lumens
 870

Color Temperature Natural White

Color Kelvin4000kDimmableYes - TRIACSurge ProtectionYes (0.5 Kva)IP ratingIP20

Care Instructions Wipe clean with a dry cloth

RCM

Replacement Warranty *3 Years

<u>Barcode</u>


1

Approvals

GTIN 9329501057377



Image -dimensions









Last modification

2022-11-29

G A609E27OP830D 9329501057360





Overview

Family name E27/A60
Categories Globes

Usage Indoor Lighting,Trade Selection

Color / Material

Fixture ColorWhite,OpalFixture MaterialPolycarbonateShade MaterialPolycarbonate

Diffuser Color Opal

Diffuser Material Polycarbonate

<u>Size</u>

Fixture Diameter (cm) 6.0 Fixture Height (cm) 11.2

Specification

Voltage Input240VWattage (max)9Globe TypeE27Lumens850Color TemperatureWarm W

Color TemperatureWarm WhiteColor Kelvin3000kDimmableYes - TRIACSurge ProtectionYes (0.5 Kva)IP ratingIP20

Care Instructions Wipe clean with a dry cloth

RCM

Replacement Warranty *3 Years

Barcode

Approvals

GTIN 9329501057360



Image -dimensions

