

Last modification

2022-11-29

## G T305E27OP830 9329501056714





#### Overview

Family name E27/T30
Categories Globes

Usage Indoor Lighting,Trade Selection

#### Color / Material

Fixture ColorWhite,OpalFixture MaterialPolycarbonateShade MaterialPolycarbonate

**Diffuser Color** Opal

**Diffuser Material** Polycarbonate

# <u>Size</u>

Fixture Diameter (cm) 3.0 Fixture Height (cm) 9.7

#### **Specification**

Voltage Input240VWattage (max)5Globe TypeE27Lumens450Color TemperatureWarm White

Color TemperatureWarm WhiteColor Kelvin3000kDimmableNo

**Surge Protection** Yes (0.5 Kva)

IP rating IP20
Approvals RCM

Care Instructions Wipe clean with a dry cloth

Replacement Warranty \*3 Years

Barcode

1


**GTIN** 9329501056714

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.



**Image -dimensions** 







All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.



Last modification

2022-11-29

## G T305E27OP840 9329501047231





#### **Overview**

Family name E27/T30
Categories Globes

Usage Indoor Lighting,Trade Selection

#### Color / Material

Fixture ColorWhite,OpalFixture MaterialPolycarbonateShade MaterialPolycarbonate

**Diffuser Color** Opal

**Diffuser Material** Polycarbonate

## <u>Size</u>

Fixture Diameter (cm) 3.0 Fixture Height (cm) 9.7

#### **Specification**

 Voltage Input
 240V

 Wattage (max)
 5

 Globe Type
 E27

 Lumens
 470

**Color Temperature** Natural White

Color Kelvin 4000k Dimmable No

**Surge Protection** Yes (0.5 Kva)

IP rating IP20
Approvals RCM

Care Instructions Wipe clean with a dry cloth


Replacement Warranty \*3 Years

Barcode

**GTIN** 9329501047231



## **Image -dimensions**







All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.



Last modification

2022-11-29

## G T305E27OP860 9329501056721





#### **Overview**

Family name E27/T30
Categories Globes

**Usage** Indoor Lighting,Trade Selection

#### Color / Material

Fixture ColorWhite,OpalFixture MaterialPolycarbonateShade MaterialPolycarbonate

**Diffuser Color** Opal

**Diffuser Material** Polycarbonate

#### Size

Fixture Diameter (cm) 3.0 Fixture Height (cm) 9.7

#### **Specification**

Voltage Input240VWattage (max)5Globe TypeE27Lumens490Color TemperatureDaylightColor Kelvin6000kDimmableNo

**Surge Protection** Yes (0.5 Kva)

IP rating IP20 Approvals RCM

Care Instructions Wipe clean with a dry cloth

Replacement Warranty \*3 Years

Barcode

1


**GTIN** 9329501056721

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.



## **Image -dimensions**







All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.