

Last modification 2022-11-29

G T305E27TUS824D
9329501056769



The T30 clear tube globe consumes only 5 watts, saving you energy. Triac dimmable, a 360-degree beam angle, and an average life of 20,000 hours makes home illumination choice simple. Available in ultra-warm (2400k) or natural white (4000k).

Overview

Family name	E27/T30
Categories	Globes
Usage	Indoor Lighting,Trade Selection

Color / Material

Fixture Color	Clear
Fixture Material	Glass
Shade Material	Glass
Diffuser Color	Clear
Diffuser Material	Glass

Size

Fixture Diameter (cm)	3.0
Fixture Height (cm)	11.0

Specification

Voltage Input	240V
Wattage (max)	5
Globe Type	E27
Lumens	400
Color Temperature	Warm White
Color Kelvin	2400k
Dimmable	Yes - TRIAC
Surge Protection	Yes (0.5 Kva)
IP rating	IP20
Approvals	RCM
Care Instructions	Wipe clean with a dry cloth
Replacement Warranty	*3 Years


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Barcode

GTIN

9329501056769

Image -dimensions



Last modification 2022-11-29

G T305E27TUS840D
9329501056776



The T30 clear tube globe consumes only 5 watts, saving you energy. Triac dimmable, a 360-degree beam angle, and an average life of 20,000 hours makes home illumination choice simple. Available in ultra-warm (2400k) or natural white (4000k).

Overview

Family name	E27/T30
Categories	Globes
Usage	Indoor Lighting,Trade Selection

Color / Material

Fixture Color	Clear
Fixture Material	Glass
Shade Material	Glass
Diffuser Color	Clear
Diffuser Material	Glass

Size

Fixture Diameter (cm)	3.0
Fixture Height (cm)	11.0

Specification

Voltage Input	240V
Wattage (max)	5
Globe Type	E27
Lumens	440
Color Temperature	Natural White
Color Kelvin	4000k
Dimmable	Yes - TRIAC
Surge Protection	Yes (0.5 Kva)
IP rating	IP20
Approvals	RCM
Care Instructions	Wipe clean with a dry cloth
Replacement Warranty	*3 Years

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Barcode

GTIN

9329501056776

Image -dimensions

