

SUMMARY

The Club is an IP20 batten ideal for commercial and residential applications. Designed to be super slim, this batten has been engineered to be linkable for individual application requirements. The Club features a fully integrated driver and a convenient exterior power switch.



			<p>✓ VEET Approved</p> <p>✓ IPART Approved</p>
--	--	--	--

PRODUCT DATA

Order Code	212020B
Voltage	220-240V
Wattage	10.5W
Lumen Output	1050Lm
CCT	4000K
IP Rating	IP40
Beam Angle	160°
Light Source	SMD Chips
Driver	Integrated
Dimmable	No
Connection	1.2m flex & plug
Construction	Polycarbonate body / opal polycarbonate diffuser
Fitting Colour	White
PF	0.9
Maximum Connections	20
Net Weight (kg)	0.31
Lifetime L70B50	50,000 hours
Warranty	5 years



SUMMARY

The Club is an IP20 batten ideal for commercial and residential applications. Designed to be super slim, this batten has been engineered to be linkable for individual application requirements. The Club features a fully integrated driver and a convenient exterior power switch.



			<p>✓ VEET Approved</p> <p>✓ IPART Approved</p>
--	--	--	--

PRODUCT DATA

Order Code	212502B
Voltage	220-240V
Wattage	8.5W
Lumen Output	850Lm
CCT	5000K
IP Rating	IP40
Beam Angle	160°
Light Source	SMD Chips
Driver	Integrated
Dimmable	No
Connection	1.2m flex & plug
Construction	Polycarbonate body / opal polycarbonate diffuser
Fitting Colour	White
PF	0.9
Maximum Connections	25
Net Weight (kg)	0.25
Lifetime L70B50	50,000 hours
Warranty	5 years



SUMMARY

The Club is an IP20 batten ideal for commercial and residential applications. Designed to be super slim, this batten has been engineered to be linkable for individual application requirements. The Club features a fully integrated driver and a convenient exterior power switch.



			<p>✓ VEET Approved</p> <p>✓ IPART Approved</p>
--	--	--	--

PRODUCT DATA

Order Code	212022B
Voltage	220-240V
Wattage	12.5W
Lumen Output	1250Lm
CCT	4000K
IP Rating	IP40
Beam Angle	160°
Light Source	SMD Chips
Driver	Integrated
Dimmable	No
Connection	1.2m flex & plug
Construction	Polycarbonate body / opal polycarbonate diffuser
Fitting Colour	White
PF	0.9
Maximum Connections	16
Net Weight (kg)	0.35
Lifetime L70B50	50,000 hours
Warranty	5 years

