

**SUMMARY**

The Jenlite is a stylish surface mounted downlight ideal for commercial and residential applications. Engineered to deliver high lumen efficacy, it features an integrated driver and high efficiency COB LED chips. Suitable for outdoor use, the Jenlite is constructed from powder-coated die-cast metal for durability.



			<ul style="list-style-type: none"> <li>✓ <b>VEET</b> Approved</li> <li>✓ <b>IPART</b> Approved</li> </ul>
--	--	--	---

**PRODUCT DATA**

Order Code	173274
Voltage	220-240V
Wattage	10W
Lumen Output	820Lm
CCT	4000K
IP Rating	IP65
Beam Angle	60°
Light Source	COB Chips
Driver	Integrated
Dimmable	No
Construction	Metal body
Fitting Colour	Black
PF	0.9
Net Weight (kg)	0.50
Lifetime L70B50	35,000 hours
Warranty	3 years



**SUMMARY**

The Jenlite is a stylish surface mounted downlight ideal for commercial and residential applications. Engineered to deliver high lumen efficacy, it features an integrated driver and high efficiency COB LED chips. Suitable for outdoor use, the Jenlite is constructed from powder-coated die-cast metal for durability.



			<p>✓ <b>VEET</b> Approved</p> <p>✓ <b>IPART</b> Approved</p>
--	--	--	--


**PRODUCT DATA**

Order Code	173275
Voltage	220-240V
Wattage	10W
Lumen Output	820Lm
CCT	5000K
IP Rating	IP65
Beam Angle	60°
Light Source	COB Chips
Driver	Integrated
Dimmable	No
Construction	Metal body
Fitting Colour	Black
PF	0.9
Net Weight (kg)	0.50
Lifetime L70B50	35,000 hours
Warranty	3 years



**SUMMARY**

The Jenlite is a stylish surface mounted downlight ideal for commercial and residential applications. Engineered to deliver high lumen efficacy, it features an integrated driver and high efficiency COB LED chips. Suitable for outdoor use, the Jenlite is constructed from powder-coated die-cast metal for durability.



**PRODUCT DATA**

Order Code	173284
Voltage	220-240V
Wattage	10W
Lumen Output	820Lm
CCT	4000K
IP Rating	IP65
Beam Angle	60°
Light Source	COB Chips
Driver	Integrated
Dimmable	No
Construction	Metal body
Fitting Colour	White
PF	0.9
Net Weight (kg)	0.50
Lifetime L70B50	35,000 hours
Warranty	3 years

