


SUMMARY

The Seculite V is a superior spotlight solution for residential and commercial applications. It features Five-Colour selectable technology giving installers the flexibility and choice of 5 colour temperatures in 1 fitting. Rated IP54 and made from die-cast aluminium, it is perfectly suited to harsh outdoor conditions. This fitting incorporated a PIR sensor for added convenience and security.




PRODUCT DATA

Order Code	201003S
Voltage	220-240V
Wattage	2 x 10W
Lumen Output	2 x 850Lm
CCT	Five-Colour Selectable - 3K / 4K / 5K / 5.7K / 6.5K
IP Rating	IP54
CRI Rating	Ra≥80
Beam Angle	110°
Light Source	COB LED Chips
Driver	Integrated
Dimmable	No
Construction	Aluminium body / faceted reflector
Finish	Powder coated
Fitting Colour	White
PF	0.9
Net Weight (kg)	0.90
Lifetime L70B50	35,000 hours
Warranty	3 years



SUMMARY

The Seculite V is a superior spotlight solution for residential and commercial applications. It features Five-Colour selectable technology giving installers the flexibility and choice of 5 colour temperatures in 1 fitting. Rated IP54 and made from die-cast aluminium, it is perfectly suited to harsh outdoor conditions. This fitting incorporated a PIR sensor for added convenience and security.




PRODUCT DATA

Order Code	201001S
Voltage	220-240V
Wattage	2 x 10W
Lumen Output	2 x 850Lm
CCT	Five-Colour Selectable - 3K / 4K / 5K / 5.7K / 6.5K
IP Rating	IP54
CRI Rating	Ra≥80
Beam Angle	110°
Light Source	COB LED Chips
Driver	Integrated
Dimmable	No
Construction	Aluminium body / faceted reflector
Finish	Powder coated
Fitting Colour	Black
PF	0.9
Net Weight (kg)	0.90
Lifetime L70B50	35,000 hours
Warranty	3 years



SUMMARY

The Seculite V is a superior spotlight solution for residential and commercial applications. It features Five-Colour selectable technology giving installers the flexibility and convenience of 5 colour temperatures in 1 fitting. Rated IP54 and made from die-cast aluminium, it is perfectly suited to harsh outdoor conditions.




PRODUCT DATA

Order Code	201003
Voltage	220-240V
Wattage	2 x 10W
Lumen Output	2 x 850Lm
CCT	Five-Colour Selectable - 3K / 4K / 5K / 5.7K / 6.5K
IP Rating	IP54
CRI Rating	Ra≥80
Beam Angle	110°
Light Source	COB LED Chips
Driver	Integrated
Dimmable	No
Construction	Aluminium body / faceted reflector
Finish	Powder coated
Fitting Colour	White
PF	0.9
Net Weight (kg)	0.70
Lifetime L70B50	35,000 hours
Warranty	3 years



SUMMARY

The Seculite V is a superior spotlight solution for residential and commercial applications. It features Five-Colour selectable technology giving installers the flexibility and convenience of 5 colour temperatures in 1 fitting. Rated IP54 and made from die-cast aluminium, it is perfectly suited to harsh outdoor conditions.




PRODUCT DATA

Order Code	201001
Voltage	220-240V
Wattage	2 x 10W
Lumen Output	2 x 850Lm
CCT	Five-Colour Selectable - 3K / 4K / 5K / 5.7K / 6.5K
IP Rating	IP54
CRI Rating	Ra≥80
Beam Angle	110°
Light Source	COB LED Chips
Driver	Integrated
Dimmable	No
Construction	Aluminium body / faceted reflector
Finish	Powder coated
Fitting Colour	Black
PF	0.9
Net Weight (kg)	0.70
Lifetime L70B50	35,000 hours
Warranty	3 years



SUMMARY

The Seculite V is a superior spotlight solution for residential and commercial applications. It features Five-Colour selectable technology giving installers the flexibility and choice of 5 colour temperatures in 1 fitting. Rated IP54 and made from die-cast aluminium, it is perfectly suited to harsh outdoor conditions. This fitting incorporated a PIR sensor for added convenience and security.




PRODUCT DATA

Order Code	201002S
Voltage	220-240V
Wattage	10W
Lumen Output	850Lm
CCT	Five-Colour Selectable - 3K / 4K / 5K / 5.7K / 6.5K
IP Rating	IP54
CRI Rating	Ra≥80
Beam Angle	110°
Light Source	COB LED Chip
Driver	Integrated
Dimmable	No
Construction	Aluminium body / faceted reflector
Finish	Powder coated
Fitting Colour	White
PF	0.9
Net Weight (kg)	0.60
Lifetime L70B50	35,000 hours
Warranty	3 years



SUMMARY

The Seculite V is a superior spotlight solution for residential and commercial applications. It features Five-Colour selectable technology giving installers the flexibility and choice of 5 colour temperatures in 1 fitting. Rated IP54 and made from die-cast aluminium, it is perfectly suited to harsh outdoor conditions. This fitting incorporated a PIR sensor for added convenience and security.




PRODUCT DATA

Order Code	201000S
Voltage	220-240V
Wattage	10W
Lumen Output	850Lm
CCT	Five-Colour Selectable - 3K / 4K / 5K / 5.7K / 6.5K
IP Rating	IP54
CRI Rating	Ra≥80
Beam Angle	110°
Light Source	COB LED Chip
Driver	Integrated
Dimmable	No
Construction	Aluminium body / faceted reflector
Finish	Powder coated
Fitting Colour	Black
PF	0.9
Net Weight (kg)	0.60
Lifetime L70B50	35,000 hours
Warranty	3 years



SUMMARY

The Seculite V is a superior spotlight solution for residential and commercial applications. It features Five-Colour selectable technology giving installers the flexibility and convenience of 5 colour temperatures in 1 fitting. Rated IP54 and made from die-cast aluminium, it is perfectly suited to harsh outdoor conditions.




PRODUCT DATA

Order Code	201002
Voltage	220-240V
Wattage	10W
Lumen Output	850Lm
CCT	Five-Colour Selectable - 3K / 4K / 5K / 5.7K / 6.5K
IP Rating	IP54
CRI Rating	Ra≥80
Beam Angle	110°
Light Source	COB LED Chip
Driver	Integrated
Dimmable	No
Construction	Aluminium body / faceted reflector
Finish	Powder coated
Fitting Colour	White
PF	0.9
Net Weight (kg)	0.40
Lifetime L70B50	35,000 hours
Warranty	3 years



SUMMARY

The Seculite V is a superior spotlight solution for residential and commercial applications. It features Five-Colour selectable technology giving installers the flexibility and convenience of 5 colour temperatures in 1 fitting. Rated IP54 and made from die-cast aluminium, it is perfectly suited to harsh outdoor conditions.



PRODUCT DATA

Order Code	201000
Voltage	220-240V
Wattage	10W
Lumen Output	850Lm
CCT	Five-Colour Selectable - 3K / 4K / 5K / 5.7K / 6.5K
IP Rating	IP54
CRI Rating	Ra≥80
Beam Angle	110°
Light Source	COB LED Chip
Driver	Integrated
Dimmable	No
Construction	Aluminium body / faceted reflector
Finish	Powder coated
Fitting Colour	Black
PF	0.9
Net Weight (kg)	0.40
Lifetime L70B50	35,000 hours
Warranty	3 years

