


SUMMARY

The SupValue A60 is a dimmable LED light globe that is suitable for commercial or residential applications. Featuring a frosted finish, this globe has been engineered to provide longevity and high lumen efficacy. The SupValue A60 globe is an energy saving alternative or replacement to traditional A60 incandescent or halogen globes. It can also be retrofitted to existing compatible sockets.




PRODUCT DATA

Order Code	112117A
Voltage	220-240V
Wattage	14.3W
Lumen Output	1670Lm
CCT	4000K
CRI Rating	Ra≥80
Beam Angle	200°
Light Source	SMD Chips
Dimmable	Yes. Leading or Trailing Edge, Universal (Refer to Compatibility List)
Cap Type	E27
Construction	Polycarbonate
Fitting Colour	White
PF	0.7
Net Weight (kg)	0.08
Lifetime L70B50	15,000 hours
Warranty	3 years



SUMMARY

The SupValue A60 is a dimmable LED light globe that is suitable for commercial or residential applications. Featuring a frosted finish, this globe has been engineered to provide longevity and high lumen efficacy. The SupValue A60 globe is an energy saving alternative or replacement to traditional A60 incandescent or halogen globes. It can also be retrofitted to existing compatible sockets.




PRODUCT DATA

Order Code	112118
Voltage	220-240V
Wattage	14.3W
Lumen Output	1670Lm
CCT	4000K
CRI Rating	Ra≥80
Beam Angle	200°
Light Source	SMD Chips
Dimmable	Yes. Leading or Trailing Edge, Universal (Refer to Compatibility List)
Cap Type	B22
Construction	Polycarbonate
Fitting Colour	White
PF	0.7
Net Weight (kg)	0.08
Lifetime L70B50	15,000 hours
Warranty	3 years



SUMMARY

The SupValue A60 is a dimmable LED light globe that is suitable for commercial or residential applications. Featuring a frosted finish, this globe has been engineered to provide longevity and high lumen efficacy. The SupValue A60 globe is an energy saving alternative or replacement to traditional A60 incandescent or halogen globes. It can also be retrofitted to existing compatible sockets.




PRODUCT DATA

Order Code	112115A
Voltage	220-240V
Wattage	14.3W
Lumen Output	1580Lm
CCT	3000K
CRI Rating	Ra≥80
Beam Angle	200°
Light Source	SMD Chips
Dimmable	Yes. Leading or Trailing Edge, Universal (Refer to Compatibility List)
Cap Type	E27
Construction	Polycarbonate
Fitting Colour	White
PF	0.7
Net Weight (kg)	0.08
Lifetime L70B50	15,000 hours
Warranty	3 years



SUMMARY

The SupValue A60 is a dimmable LED light globe that is suitable for commercial or residential applications. Featuring a frosted finish, this globe has been engineered to provide longevity and high lumen efficacy. The SupValue A60 globe is an energy saving alternative or replacement to traditional A60 incandescent or halogen globes. It can also be retrofitted to existing compatible sockets.



PRODUCT DATA

Order Code	112116A
Voltage	220-240V
Wattage	14.3W
Lumen Output	1580Lm
CCT	3000K
CRI Rating	Ra≥80
Beam Angle	200°
Light Source	SMD Chips
Dimmable	Yes. Leading or Trailing Edge, Universal (Refer to Compatibility List)
Cap Type	B22
Construction	Polycarbonate
Fitting Colour	White
PF	0.7
Net Weight (kg)	0.08
Lifetime L70B50	15,000 hours
Warranty	3 years

