

SUMMARY

The SupValue T8 polycarbonate tube is suitable for industrial and commercial applications, including food preparation areas. Featuring an opal polycarbonate diffuser and rotary cap, it has been engineered to deliver high lumen efficacy. This LED tube is an energy saving alternative or replacement to traditional fluorescent tubes.



--	--	--	--

PRODUCT DATA

Order Code	152007B
Voltage	220-240V
Wattage	27W
Lumen Output	2700Lm
CCT	4000K
CRI Rating	Ra≥80
Beam Angle	165°
Light Source	SMD Chips
Dimmable	No
Cap Type	G13 Rotary
Construction	Polycarbonate
Fitting Colour	White
PF	0.9
Net Weight (kg)	0.22
Lifetime L70B50	30,000 hours
Warranty	5 years



SUMMARY

The SupValue T8 polycarbonate tube is suitable for industrial and commercial applications, including food preparation areas. Featuring an opal polycarbonate diffuser and rotary cap, it has been engineered to deliver high lumen efficacy. This LED tube is an energy saving alternative or replacement to traditional fluorescent tubes.



--	--	--	--

PRODUCT DATA

Order Code	152002B
Voltage	220-240V
Wattage	9W
Lumen Output	920Lm
CCT	6500K
CRI Rating	Ra≥80
Beam Angle	180°
Light Source	SMD Chips
Dimmable	No
Cap Type	G13 Rotary
Construction	Polycarbonate
Fitting Colour	White
PF	0.9
Net Weight (kg)	0.10
Lifetime L70B50	30,000 hours
Warranty	5 years



SUMMARY

The SupValue T8 polycarbonate tube is suitable for industrial and commercial applications, including food preparation areas. Featuring an opal polycarbonate diffuser and rotary cap, it has been engineered to deliver high lumen efficacy. This LED tube is an energy saving alternative or replacement to traditional fluorescent tubes.



--	--	--

PRODUCT DATA

Order Code	152001
Voltage	220-240V
Wattage	9W
Lumen Output	920Lm
CCT	4000K
CRI Rating	Ra≥80
Beam Angle	180°
Light Source	SMD Chips
Dimmable	No
Cap Type	G13 Rotary
Construction	Polycarbonate
Fitting Colour	White
PF	0.9
Net Weight (kg)	0.10
Lifetime L70B50	30,000 hours
Warranty	5 years

