

Last modification 2022-11-25

EOS EX1-BK
9329501037393



The simple sleek look of the EOS wall bracket will make a modern presence wherever it's installed. Designed for use indoors or outdoors, the fixture is available as one light or 2 light up / down. Manufactured from die-cast aluminum and powder coated in a textured black, grey, or white finish. The Eos is suitable for regular LED GU10 globes.

Overview

Family name	EOS
Categories	Wall Lights
Mounting	Surface
Usage	Outdoor Lighting,Trade Selection

Color / Material

Fixture Color	Black
Fixture Material	Aluminium
Canopy Color	Black

Size

Fixture Diameter (cm)	6.8
Fixture Height (cm)	8.1

Specification

Voltage Input	240V
Wattage (max)	5
Globe Type	GU10
Globe / Light Source qty	1
Globe / Light Source included	No
Color Rendering	>80
Dimmable	No
Power Factor	>0.90
Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
IP rating	IP54
Lead and Plug	No
Approvals	RCM


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Box Contents	Basic mounting screws,Instruction
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners,Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501037393

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

Globe Type Recommended

Label	Color Temperature	Thumbnail	GTIN
GL GU10LED5LD			
GL GU10LED6W6			



Last modification 2022-11-25

EOS EX1-SL 9329501037409



The simple sleek look of the EOS wall bracket will make a modern presence wherever it's installed. Designed for use indoors or outdoors, the fixture is available as one light or 2 light up / down. Manufactured from die-cast aluminum and powder coated in a textured black, grey, or white finish. The Eos is suitable for regular LED GU10 globes.

Overview

Family name	EOS
Categories	Wall Lights
Mounting	Surface
Usage	Outdoor Lighting, Trade Selection

Color / Material

Fixture Color	Silver
Fixture Material	Aluminium
Canopy Color	Silver

Size

Fixture Diameter (cm)	6.8
Fixture Height (cm)	8.1

Specification

Voltage Input	240V
Wattage (max)	5
Globe Type	GU10
Globe / Light Source qty	1
Globe / Light Source included	No
Color Rendering	>80
Dimmable	No
Power Factor	>0.90
Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
IP rating	IP54
Lead and Plug	No
Approvals	RCM


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Box Contents	Basic mounting screws,Instruction
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners,Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501037409

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

Globe Type Recommended

Label	Color Temperature	Thumbnail	GTIN
GL GU10LED5LD			
GL GU10LED6W6			





Last modification

2022-11-25

EOS EX1-WH
9329501056356



The simple sleek look of the EOS wall bracket will make a modern presence wherever it's installed. Designed for use indoors or outdoors, the fixture is available as one light or 2 light up / down. Manufactured from die-cast aluminum and powder coated in a textured black, grey, or white finish. The Eos is suitable for regular LED GU10 globes.

Overview

Family name	EOS
Categories	Wall Lights
Mounting	Surface
Usage	Outdoor Lighting,Trade Selection

Color / Material

Fixture Color	White
Fixture Material	Aluminium
Canopy Color	White

Size

Fixture Diameter (cm)	6.8
Fixture Height (cm)	8.1

Specification

Voltage Input	240V
Wattage (max)	5
Globe Type	GU10
Globe / Light Source qty	1
Globe / Light Source included	No
Color Rendering	>80
Dimmable	No
Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
IP rating	IP54
Lead and Plug	No
Approvals	RCM
Box Contents	Basic mounting screws,Instruction


All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners,Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501056356

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

Globe Type Recommended

Label	Color Temperature	Thumbnail	GTIN
GL GU10LED5LD			
GL GU10LED6W6			

