

Last modification

2022-11-25

EOS EX2-BK 9329501037416



The simple sleek look of the EOS wall bracket will make a modern presence wherever it's installed. Designed for use indoors or outdoors, the fixture is available as one light or 2 light up / down. Manufactured from die-cast aluminum and powder coated in a textured black, grey, or white finish. The Eos is suitable for regular LED GU10 globes.

Overview

Family name EOS
Categories Wall Lights
Mounting Surface

Usage Outdoor Lighting,Trade Selection

Color / Material

Fixture Color Black
Fixture Material Aluminium
Canopy Color Black

Size

Fixture Diameter (cm) 6.8
Fixture Height (cm) 15.0

Specification

Voltage Input 240V Wattage (max) 10 Wattage **Globe Type** GU10 Globe / Light Source qty 2 Globe / Light Source included Nο **Color Rendering** >80 Dimmable No **Power Factor** >0.90

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP54 Lead and Plug No



Approvals RCM

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Year

Barcode

GTIN 9329501037416

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

Globe Type Recommended

Label	Color Temperature	Thumbnail	GTIN
GL GU10LED5LD			
GL GU10LEDFW6			









Last modification

2022-11-25

EOS EX2-WH 9329501056363



The simple sleek look of the EOS wall bracket will make a modern presence wherever it's installed. Designed for use indoors or outdoors, the fixture is available as one light or 2 light up / down. Manufactured from die-cast aluminum and powder coated in a textured black, grey, or white finish. The Eos is suitable for regular LED GU10 globes.

Overview

Family name EOS
Categories Wall Lights
Mounting Surface

Usage Outdoor Lighting,Trade Selection

Color / Material

Fixture Color White
Fixture Material Aluminium
Canopy Color White

Size

Fixture Diameter (cm) 6.8
Fixture Height (cm) 15.0

Specification

Voltage Input 240V
Wattage (max) 12
Globe Type GU10
Globe / Light Source qty 2
Globe / Light Source included No
Color Rendering >80
Dimmable No

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP54
Lead and Plug No
Approvals RCM

Box Contents Basic mounting screws,Instruction

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

1



Installation Required Yes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

<u>Barcode</u>

GTIN 9329501056363

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

Globe Type Recommended

Label	Color Temperature	Thumbnail	GTIN
GL GU10LED5LD			
GL GU10LEDFW6			

Telbix.









2022-11-25



Last modification

EOS EX2-SL 9329501037423



The simple sleek look of the EOS wall bracket will make a modern presence wherever it's installed. Designed for use indoors or outdoors, the fixture is available as one light or 2 light up / down. Manufactured from die-cast aluminum and powder coated in a textured black, grey, or white finish. The Eos is suitable for regular LED GU10 globes.

Overview

Family name EOS
Categories Wall Lights
Mounting Surface

Usage Outdoor Lighting,Trade Selection

Color / Material

Fixture ColorSilverFixture MaterialAluminiumCanopy ColorSilver

Size

Fixture Diameter (cm) 6.8
Fixture Height (cm) 15.0

Specification

Voltage Input 240V Wattage (max) 10 Wattage **Globe Type** GU10 Globe / Light Source qty 2 Globe / Light Source included Nο **Color Rendering** >80 Dimmable No **Power Factor** >0.90

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP54 Lead and Plug No



Approvals RCM

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Year

<u>Barcode</u>

GTIN 9329501037423

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

Globe Type Recommended

Label	Color Temperature	Thumbnail	GTIN
GL GU10LED5LD			
GL GU10LEDFW6			





